

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihalan Produk: **Dichloromethane, for analysis**  
 Product Description: **Dichloromethane, for analysis**  
 Cat No. : SP1852  
 Synonyms Methylene chloride, DCM  
 CAS No 75-09-2  
 Molecular Formula C H<sub>2</sub> Cl<sub>2</sub>

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                    |                   |
|----------------------------------------------------|-------------------|
| Skin Corrosion/Irritation                          | Category 2 (H315) |
| Serious Eye Damage/Eye Irritation                  | Category 2 (H319) |
| Carcinogenicity                                    | Category 2 (H351) |
| Specific target organ toxicity - (single exposure) | Category 3 (H336) |

**Label Elements**


Signal Word

Warning

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

## Hazard Statements

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer

## Precautionary Statements

### Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear eye protection/ face protection

### Response

P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal  
Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system  
The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal  
Do not use in areas without adequate ventilation.  
Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing  
Decomposes in a fire, giving off toxic fumes: phosgene and hydrochloric acid, Carbon monoxide  
Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component          | CAS No  | Weight % |
|--------------------|---------|----------|
| Methylene chloride | 75-09-2 | <=100    |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

|                                    |                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Ingestion                          | Clean mouth with water and drink afterwards plenty of water.                                                 |
| Inhalation                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Self-Protection of the First Aider | Use personal protective equipment as required.                                                               |

## **Most important symptoms and effects, both acute and delayed**

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

Do not use water jetstream.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Phosgene, Hydrogen chloride gas.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

### **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

### **Methods and Material for Containment and Cleaning Up**

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Ventilate the area.

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in aluminum containers.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component          | Malaysia | ACGIH TLV   | OSHA PEL                                                                                                          |
|--------------------|----------|-------------|-------------------------------------------------------------------------------------------------------------------|
| Methylene chloride |          | TWA: 50 ppm | (Vacated) TWA: 500 ppm<br>(Vacated) STEL: 2000 ppm<br>(Vacated) Ceiling: 1000 ppm<br>TWA: 25 ppm<br>STEL: 125 ppm |

| Component          | European Union                                                                                                               | The United Kingdom                                                                                                         | Germany                                                                                                                                                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methylene chloride | TWA: 353 mg/m <sup>3</sup> (8h)<br>TWA: 100 ppm (8h)<br>STEL: 706 mg/m <sup>3</sup> (15min)<br>STEL: 200 ppm (15min)<br>Skin | STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 100 ppm<br>Höhepunkt: 360 mg/m <sup>3</sup><br>Haut |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

## Recommended Filter type:

In case of inadequate ventilation wear respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

low boiling organic solvent Type AX Brown conforming to EN371

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance Colorless

Physical State Liquid

Odor sweet

Odor Threshold 250 ppm

pH Not applicable

Insoluble in water

Melting Point/Range -97 °C / -142.6 °F

Softening Point No data available

Boiling Point/Range 39 - 40 °C / 102.2 - 104 °F

Flash Point No information available

Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable

Liquid

Explosion Limits Lower 13 vol%

Upper 22 vol%

Vapor Pressure 475 hPa @ 20 °C

Vapor Density 2.93

(Air = 1.0)

Specific Gravity / Density 1.325

Bulk Density Not applicable

Liquid

Water Solubility 20 g/L (20°C)

Solubility in other solvents No information available

### Partition Coefficient (n-octanol/water)

Component log Pow

Methylene chloride 1.25

Autoignition Temperature 605 °C / 1121 °F

Decomposition Temperature > 120°C

Viscosity 0.43 mP.s @ 20°C

Explosive Properties No information available

Oxidizing Properties No information available

Molecular Formula C H2 Cl2

Molecular Weight 84.93

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

#### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

### Conditions to Avoid

Incompatible products. Excess heat.

### Incompatible Materials

Strong oxidizing agents. Strong acids. Amines. Aluminium. . Zinc.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### **Product Information**

#### **(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Based on available data, the classification criteria are not met

| Component          | LD50 Oral            | LD50 Dermal          | LC50 Inhalation                                            |
|--------------------|----------------------|----------------------|------------------------------------------------------------|
| Methylene chloride | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat ) | 53 mg/L ( Rat ) 6 h<br>76000 mg/m <sup>3</sup> ( Rat ) 4 h |

#### **(b) skin corrosion/irritation;**

Category 2

#### **(c) serious eye damage/irritation;**

Category 2

#### **(d) respiratory or skin sensitization;**

**Respiratory**

Based on available data, the classification criteria are not met

**Skin**

Based on available data, the classification criteria are not met

#### **(e) germ cell mutagenicity;**

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

**(f) carcinogenicity;**

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component          | EU | UK | Germany | IARC     |
|--------------------|----|----|---------|----------|
| Methylene chloride |    |    |         | Group 2A |

**(g) reproductive toxicity;**

Based on available data, the classification criteria are not met

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**

Central nervous system (CNS).

**(i) STOT-repeated exposure;**

Based on available data, the classification criteria are not met

**Target Organs**

None known.

**(j) aspiration hazard;**

Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed**

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects**

| Component          | Freshwater Fish                           | Water Flea         | Freshwater Algae   | Microtox                                    |
|--------------------|-------------------------------------------|--------------------|--------------------|---------------------------------------------|
| Methylene chloride | Pimephales promelas:<br>LC50:193 mg/L/96h | EC50: 140 mg/L/48h | EC50:>660 mg/L/96h | EC50: 1 mg/L/24 h<br>EC50: 2.88 mg/L/15 min |

**Persistence and degradability**  
**Persistence**

Not readily biodegradable 5 - 26% (28d OECD 301 C)  
Persistence is unlikely, based on information available.

**Bioaccumulative potential**

Bioaccumulation is unlikely

| Component          | log Pow | Bioconcentration factor (BCF) |
|--------------------|---------|-------------------------------|
| Methylene chloride | 1.25    | 6.4 - 40 dimensionless        |

**Mobility in soil**

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**Other adverse effects**

No information available

# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with federal, state and local regulations Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Do not reuse empty containers Dispose of in accordance with local regulations Dispose of this container to hazardous or special waste collection point.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No UN1593  
Hazard Class 6.1  
Packing Group III  
Proper Shipping Name Dichloromethane

### Road and Rail Transport

UN-No UN1593  
Hazard Class 6.1  
Packing Group III  
Proper Shipping Name Dichloromethane

### IATA

UN-No UN1593  
Hazard Class 6.1  
Packing Group III  
Proper Shipping Name Dichloromethane

#### **Special Precautions for User**

No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

X = listed

| Component          | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|--------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Methylene chloride | 200-838-9 | X    | X   | X     | X    | X    | X     | X    | KE-23893 |

| Component          | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Methylene chloride |                                                                                           |                                                                                          |                            | Annex I - Y45                      |

### National Regulations



# SAFETY DATA SHEET

Dichloromethane, for analysis

Revision Date 02-May-2025

**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

02-May-2025

SDS sections updated, 2, 4, 6, 8, 9, 15.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**