

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description:	Isopropyl ether
Cat No. :	C15896
Synonyms	2-Isopropoxypropane; DIPE; Diisopropyl ether
CAS No	108-20-3
Molecular Formula	C6 H14 O

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

Details of the supplier of the safety data sheet

Importer	Supplier
Fisher Scientific Korea	Thermo Fisher Scientific Chemicals, Inc.
D5,D6, Incheon Airport Logistics Complex	30 Bond Street
150, Gonghangdong-Ro 296 Beon-Gil	Ward Hill, MA 01835-8099
Jung-Gu, Incheon	
Tel: +82-1661-9555	
Fax: +82-2-2023-0603	

E-mail address	Chem.KR@thermofisher.com
-----------------------	--------------------------

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970
 CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887
 Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture
Physical hazards

Flammable liquids

Category 2

Health hazards

Specific target organ toxicity - (single exposure)

Category 3

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H336 - May cause drowsiness or dizziness

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

May form explosive peroxides

Repeated exposure may cause skin dryness or cracking

This product does not contain any known or suspected endocrine disruptors

Toxic to terrestrial vertebrates

NFPA

Health
2

Flammability
3

Instability
1

Physical hazards
N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	Common Name	CAS No	Index No	Weight %
Isopropyl ether	2-Isopropoxypropane ; DIPE; Diisopropyl ether	108-20-3	KE-27717	99 - 100

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. May form explosive peroxides. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), peroxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from heat, sparks and flame. Keep under nitrogen. Flammables area. May form explosive peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Containers should be dated when opened and tested periodically for the presence of peroxides.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Isopropyl ether	108-20-3	STEL: 310 ppm TWA: 250 ppm	TWA: 250 ppm STEL: 310 ppm	(Vacated) TWA: 500 ppm (Vacated) TWA: 2100 mg/m ³ TWA: 500 ppm TWA: 2100 mg/m ³

Component	CAS No	European Union	The United Kingdom	Germany
Isopropyl ether	108-20-3	Not listed	STEL: 310 ppm 15 min STEL: 1310 mg/m ³ 15 min TWA: 250 ppm 8 hr TWA: 1060 mg/m ³ 8 hr	TWA: 200 ppm (8 Stunden). AGW - exposure factor 2 TWA: 850 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 200 ppm (8 Stunden). MAK TWA: 850 mg/m ³ (8 Stunden). MAK Höhepunkt: 400 ppm Höhepunkt: 1700 mg/m ³

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Isopropyl ether	108-20-3	Not listed

Exposure Controls

ALFAAC15896

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Personal protective equipment

Respiratory Protection

Use only those certified by the Korea Occupational Safety and Health Administration.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type:

low boiling organic solvent Type A conforming to EN 141

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.) Colorless Liquid

Odor

Strong Ether

Odor Threshold

No data available

pH

No information available

Melting Point/Range

-85.5 °C / -121.9 °F

Softening Point

No data available

Boiling Point/Range

68 °C / 154.4 °F

@ 760 mmHg

Flash Point

-29 °C / -20.2 °F

Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

Lower 1.1

Upper 21

Vapor Pressure

180 mbar @ 20 °C

Vapor Density

1.42

@ 20 °C

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Specific Gravity / Density	0.720	
Bulk Density	Not applicable	Liquid
Water Solubility	9 g/L (20°C)	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Isopropyl ether	108-20-3	2.4

Autoignition Temperature	405 °C / 761 °F	
Decomposition Temperature	No data available	
Viscosity	0.38 mPa s at 25 °C	
Explosive Properties	Not explosive	Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	

Molecular Formula	C6 H14 O
Molecular Weight	102.18
Refractive index	1.367 - 1.369 @ 20 °C

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>	Yes
-------------------	-----

<u>Chemical Stability</u>	May form explosive peroxides. Air sensitive. Light sensitive. heat sensitive.
---------------------------	---

Possibility of Hazardous Reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

<u>Conditions to Avoid</u>	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Exposure to air. Exposure to light.
----------------------------	--

<u>Incompatible Materials</u>	Acids. Strong oxidizing agents. Amines. Aldehydes.
-------------------------------	--

<u>Hazardous Decomposition Products</u>	Carbon monoxide (CO). Carbon dioxide (CO ₂). peroxides.
---	---

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation	Avoid breathing vapors or mists.
Ingestion	May be harmful if swallowed.

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Eyes Avoid contact with eyes.
Skin Avoid contact with skin. Prolonged skin contact may defat the skin and produce dermatitis.

Information on Health Hazards

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl ether	108-20-3	LD50 = 4700 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	No data available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

Component	CAS No	Test method	Test species	Study result
Isopropyl ether	108-20-3	No data available	No data available	No data available

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Isopropyl ether	108-20-3	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Isopropyl ether	108-20-3	No data available	No data available	No data available

There are no known carcinogenic chemicals in this product

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Isopropyl ether	108-20-3	Not listed	Not listed	Not listed	Not listed	Not listed

(g) reproductive toxicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Isopropyl ether	108-20-3	No data available	No data available	No data available

(h) STOT-single exposure; Category 3
Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Other Adverse Effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Inhalation of high vapor concentrations

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Component	CAS No	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Isopropyl ether	108-20-3	LC50: = 91.7 mg/L, 96h flow-through (Pimephales promelas) LC50: = 7000 mg/L, 96h static (Lepomis macrochirus)	EC50: = 190 mg/L, 48h (Daphnia magna)	No data available	EC50 = 500 mg/L 5 min

Persistence and degradability

Persistence

Persistence is unlikely, based on information available.

Component	Degradability
Isopropyl ether 108-20-3 (99 - 100)	11 % (5 days)

Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Isopropyl ether	2.4	4.67 - 6

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Isopropyl ether	108-20-3	Not listed

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

SECTION 14: TRANSPORT INFORMATION

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Road and Rail Transport

UN-No UN1159
Proper Shipping Name DIISOPROPYL ETHER
Hazard Class 3
Packing Group II

IATA

UN-No UN1159
Proper Shipping Name DIISOPROPYL ETHER
Hazard Class 3
Packing Group II

IMDG/IMO

UN-No UN1159
Proper Shipping Name DIISOPROPYL ETHER
Hazard Class 3
Packing Group II
Marine Pollutant No hazards identified

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Isopropyl ether	108-20-3	KE-27717	X	203-560-6	X	X	-	X	X	X	X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Isopropyl ether	108-20-3	50,000 tonnes	5,000 tonnes	Not applicable	Annex I - Y40

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Isopropyl ether	108-20-3	Listed	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Isopropyl ether	108-20-3	Annex 1 - KE-27717	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

			mixtures)	(% in mixtures)
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Isopropyl ether	108-20-3	5000 kg	STEL: 310 ppm TWA: 250 ppm	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable	2. Group 1 Petroleum (Insoluble) 200 L	Not applicable	Not applicable

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Isopropyl ether	108-20-3	STEL: 310 ppm TWA: 250 ppm	Not listed

US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Isopropyl ether	108-20-3	Not applicable	Not applicable

CERCLA Not applicable

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Isopropyl ether	108-20-3	Not applicable	Not applicable	Not applicable

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

H225 - Highly flammable liquid and vapor. H336 - May cause drowsiness or dizziness. EUH019 - May form explosive peroxides. EUH066 - Repeated exposure may cause skin dryness or cracking.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER or doctor if you feel unwell. P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

Prepared By

Health, Safety and Environmental Department

Creation Date

23-Apr-2014

Revision Date

12-Jun-2024

Revision Number

2

Revision Summary

New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

SAFETY DATA SHEET

Isopropyl ether

Revision Date 12-Jun-2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet