

Creation Date 01-Feb-2022

Revision Date 12-Oct-2023

Revision Number 2

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Isopropanol, 70% solution in water  
Cat No. : 470610000; 470610010; 470610050; 470610250

Unique Formula Identifier (UFI) 614Y-Y6VF-TX0U-0FH2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG,  
United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel,  
Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Flammable liquids

Category 2 (H225)

#### Health hazards

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

Serious Eye Damage/Eye Irritation  
Specific target organ toxicity - (single exposure)

Category 2 (H319)  
Category 3 (H336)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness

## Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P280 - Wear eye protection/ face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P312 - Call a POISON CENTER or doctor if you feel unwell

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component         | CAS No    | EC No     | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------------|-----------|-----------|----------|-----------------------------------------------------------------------------------------|
| Isopropyl alcohol | 67-63-0   | 200-661-7 | 70       | Flam. Liq. 2 (H225)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H336)                          |
| Water             | 7732-18-5 | 231-791-2 | 30       | -                                                                                       |

| Components | Reach Registration Number |
|------------|---------------------------|
|------------|---------------------------|

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

|                   |                  |  |
|-------------------|------------------|--|
| Isopropyl alcohol | 01-2119457558-25 |  |
|-------------------|------------------|--|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                           |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                                                     |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |                                                 |
|---------------------------|-------------------------------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. Symptoms may be delayed. |
|---------------------------|-------------------------------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water mist may be used to cool closed containers. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

## 6.2. Environmental precautions

Should not be released into the environment.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510      Class 3  
Storage Class (LGK) (Germany)

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component         | The United Kingdom                                          | European Union | Ireland                                    |
|-------------------|-------------------------------------------------------------|----------------|--------------------------------------------|
| Isopropyl alcohol | STEL: 500 ppm 15 min<br>STEL: 1250 mg/m <sup>3</sup> 15 min |                | TWA: 200 ppm 8 hr.<br>STEL: 400 ppm 15 min |

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

|  |                                                      |  |      |
|--|------------------------------------------------------|--|------|
|  | TWA: 400 ppm 8 hr<br>TWA: 999 mg/m <sup>3</sup> 8 hr |  | Skin |
|--|------------------------------------------------------|--|------|

## Biological limit values

List source(s):

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                           | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Isopropyl alcohol<br>67-63-0 ( 70 ) |                              |                                 |                                | DNEL = 888mg/kg<br>bw/day         |

| Component                           | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Isopropyl alcohol<br>67-63-0 ( 70 ) |                                  |                                     |                                    | DNEL = 500mg/m <sup>3</sup>           |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                           | Fresh water      | Fresh water sediment           | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)        |
|-------------------------------------|------------------|--------------------------------|--------------------|------------------------------------|---------------------------|
| Isopropyl alcohol<br>67-63-0 ( 70 ) | PNEC = 140.9mg/L | PNEC = 552mg/kg<br>sediment dw | PNEC = 140.9mg/L   | PNEC = 2251mg/L                    | PNEC = 28mg/kg<br>soil dw |

| Component                           | Marine water     | Marine water sediment          | Marine water intermittent | Food chain              | Air |
|-------------------------------------|------------------|--------------------------------|---------------------------|-------------------------|-----|
| Isopropyl alcohol<br>67-63-0 ( 70 ) | PNEC = 140.9mg/L | PNEC = 552mg/kg<br>sediment dw |                           | PNEC = 160mg/kg<br>food |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Viton (R)      | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Physical State                          | Liquid                   |                                   |
| Appearance                              | Colorless                |                                   |
| Odor                                    | Alcohol                  |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | No data available        |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | No information available |                                   |
| Flammability (liquid)                   | Highly flammable         | On basis of test data             |
| Flammability (solid,gas)                | Not applicable           | Liquid                            |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | 18 °C / 64.4 °F          | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | No information available |                                   |
| Viscosity                               | No data available        |                                   |
| Water Solubility                        | Soluble                  |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Component                               | log Pow                  |                                   |
| Isopropyl alcohol                       | 0.05                     |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | 0.86                     |                                   |
| Bulk Density                            | Not applicable           | Liquid                            |
| Vapor Density                           | No data available        | (Air = 1.0)                       |
| Particle characteristics                | Not applicable (liquid)  |                                   |

### 9.2. Other information

**Explosive Properties** Vapors may form explosive mixtures with air

## SECTION 10: STABILITY AND REACTIVITY

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

## 10.1. Reactivity

None known, based on information available

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous Polymerization**  
**Hazardous Reactions**

No information available.  
None under normal processing.

## 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

## 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

#### Toxicology data for the components

| Component         | LD50 Oral                                  | LD50 Dermal         | LC50 Inhalation       |
|-------------------|--------------------------------------------|---------------------|-----------------------|
| Isopropyl alcohol | 5045 mg/kg ( Rat )<br>3600 mg/kg ( Mouse ) | 12800 mg/kg ( Rat ) | 72.6 mg/L ( Rat ) 4 h |
| Water             | -                                          | -                   | -                     |

##### (b) skin corrosion/irritation;

No data available

##### (c) serious eye damage/irritation;

Category 2

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

##### (e) germ cell mutagenicity;

No data available

##### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

##### (g) reproductive toxicity;

No data available

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

(h) STOT-single exposure; Category 3  
Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; No data available  
Target Organs None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity Ecotoxicity effects

| Component         | Freshwater Fish                                                                                                                                                                                                 | Water Flea                                      | Freshwater Algae                                                                                     |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Isopropyl alcohol | LC50: = 9640 mg/L, 96h<br>flow-through (Pimephales promelas)<br>LC50: > 1400000 µg/L, 96h (Lepomis macrochirus)<br>LC50: = 11130 mg/L, 96h static (Pimephales promelas)<br>LC50: = 10000000 µg/L, 96h (Daphnia) | 13299 mg/L EC50 = 48 h<br>9714 mg/L EC50 = 24 h | EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus)<br>EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus) |

| Component         | Microtox                                           | M-Factor |
|-------------------|----------------------------------------------------|----------|
| Isopropyl alcohol | = 35390 mg/L EC50 Photobacterium phosphoreum 5 min |          |

### 12.2. Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Isopropyl alcohol | 0.05    | No data available             |

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment No data available for assessment.

### 12.6. Endocrine disrupting properties

ACR47061



# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

14.1. UN number

UN1219

14.2. UN proper shipping name

ISOPROPANOL SOLUTION

14.3. Transport hazard class(es)

3

14.4. Packing group

II

### ADR

14.1. UN number

UN1219

14.2. UN proper shipping name

ISOPROPANOL SOLUTION

14.3. Transport hazard class(es)

3

14.4. Packing group

II

### IATA

14.1. UN number

UN1219

14.2. UN proper shipping name

ISOPROPANOL SOLUTION

14.3. Transport hazard class(es)

3

14.4. Packing group

II

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component         | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Isopropyl alcohol | 67-63-0   | 200-661-7 | -      | -   | X     | X    | KE-29363 | X    | X    |
| Water             | 7732-18-5 | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |

| Component         | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Isopropyl alcohol | 67-63-0   | X    | ACTIVE                                        | X   | -    | X    | X     | X     |
| Water             | 7732-18-5 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component         | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Isopropyl alcohol | 67-63-0   | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |
| Water             | 7732-18-5 | -                                                                   | -                                                                             | -                                                                                                     |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

| Component         | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Isopropyl alcohol | 67-63-0   | Not applicable                                                                            | Not applicable                                                                           |
| Water             | 7732-18-5 | Not applicable                                                                            | Not applicable                                                                           |

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### National Regulations

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

| Component         | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|-------------------------|
| Isopropyl alcohol | WGK1                                  |                         |

| Component         | France - INRS (Tables of occupational diseases)      |
|-------------------|------------------------------------------------------|
| Isopropyl alcohol | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component                           | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Isopropyl alcohol<br>67-63-0 ( 70 ) |                                                                                                                | Group I                                                                         |                                                                                             |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

# SAFETY DATA SHEET

Isopropanol, 70% solution in water

Revision Date 12-Oct-2023

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health Hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

|                  |                 |
|------------------|-----------------|
| Creation Date    | 01-Feb-2022     |
| Revision Date    | 12-Oct-2023     |
| Revision Summary | Not applicable. |

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**