

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name 3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxynonane, 41% solution in aromatic free mineral spirit

Synonyms Trigonox 301

Product Code	349940000; 349940050; 349941000
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Organic peroxides Type B

Health hazards

Aspiration Toxicity	Category 1
Skin Corrosion/Irritation	Category 2
Skin Sensitization	Category 1

Environmental hazards

No hazards identified

Label Elements



Flame



Health Hazard



Exclamation Mark

Signal Word

Danger

Hazard Statements

H241 - Heating may cause a fire or explosion
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
Combustible liquid

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P220 - Keep away from clothing and other combustible materials
P234 - Keep only in original packaging
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P331 - Do NOT induce vomiting
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P337 + P313 - If eye irritation persists: Get medical advice/attention
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P362 + P364 - Take off contaminated clothing and wash it before reuse
P403 + P235 - Store in a well-ventilated place. Keep cool
P410 - Protect from sunlight
P420 - Store separately
P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	59
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	24748-23-0	41

Section 4 - First Aid Measures

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention. Risk of serious damage to the lungs (by aspiration).

Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
Skin Contact	Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
General Advice	If symptoms persist, call a physician.
Self-Protection of the First Aider	Use personal protective equipment as required.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Acetone.

Specific Hazards Arising from the Chemical

Combustible material. Oxidizer: Contact with combustible/organic material may cause fire. Keep product and empty container away from heat and sources of ignition. Risk of ignition. May ignite combustibles (wood paper, oil, clothing, etc.). Containers may explode when heated.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition.

Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from clothing and other combustible materials. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for Safe Storage, Including any Incompatibilities

Do not store near combustible materials. Keep away from heat, sparks and flame. Do not freeze. Keep at temperatures between 10 ° and 40 °C. Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Petroleum distillates, hydrotreated light					TWA: (8 Stunden). AGW - TWA: 5 mg/m ³ (8 Stunden). MAK aerosols TWA: 50 ppm (8 Stunden). MAK vapor TWA: 350 mg/m ³ (8 Stunden). MAK vapor Höhepunkt: 20 mg/m ³ Höhepunkt: 100 ppm Höhepunkt: 700 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection

Long sleeved clothing

Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:-

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colorless	
Physical State	Liquid	
Odor	mild	
Odor Threshold	No data available	
pH	No information available	
Melting Point/Range	< 10 °C / < 50 °F	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flash Point	74 °C / 165.2 °F	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Vapor Pressure	<1 hPa (20°C)	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	0.875	
Bulk Density	Not applicable	Liquid
Water Solubility	Immiscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
1,2,4,5,7,8-Hexoxonane,	4.84	
3,6,9-triethyl-3,6,9-trimethyl-		

Autoignition Temperature	180 °C / 356 °F	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		explosive air/vapour mixtures possible
Oxidizing Properties	Oxidizer	

Other information

Self-Accelerating Decomposition Temperature (SADT)	110°C
--	-------

Section 10 - Stability and Reactivity

Reactivity	Yes
Stability	Oxidizer: Contact with combustible/organic material may cause fire. Stable under recommended storage conditions.
Conditions to Avoid	Incompatible products, Excess heat, Combustible material, Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Acids, Bases, Metals, Reducing Agent, Strong reducing agents, Combustible material.
Hazardous Decomposition Products	Carbon monoxide (CO). Carbon dioxide (CO ₂). Acetone.
Hazardous Polymerization	Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light	LD50 > 5000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 5.2 mg/L (Rat) 4 h
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-		LD50 > 2000 mg/kg (Rat)	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

Sensitization

May cause sensitization by skin contact

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) **carcinogenicity;** Based on available data, the classification criteria are not met
There are no known carcinogenic chemicals in this product

(g) **reproductive toxicity;** Based on available data, the classification criteria are not met

(h) **STOT-single exposure;** Based on available data, the classification criteria are not met

(i) **STOT-repeated exposure;** Based on available data, the classification criteria are not met

Target Organs No information available.

(j) **aspiration hazard;** Category 1

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:
Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Do not empty into drains.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Petroleum distillates, hydrotreated light	LC50: = 2.4 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 2.2 mg/L, 96h static (Lepomis macrochirus) LC50: = 45 mg/L, 96h flow-through (Pimephales promelas)			
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	LC50: > 1.4 mg/L, 96h semi-static (Oncorhynchus mykiss)			

Persistence and Degradability

Persistence

Immiscible with water.

Bioaccumulative Potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Petroleum distillates, hydrotreated light		61 - 159 dimensionless
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	4.84	No data available

Mobility

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. Is not likely mobile in the environment due its low water solubility

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No	UN3105
Proper Shipping Name	ORGANIC PEROXIDE TYPE D, LIQUID
Hazard Class	5.2

ADG

UN-No	UN3105
Proper Shipping Name	ORGANIC PEROXIDE TYPE D, LIQUID
Hazard Class	5.2

IATA

UN-No	UN3105
Proper Shipping Name	ORGANIC PEROXIDE TYPE D, LIQUID
Hazard Class	5.2

Environmental hazards	No hazards identified
Special Precautions	No special precautions required
Additional information	None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Petroleum distillates, hydrotreated light - 64742-47-8	Schedule 5 listed - including Kerosene, Diesel [distillate], Mineral turpentine, White petroleum spirit, Toluene, Xylene and light mineral and paraffin oils but except their derivative; except a) Toluene and Xylene when included in Schedule 6, b) Benzene and liquid aromatic hydrocarbons when included in Schedule 7, c) food grade and pharmaceutical grade White mineral oil, d) in solid or semi-solid preparations, e) in preparations containing $\leq 25\%$ of designated solvents, f) in preparations packed in pressurized spray packs, g) in adhesives packed in containers each containing ≤ 50 grams of adhesive, h) in writing correction fluids and thinners for writing correction fluids packed in containers having a capacity of ≤ 20 mL, or i) in other preparations when packed in containers with a capacity of ≤ 2 mL

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Petroleum distillates, hydrotreated light - 64742-47-8	Present	-
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl- - 24748-23-0	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCs	ISHL	IECSC	KECL
Petroleum distillates, hydrotreated light	X	X	265-149-8	-	X	X	-	X	-		X	KE-12550
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	X	-	-	429-320-2	X	X	-	-	X	X	X	2010-2-58

Legend: X - Listed. '-' - Not Listed. PMN - Indicates a commenced PMN substance. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their disposal
Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Petroleum distillates, hydrotreated light	64742-47-8	Listed	Not applicable	Not applicable	Not applicable
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	24748-23-0	Not applicable	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1,2,4,5,7,8-Hexoxonane, 3,6,9-triethyl-3,6,9-trimethyl-	-	Use restricted. See item 75. (see link for restriction details)	-

<https://echa.europa.eu/substances-restricted-under-reach>

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - Chinese Inventory of Existing Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TWA - Time Weighted Average IARC - International Agency for Research on Cancer ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships NZS 5433:2020 - Transport of Dangerous Goods on Land LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative VOC - (Volatile Organic Compound)	NZIoC - New Zealand Inventory of Chemicals EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances CAS - Chemical Abstracts Service ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC) IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail OECD - Organisation for Economic Co-operation and Development LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration BCF - Bioconcentration factor PBT - Persistent, Bioaccumulative, Toxic
---	--

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.
Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.
First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date

23-May-2023

Revision Summary

SDS sections updated, 2, 3, 4, 7, 11, 12, 15.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of

Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet