

ACRVBRV4500ML

## VB Blend

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**产品说明:**  
**Product Description:** VB Blend  
 VB Blend

**Cat No. :** VBRV4500ML; XXVBRV4500ML; NC2039938

**Supplier**

**UK entity/business name**  
 Fisher Scientific UK  
 Bishop Meadow Road,  
 Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
 Thermo Fisher Scientific  
 Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### SECTION 2. HAZARD IDENTIFICATION

**Physical State**  
 Liquid

**Appearance**  
 No information available

**Odor**  
 No information available

**Emergency Overview**  
 Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs.

#### Classification of the substance or mixture

|                                                    |            |
|----------------------------------------------------|------------|
| Flammable liquids.                                 | Category 2 |
| Acute Oral Toxicity                                | Category 3 |
| Acute Dermal Toxicity                              | Category 3 |
| Acute Inhalation Toxicity - Vapors                 | Category 3 |
| Specific target organ toxicity - (single exposure) | Category 1 |

#### Label Elements



Signal Word

Danger

**Hazard Statements**

H225 - Highly flammable liquid and vapor

H370 - Causes damage to organs

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P311 - Call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P330 - Rinse mouth

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

**Health Hazards**

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Harmful if inhaled. Causes damage to organs.

**Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component         | CAS No     | Weight % |
|-------------------|------------|----------|
| Ammonium fluoride | 12125-01-8 | 0.01     |
| Methyl alcohol    | 67-56-1    | >99      |

**SECTION 4. FIRST AID MEASURES****General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Most important symptoms and effects**

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Self-Protection of the First Aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

**Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

**Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

**Storage**

## VB Blend

Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

| Component         | China                                                           | Taiwan                                     | Thailand                   | Hong Kong                                                                                  |
|-------------------|-----------------------------------------------------------------|--------------------------------------------|----------------------------|--------------------------------------------------------------------------------------------|
| Ammonium fluoride | -                                                               | TWA: 2.5 mg/m <sup>3</sup>                 | TWA: 2.5 mg/m <sup>3</sup> | -                                                                                          |
| Methyl alcohol    | TWA: 25 mg/m <sup>3</sup><br>STEL: 50 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup> |                            | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup> |

| Component         | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH                                                                                                        | The United Kingdom                                                                                                 | European Union                                               |
|-------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Ammonium fluoride | TWA: 2.5 mg/m <sup>3</sup>            | (Vacated) TWA: 2.5 mg/m <sup>3</sup>                                                                                                                                                     | IDLH: 250 mg/m <sup>3</sup><br>TWA: 2.5 mg/m <sup>3</sup>                                                    | STEL: 7.5 mg/m <sup>3</sup> 15 min<br>TWA: 2.5 mg/m <sup>3</sup> 8 hr                                              |                                                              |
| Methyl alcohol    | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> | WEL - TWA: 200 ppm<br>TWA: 266 mg/m <sup>3</sup> TWA<br>WEL - STEL: 250 ppm<br>STEL: 333 mg/m <sup>3</sup><br>STEL | TWA: 200 ppm 8 hr<br>TWA: 260 mg/m <sup>3</sup> 8 hr<br>Skin |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Exposure Controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

**Personal protective equipment****Eye Protection**

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

**Hand Protection**

Protective gloves

| Glove material              | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|-----------------------------|-----------------------------------|-----------------|-------------|-----------------------|
| Nitrile rubber<br>Viton (R) | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

## VB Blend

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                        |                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>        | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>          | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly                                                                                     |
| <b>Large scale/emergency use</b>       | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced<br><b>Recommended Filter type:</b> low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387 |
| <b>Small scale/Laboratory use</b>      | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.<br><b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141<br>When RPE is used a face piece Fit Test should be conducted |
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                      |
| <b>Environmental exposure controls</b> | No information available.                                                                                                                                                                                                                                                                                                   |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                |                          |                                             |
|------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Appearance</b>                              |                          |                                             |
| <b>Physical State</b>                          | Liquid                   |                                             |
| <b>Odor</b>                                    | No information available |                                             |
| <b>Odor Threshold</b>                          | No data available        |                                             |
| <b>pH</b>                                      | No information available |                                             |
| <b>Melting Point/Range</b>                     | No data available        |                                             |
| <b>Softening Point</b>                         | No data available        |                                             |
| <b>Boiling Point/Range</b>                     | No information available |                                             |
| <b>Flash Point</b>                             | 12 °C / 53.6 °F          | <b>Method -</b> No information available    |
| <b>Evaporation Rate</b>                        | No data available        |                                             |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                      |
| <b>Explosion Limits</b>                        | No data available        |                                             |
| <b>Vapor Pressure</b>                          | No data available        |                                             |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                                 |
| <b>Specific Gravity / Density</b>              | 0.791                    |                                             |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                      |
| <b>Water Solubility</b>                        | No information available |                                             |
| <b>Solubility in other solvents</b>            | No information available |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                             |
| <b>Component</b>                               | <b>log Pow</b>           |                                             |
| Methyl alcohol                                 | -0.74                    |                                             |
| <b>Autoignition Temperature</b>                | No data available        |                                             |
| <b>Decomposition Temperature</b>               | No data available        |                                             |
| <b>Viscosity</b>                               | No data available        |                                             |
| <b>Explosive Properties</b>                    |                          | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available |                                             |

## SECTION 10. STABILITY AND REACTIVITY

|                                 |                                                                   |
|---------------------------------|-------------------------------------------------------------------|
| <b>Stability</b>                | Stable under normal conditions.                                   |
| <b>Hazardous Reactions</b>      | None under normal processing.                                     |
| <b>Hazardous Polymerization</b> | No information available.                                         |
| <b>Conditions to Avoid</b>      | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Materials to avoid</b>       | No information available.                                         |

**Hazardous Decomposition Products** None under normal use conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Product Information

**(a) acute toxicity;**  
**Toxicology data for the components**

| Component      | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation               |
|----------------|--------------------------------|-------------------------------|-------------------------------|
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |

**(b) skin corrosion/irritation;** Based on available data, the classification criteria are not met

**(c) serious eye damage/irritation;** Based on available data, the classification criteria are not met

**(d) respiratory or skin sensitization;**  
**Respiratory** Based on available data, the classification criteria are not met  
**Skin** Based on available data, the classification criteria are not met

| Component                         | Test method                                                       | Test species | Study result    |
|-----------------------------------|-------------------------------------------------------------------|--------------|-----------------|
| Methyl alcohol<br>67-56-1 ( >99 ) | OECD Test Guideline 406<br>Guinea Pig Maximisation Test<br>(GPMT) | guinea pig   | non-sensitising |

**(e) germ cell mutagenicity;** Based on available data, the classification criteria are not met

**(f) carcinogenicity;** Based on available data, the classification criteria are not met  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** Based on available data, the classification criteria are not met

| Component                         | Test method             | Test species / Duration       | Study result           |
|-----------------------------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol<br>67-56-1 ( >99 ) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

**(h) STOT-single exposure;** Category 1  
**Results / Target organs** Optic nerve  
Central nervous system (CNS)

**(i) STOT-repeated exposure;** Based on available data, the classification criteria are not met  
**Target Organs** None known.

## VB Blend

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity effects**

| Component         | Freshwater Fish                                      | Water Flea            | Freshwater Algae | Microtox                                                                        |
|-------------------|------------------------------------------------------|-----------------------|------------------|---------------------------------------------------------------------------------|
| Ammonium fluoride | LC50: = 364.0 mg/L, 96h static (Pimephales promelas) |                       |                  |                                                                                 |
| Methyl alcohol    | Pimephales promelas: LC50 > 10000 mg/L 96h           | EC50 > 10000 mg/L 24h |                  | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min |

**Persistence and Degradability** No information available  
**Persistence** Persistence is unlikely.

| Component                         | Degradability                  |
|-----------------------------------|--------------------------------|
| Methyl alcohol<br>67-56-1 ( >99 ) | DT50 ~ 17.2d<br>>94% after 20d |

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component      | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Methyl alcohol | -0.74   | <10 dimensionless             |

**Mobility in soil** No information available

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

**UN-No** UN1230  
**Proper Shipping Name** METHANOL SOLUTION  
**Hazard Class** 3

## VB Blend

Subsidiary Hazard Class 6.1  
Packing Group II

IMDG/IMO

UN-No UN1230  
Proper Shipping Name METHANOL SOLUTION  
Hazard Class 3  
Subsidiary Hazard Class 6.1  
Packing Group II

IATA

UN-No UN1230  
Proper Shipping Name METHANOL SOLUTION  
Hazard Class 3  
Subsidiary Hazard Class 6.1  
Packing Group II

Special Precautions for User No special precautions required

**SECTION 15. REGULATORY INFORMATION****International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component         | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|-------------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Ammonium fluoride | X                                                   | X                                       | X    | X     | 235-185-9 | X    | X   | X     | X    | X    | X    | KE-01665 |
| Methyl alcohol    | X                                                   | X                                       | X    | X     | 200-659-6 | X    | X   | X     | X    | X    | X    | KE-23193 |

| Component      | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Methyl alcohol | 500 tonne                                                                                 | 5000 tonne                                                                               |

**National Regulations****SECTION 16. OTHER INFORMATION**

Creation Date 16-Jul-2020  
Revision Date 05-Apr-2024  
Revision Summary Not applicable.

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.



## VB Blend

---

**Legend****CAS** - Chemical Abstracts Service**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**IECSC** - Chinese Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japanese Existing and New Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals**WEL** - Workplace Exposure Limit**ACGIH** - American Conference of Governmental Industrial Hygienists**DNEL** - Derived No Effect Level**RPE** - Respiratory Protective Equipment**LC50** - Lethal Concentration 50%**NOEC** - No Observed Effect Concentration**PBT** - Persistent, Bioaccumulative, Toxic**TWA** - Time Weighted Average**IARC** - International Agency for Research on Cancer**PNEC** - Predicted No Effect Concentration**LD50** - Lethal Dose 50%**EC50** - Effective Concentration 50%**POW** - Partition coefficient Octanol:Water**vPvB** - very Persistent, very Bioaccumulative**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road**OECD** - Organisation for Economic Co-operation and Development**BCF** - Bioconcentration factor**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code**MARPOL** - International Convention for the Prevention of Pollution from Ships**ATE** - Acute Toxicity Estimate**VOC** - (Volatile Organic Compound)**Key literature references and sources for data**<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Physical hazards**

On basis of test data

**Health Hazards**

Calculation method

**Environmental hazards**

Calculation method

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**