

## SAFETY DATA SHEET

Creation Date 15-April-2009

Revision Date 16-December-2024

Revision Number 5

### 1. Identification

**Product Name** Diethyl ether, HPLC Grade

**Cat No. :** 38990

**CAS-No** 60-29-7  
**Synonyms** Ethyl ether; Ether

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                         |            |
|---------------------------------------------------------|------------|
| <b>Flammable liquids</b>                                | Category 1 |
| <b>Acute oral toxicity</b>                              | Category 4 |
| <b>Specific target organ toxicity (single exposure)</b> | Category 3 |
| Target Organs - Central nervous system (CNS).           |            |
| <b>Physical Hazards Not Otherwise Classified</b>        | Category 1 |
| May form explosive peroxides                            |            |
| <b>Health Hazards Not Otherwise Classified</b>          | Category 1 |
| Repeated exposure may cause skin dryness or cracking    |            |

#### Label Elements

##### **Signal Word**

Danger

**Hazard Statements**

Extremely flammable liquid and vapor  
Harmful if swallowed  
May cause drowsiness and dizziness  
May form explosive peroxides  
Repeated exposure may cause skin dryness or cracking

**Precautionary Statements****Prevention**

Keep container tightly closed  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Use only non-sparking tools  
Take action to prevent static discharges  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection

**Response**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
Call a POISON CENTER/ doctor if you feel unwell  
Rinse mouth  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Light sensitive

### 3. Composition/Information on Ingredients

| Component   | CAS-No  | Weight % |
|-------------|---------|----------|
| Ethyl ether | 60-29-7 | <=100    |

### 4. First-aid measures

**General Advice**

If symptoms persist, call a physician.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

|                                        |                                                                                                                                              |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
|                                        | call a physician.                                                                                                                            |
| <b>Inhalation</b>                      | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                 |
| <b>Ingestion</b>                       | Clean mouth with water and drink afterwards plenty of water.                                                                                 |
| <b>Most important symptoms/effects</b> | Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                        |

## 5. Fire-fighting measures

|                                         |                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | Water may be ineffective                                                                                            |
| <b>Flash Point</b>                      | -45 °C / -49 °F                                                                                                     |
| <b>Method -</b>                         | No information available                                                                                            |
| <b>Autoignition Temperature</b>         | 160 °C / 320 °F                                                                                                     |
| <b>Explosion Limits</b>                 |                                                                                                                     |
| <b>Upper</b>                            | 36.0 vol %                                                                                                          |
| <b>Lower</b>                            | 1.9 vol %                                                                                                           |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                            |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                            |

### Specific Hazards Arising from the Chemical

Extremely flammable. Risk of ignition. Vapors may travel to source of ignition and flash back. Vapors may form explosive mixtures with air. Containers may explode when heated. May form explosive peroxides. Vapors may form explosive mixtures with air.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). peroxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

|               |                     |                    |                         |
|---------------|---------------------|--------------------|-------------------------|
| <b>Health</b> | <b>Flammability</b> | <b>Instability</b> | <b>Physical hazards</b> |
| 2             | 4                   | 1                  | N/A                     |

## 6. Accidental release measures

|                                             |                                                                                                                                                                               |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.            |
| <b>Environmental Precautions</b>            | Should not be released into the environment. See Section 12 for additional Ecological Information.                                                                            |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage.**

Flammables area. Store under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. May form explosive peroxides. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Strong acids.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component   | Alberta                                                                                      | British Columbia              | Ontario TWAEV                 | Quebec                                                                                       | ACGIH TLV                     | OSHA PEL                                                                                                                                                                            | NIOSH          |
|-------------|----------------------------------------------------------------------------------------------|-------------------------------|-------------------------------|----------------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Ethyl ether | TWA: 400 ppm<br>TWA: 1210 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1520 mg/m <sup>3</sup> | TWA: 400 ppm<br>STEL: 500 ppm | TWA: 400 ppm<br>STEL: 500 ppm | TWA: 400 ppm<br>TWA: 1210 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1520 mg/m <sup>3</sup> | TWA: 400 ppm<br>STEL: 500 ppm | (Vacated) TWA: 400 ppm<br>(Vacated) TWA: 1200 mg/m <sup>3</sup><br>(Vacated) STEL: 500 ppm<br>(Vacated) STEL: 1500 mg/m <sup>3</sup><br>TWA: 400 ppm<br>TWA: 1200 mg/m <sup>3</sup> | IDLH: 1900 ppm |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Hand Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments                                                                                                                  |
|----------------|-------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------|
| Nitrile rubber | < 33 minutes      | 0.28 - 0.35 mm  | Permeation rate 36 µg/cm <sup>2</sup> /min<br>As tested under EN374-3<br>Determination of Resistance to Permeation by Chemicals |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                               |                                  |
|-----------------------------------------------|----------------------------------|
| <b>Physical State</b>                         | Liquid                           |
| <b>Appearance</b>                             | Colorless                        |
| <b>Odor</b>                                   | aromatic                         |
| <b>Odor Threshold</b>                         | No information available         |
| <b>pH</b>                                     | No information available         |
| <b>Melting Point/Range</b>                    | -116 °C / -176.8 °F              |
| <b>Boiling Point/Range</b>                    | 34.6 °C / 94.3 °F                |
| <b>Flash Point</b>                            | -45 °C / -49 °F                  |
| <b>Evaporation Rate</b>                       | 37.5                             |
| <b>Flammability (solid,gas)</b>               | Not applicable                   |
| <b>Flammability or explosive limits</b>       |                                  |
| <b>Upper</b>                                  | 36.0 vol %                       |
| <b>Lower</b>                                  | 1.9 vol %                        |
| <b>Vapor Pressure</b>                         | 587 mbar @ 20 °C                 |
| <b>Vapor Density</b>                          | 2.55                             |
| <b>Specific Gravity</b>                       | 0.714                            |
| <b>Solubility</b>                             | Slightly soluble in water        |
| <b>Partition coefficient; n-octanol/water</b> | No data available                |
| <b>Autoignition Temperature</b>               | 160 °C / 320 °F                  |
| <b>Decomposition Temperature</b>              | No information available         |
| <b>Viscosity</b>                              | 0.2448 cP at 20 °C               |
| <b>Molecular Formula</b>                      | C <sub>4</sub> H <sub>10</sub> O |
| <b>Molecular Weight</b>                       | 74.12                            |

## 10. Stability and reactivity

|                                         |                                                                                                                                                                                                             |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | Yes                                                                                                                                                                                                         |
| <b>Stability</b>                        | May form explosive peroxides. Air sensitive. Light sensitive. Hygroscopic.                                                                                                                                  |
| <b>Conditions to Avoid</b>              | Incompatible products. Heat, flames and sparks. Exposure to air. Exposure to light. Exposure to moisture. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Strong acids                                                                                                                                                                       |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), peroxides                                                                                                                                          |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                                                                                                                                    |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                                                                                                               |

## 11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

| Component   | LD50 Oral        | LD50 Dermal       | LC50 Inhalation       |
|-------------|------------------|-------------------|-----------------------|
| Ethyl ether | 1215 mg/kg (Rat) | 20 mL/kg (Rabbit) | 32000 ppm ( Rat ) 4 h |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component   | CAS-No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------|---------|------------|------------|------------|------------|------------|
| Ethyl ether | 60-29-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** Mutagenic effects have occurred in experimental animals.

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Central nervous system (CNS)

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains. .

| Component   | Freshwater Algae | Freshwater Fish                                                                                                   | Microtox                | Water Flea          |
|-------------|------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------|
| Ethyl ether | Not listed       | LC50: > 10000 mg/L, 96h static (Lepomis macrochirus)<br>LC50: = 2560 mg/L, 96h flow-through (Pimephales promelas) | EC50 = 5600 mg/L 15 min | EC50 = 165 mg/L/24h |

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

| Component   | log Pow |
|-------------|---------|
| Ethyl ether | 0.82    |

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component             | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-----------------------|------------------------|------------------------|
| Ethyl ether - 60-29-7 | U117                   | -                      |

### 14. Transport information

#### DOT

UN-No UN1155  
 Proper Shipping Name Diethyl ether  
 Hazard Class 3  
 Packing Group I

#### TDG

UN-No UN1155  
 Proper Shipping Name Diethyl ether  
 Hazard Class 3  
 Packing Group I

#### IATA

UN-No UN1155  
 Proper Shipping Name Diethyl ether  
 Hazard Class 3  
 Packing Group I

#### IMDG/IMO

UN-No UN1155  
 Proper Shipping Name Diethyl ether  
 Hazard Class 3  
 Packing Group I

### 15. Regulatory information

#### International Inventories

| Component   | CAS-No  | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|-------------|---------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| Ethyl ether | 60-29-7 | X   | -    | X    | ACTIVE                                        | 200-467-2 | -      | -   |

| Component   | CAS-No  | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|-------------|---------|-------|----------|------|------|------|------|-------|-------|
| Ethyl ether | 60-29-7 | X     | KE-27690 | X    | X    | X    | X    | X     | X     |

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component | Canada - National Pollutant Release Inventory (NPRI) | Canadian Environmental Protection Agency (CEPA) | Canada's Chemicals Management Plan (CEPA) |
|-----------|------------------------------------------------------|-------------------------------------------------|-------------------------------------------|
|-----------|------------------------------------------------------|-------------------------------------------------|-------------------------------------------|

|             |                  | - List of Toxic Substances |  |
|-------------|------------------|----------------------------|--|
| Ethyl ether | Part 4 Substance |                            |  |

**Legend** NPRI - National Pollutant Release Inventory

#### Other International Regulations

**Authorisation/Restrictions according to EU REACH** Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component   | CAS-No  | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------|---------|----------|------------------------------|---------------------------|--------------------------------------------|
| Ethyl ether | 60-29-7 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component   | CAS-No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Ethyl ether | 60-29-7 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Annex I - Y40 Annex I - Y42        |

### 16. Other information

**Prepared By**

Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Creation Date**

15-April-2009

**Revision Date**

16-December-2024

**Print Date**

16-December-2024

**Revision Summary**

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**