

ALFAAJ67423

## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**产品说明:** 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol  
**Product Description:** 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

**Cat No. :** J67423  
**Molecular Formula** C24 H39 N O3

**Supplier** Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### SECTION 2. HAZARD IDENTIFICATION

**Physical State**  
Liquid

**Appearance**  
No information available

**Odor**  
No information available

**Emergency Overview**  
Highly flammable liquid and vapor. Causes serious eye irritation. Air sensitive.

#### Classification of the substance or mixture

|                                   |            |
|-----------------------------------|------------|
| Flammable liquids.                | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |

#### Label Elements



**Signal Word**

**Danger**

## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

**Hazard Statements**

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

P403 + P235 - Store in a well-ventilated place. Keep cool

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

**Health Hazards**

Causes serious eye irritation.

**Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                                                 | CAS No      | Weight % |
|-----------------------------------------------------------|-------------|----------|
| Ethyl alcohol                                             | 64-17-5     | 95       |
| 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid | 128201-89-8 | 5        |

**SECTION 4. FIRST AID MEASURES****General Advice**

If symptoms persist, call a physician.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects**

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Self-Protection of the First Aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

**Notes to Physician**

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage**

Store in freezer. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

## SAFETY DATA SHEET

4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

| Component     | China | Taiwan                                       | Thailand      | Hong Kong                                    |
|---------------|-------|----------------------------------------------|---------------|----------------------------------------------|
| Ethyl alcohol | -     | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> | TWA: 1000 ppm | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> |

| Component     | ACGIH TLV      | OSHA PEL                                                                                                         | NIOSH                                                          | The United Kingdom                                                                                         | European Union |
|---------------|----------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------|
| Ethyl alcohol | STEL: 1000 ppm | (Vacated) TWA: 1000 ppm<br>(Vacated) TWA: 1900 mg/m <sup>3</sup><br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> | TWA: 1000 ppm TWA;<br>1920 mg/m <sup>3</sup> TWA<br>WEL - STEL: 3000 ppm STEL; 5760 mg/m <sup>3</sup> STEL |                |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Exposure Controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

**Personal protective equipment****Eye Protection**

Goggles (European standard - EN 166)

**Hand Protection**

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Butyl rubber   | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Long sleeved clothing

**Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use**

In case of insufficient ventilation, wear suitable respiratory equipment  
**Recommended Filter type:** Multi-purpose/ABEK conforming to EN14387

**Small scale/Laboratory use**

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
When RPE is used a face piece Fit Test should be conducted

## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

|                                        |                                                                                                 |
|----------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.                          |
| <b>Environmental exposure controls</b> | Prevent product from entering drains. Do not allow material to contaminate ground water system. |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                |                          |                                             |
|------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Appearance</b>                              |                          |                                             |
| <b>Physical State</b>                          | Liquid                   |                                             |
| <b>Odor</b>                                    | No information available |                                             |
| <b>Odor Threshold</b>                          | No data available        |                                             |
| <b>pH</b>                                      | No information available |                                             |
| <b>Melting Point/Range</b>                     | No data available        |                                             |
| <b>Softening Point</b>                         | No data available        |                                             |
| <b>Boiling Point/Range</b>                     | No information available |                                             |
| <b>Flash Point</b>                             | 17 °C / 62.6 °F          | <b>Method -</b> No information available    |
| <b>Evaporation Rate</b>                        | No data available        |                                             |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                      |
| <b>Explosion Limits</b>                        | No data available        |                                             |
| <b>Vapor Pressure</b>                          | 23 hPa @ 20 °C           |                                             |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                                 |
| <b>Specific Gravity / Density</b>              | No data available        |                                             |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                      |
| <b>Water Solubility</b>                        | Miscible                 |                                             |
| <b>Solubility in other solvents</b>            | No information available |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                             |
| <b>Component</b>                               | <b>log Pow</b>           |                                             |
| Ethyl alcohol                                  | -0.32                    |                                             |
| <b>Autoignition Temperature</b>                | No data available        |                                             |
| <b>Decomposition Temperature</b>               | No data available        |                                             |
| <b>Viscosity</b>                               | No data available        |                                             |
| <b>Explosive Properties</b>                    |                          | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available |                                             |
| <b>Molecular Formula</b>                       | C24 H39 N O3             |                                             |
| <b>Molecular Weight</b>                        | 389.58                   |                                             |

## SECTION 10. STABILITY AND REACTIVITY

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Stability</b>                        | Air sensitive.                                                    |
| <b>Hazardous Reactions</b>              | None under normal processing.                                     |
| <b>Hazardous Polymerization</b>         | No information available.                                         |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Materials to avoid</b>               | No information available.                                         |
| <b>Hazardous Decomposition Products</b> | None under normal use conditions.                                 |

## SECTION 11. TOXICOLOGICAL INFORMATION

## Product Information

(a) acute toxicity;

## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

## Toxicology data for the components

| Component     | LD50 Oral                                                    | LD50 Dermal | LC50 Inhalation                                                   |
|---------------|--------------------------------------------------------------|-------------|-------------------------------------------------------------------|
| Ethyl alcohol | LD50 = 10470 mg/kg<br>OECD 401 (Rat)<br>3450 mg/kg ( Mouse ) |             | LC50 = 117-125 mg/l (4h)<br>OECD 403 (rat)<br>20000 ppm/10H (rat) |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

| Component                       | Test method                                       | Test species | Study result    |
|---------------------------------|---------------------------------------------------|--------------|-----------------|
| Ethyl alcohol<br>64-17-5 ( 95 ) | Mouse Ear Swelling Test (MEST)                    | mouse        | non-sensitising |
|                                 | OECD Test Guideline 429<br>Local Lymph Node Assay | mouse        | non-sensitising |

(e) germ cell mutagenicity; No data available

| Component                       | Test method                                   | Test species          | Study result |
|---------------------------------|-----------------------------------------------|-----------------------|--------------|
| Ethyl alcohol<br>64-17-5 ( 95 ) | AMES test<br>OECD Test Guideline 471          | in vitro<br>Bacteria  | negative     |
|                                 | Gene cell mutation<br>OECD Test Guideline 476 | in vitro<br>Mammalian | negative     |

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

| Component                       | Test method             | Test species / Duration   | Study result          |
|---------------------------------|-------------------------|---------------------------|-----------------------|
| Ethyl alcohol<br>64-17-5 ( 95 ) | OECD Test Guideline 416 | Oral / mouse 2 Generation | NOAEL = 13.8 g/kg/day |
|                                 | OECD Test Guideline 414 | Inhalation / Rat          | NOAEC = 16000 ppm     |

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

## SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Contains a substance which is: Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

## SAFETY DATA SHEET

4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

| Component     | Freshwater Fish                                                  | Water Flea                                    | Freshwater Algae                              | Microtox                                                                                                              |
|---------------|------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Ethyl alcohol | Fathead minnow<br>(Pimephales promelas)<br>LC50 = 14200 mg/l/96h | EC50 = 9268 mg/L/48h<br>EC50 = 10800 mg/L/24h | EC50 (72h) = 275 mg/l<br>(Chlorella vulgaris) | Photobacterium<br>phosphoreum:EC50 =<br>34634 mg/L/30 min<br>Photobacterium<br>phosphoreum:EC50 =<br>35470 mg/L/5 min |

## Persistence and Degradability

## Persistence

Persistence is unlikely.

| Component                       | Degradability   |
|---------------------------------|-----------------|
| Ethyl alcohol<br>64-17-5 ( 95 ) | OECD 301E = 94% |

Degradation in sewage  
treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative Potential

Bioaccumulation is unlikely

| Component     | log Pow | Bioconcentration factor (BCF) |
|---------------|---------|-------------------------------|
| Ethyl alcohol | -0.32   | No data available             |

## Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Persistent Organic Pollutant

This product does not contain any known or suspected substance

## Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused  
Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

## Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

## Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

## SECTION 14. TRANSPORT INFORMATION

## Road and Rail Transport

|                      |                  |
|----------------------|------------------|
| UN-No                | UN1170           |
| Proper Shipping Name | Ethanol solution |
| Hazard Class         | 3                |
| Packing Group        | II               |

## IMDG/IMO

|                      |                  |
|----------------------|------------------|
| UN-No                | UN1170           |
| Proper Shipping Name | Ethanol solution |
| Hazard Class         | 3                |
| Packing Group        | II               |

## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

IATA

UN-No UN1170  
 Proper Shipping Name Ethanol solution  
 Hazard Class 3  
 Packing Group II

Special Precautions for User No special precautions required

## SECTION 15. REGULATORY INFORMATION

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component     | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|---------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Ethyl alcohol | X                                                   | X                                       | X    | X     | 200-578-6 | X    | X   | X     | X    | X    | X    | KE-13217 |

## National Regulations

## SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department  
 Revision Date 08-May-2024  
 Revision Summary New emergency telephone response service provider.

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships



## 4-(1-Oxo-5Z,8Z,11Z,14Z-eicosatetraenylamino)butanoic acid, 5% w/v in ethanol

OECD - Organisation for Economic Co-operation and Development  
BCF - Bioconcentration factor

ATE - Acute Toxicity Estimate  
VOC - (Volatile Organic Compound)

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Physical hazards**

On basis of test data

**Health Hazards**

Calculation method

**Environmental hazards**

Calculation method

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**