

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Product Description:

Cat No. :

Synonyms

Molecular Formula

**1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate**
**1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate**

429310000; 429311000

2,4,6-Tripropyl-1,3,5,2,4,6-trioxatriphosphorinane 2,4,6-trioxide

C9 H21 O6 P3

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888

 CHEMTREC Malaysia **1-800-815-308** (Malay)

 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                    |                     |
|----------------------------------------------------|---------------------|
| Flammable liquids                                  | Category 2 (H225)   |
| Skin Corrosion/Irritation                          | Category 1 B (H314) |
| Serious Eye Damage/Eye Irritation                  | Category 1 (H318)   |
| Specific target organ toxicity - (single exposure) | Category 3 (H336)   |

**Label Elements**


Signal Word

Danger

**Hazard Statements**

H225 - Highly flammable liquid and vapor

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

H314 - Causes severe skin burns and eye damage

H336 - May cause drowsiness or dizziness

## Precautionary Statements

### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component                                 | CAS No     | Weight % |
|-------------------------------------------|------------|----------|
| Ethyl acetate                             | 141-78-6   | 50       |
| 1-Propanephosphonic acid cyclic anhydride | 68957-94-8 | 50       |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

## Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Oxides of phosphorus.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

## Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Keep under nitrogen. Corrosives area.

## Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component     | Malaysia | ACGIH TLV    | OSHA PEL                                                                                                       |
|---------------|----------|--------------|----------------------------------------------------------------------------------------------------------------|
| Ethyl acetate |          | TWA: 400 ppm | (Vacated) TWA: 400 ppm<br>(Vacated) TWA: 1400 mg/m <sup>3</sup><br>TWA: 400 ppm<br>TWA: 1400 mg/m <sup>3</sup> |

| Component     | European Union                                                                                                        | The United Kingdom                                                                                                  | Germany                                                                                                                                                                                                                                                         |
|---------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ethyl acetate | TWA: 734 mg/m <sup>3</sup> (8h)<br>TWA: 200 ppm (8h)<br>STEL: 1468 mg/m <sup>3</sup> (15min)<br>STEL: 400 ppm (15min) | STEL: 1468 mg/m <sup>3</sup> 15 min<br>STEL: 400 ppm 15 min<br>TWA: 734 mg/m <sup>3</sup> 8 hr<br>TWA: 200 ppm 8 hr | TWA: 200 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 730 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 200 ppm (8 Stunden). MAK<br>TWA: 750 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 400 ppm<br>Höhepunkt: 1500 mg/m <sup>3</sup> |

## Exposure Controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

**Recommended Filter type:**

appropriate certified respirators  
Organic gases and vapours filter Type A Brown conforming to EN14387  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls**

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

**Appearance** Light yellow  
**Physical State** Liquid  
**Odor** No information available  
**Odor Threshold** No data available  
**pH** No information available

**Melting Point/Range** No data available  
**Softening Point** No data available  
**Boiling Point/Range** 77.2 °C / 171 °F  
**Flash Point** -5 °C / 23 °F

**Method -** No information available

**Evaporation Rate** No data available  
**Flammability (solid,gas)** Not applicable  
**Explosion Limits** **Lower** 2.1 vol%  
**Upper** 11.5 vol%

Liquid

**Vapor Pressure** No data available  
**Vapor Density** No data available  
**Specific Gravity / Density** 1.069  
**Bulk Density** Not applicable  
**Water Solubility** No information available  
**Solubility in other solvents** No information available

(Air = 1.0)

Liquid

**Partition Coefficient (n-octanol/water)**

| Component                                 | log Pow |
|-------------------------------------------|---------|
| Ethyl acetate                             | 0.73    |
| 1-Propanephosphonic acid cyclic anhydride | 0.49    |

**Autoignition Temperature** 460 °C / 860 °F  
**Decomposition Temperature** No data available  
**Viscosity** No data available  
**Explosive Properties**  
**Oxidizing Properties** No information available

Vapors may form explosive mixtures with air

**Molecular Formula** C9 H21 O6 P3  
**Molecular Weight** 318.18

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Moisture sensitive.

### Possibility of Hazardous Reactions

#### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

### Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Oxides of phosphorus.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### **Product Information**

#### **(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Based on available data, the classification criteria are not met

#### **Toxicology data for the components**

| Component                                 | LD50 Oral            | LD50 Dermal                                       | LC50 Inhalation    |
|-------------------------------------------|----------------------|---------------------------------------------------|--------------------|
| Ethyl acetate                             | 10,200 mg/kg ( Rat ) | > 20 mL/kg ( Rabbit )<br>> 18000 mg/kg ( Rabbit ) | 58 mg/l (rat; 8 h) |
| 1-Propanephosphonic acid cyclic anhydride | -                    | LD50 > 2000 mg/kg ( Rat )                         | -                  |

**(b) skin corrosion/irritation;** Category 1 B

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**  
**Respiratory** No data available

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

**Skin** No data available

| Component                        | Test method             | Test species | Study result      |
|----------------------------------|-------------------------|--------------|-------------------|
| Ethyl acetate<br>141-78-6 ( 50 ) | OECD Test Guideline 406 | guinea pig   | - non-sensitising |

**(e) germ cell mutagenicity;** No data available

| Component                        | Test method                                             | Test species          | Study result |
|----------------------------------|---------------------------------------------------------|-----------------------|--------------|
| Ethyl acetate<br>141-78-6 ( 50 ) | OECD Test Guideline 471<br>AMES test                    | in vitro<br>Bacteria  | negative     |
|                                  | OECD Test Guideline 473<br>Chromosomal aberration assay | in vitro<br>Mammalian | negative     |
|                                  | OECD Test Guideline 476<br>Gene cell mutation           | in vitro<br>Mammalian | negative     |
|                                  | OECD Test Guideline 474<br>Mouse micronucleus assay     | in vivo<br>Mammalian  | negative     |

**(f) carcinogenicity;** No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

**(g) reproductive toxicity;** No data available

| Component                        | Test method             | Test species / Duration       | Study result                       |
|----------------------------------|-------------------------|-------------------------------|------------------------------------|
| Ethyl acetate<br>141-78-6 ( 50 ) | OECD Test Guideline 416 | Oral<br>mouse<br>2 Generation | NOAEL =<br>26400<br>mg/kg bw/day   |
|                                  | OECD Test Guideline 414 | Inhalation<br>Rat             | NOAEC =<br>73300 mg/m <sup>3</sup> |

**(h) STOT-single exposure;** Category 3

**Results / Target organs** Central nervous system (CNS).

**(i) STOT-repeated exposure;** No data available

**Target Organs** No information available.

**(j) aspiration hazard;** No data available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|-----------|-----------------|------------|------------------|----------|
|-----------|-----------------|------------|------------------|----------|

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

|                                           |                                                                      |                     |                      |                                                                                                      |
|-------------------------------------------|----------------------------------------------------------------------|---------------------|----------------------|------------------------------------------------------------------------------------------------------|
| Ethyl acetate                             | Fathead minnow: LC50: 230 mg/l/ 96h<br>Gold orfe: LC50: 270 mg/L/48h | EC50 = 717 mg/L/48h | EC50 = 3300 mg/L/48h | EC50 = 1180 mg/L 5 min<br>EC50 = 1500 mg/L 15 min<br>EC50 = 5870 mg/L 15 min<br>EC50 = 7400 mg/L 2 h |
| 1-Propanephosphonic acid cyclic anhydride | Brachydanio rerio: LC50 > 100 mg/L/96h                               | EC50 > 100 mg/L/48h |                      |                                                                                                      |

## Persistence and degradability

Not readily biodegradable

### Persistence

Persistence is unlikely, based on information available.

| Component                        | Degradability            |
|----------------------------------|--------------------------|
| Ethyl acetate<br>141-78-6 ( 50 ) | 79 % (20 d) (OECD 301 D) |

## Bioaccumulative potential

Bioaccumulation is unlikely

| Component                                 | log Pow | Bioconcentration factor (BCF) |
|-------------------------------------------|---------|-------------------------------|
| Ethyl acetate                             | 0.73    | 30 dimensionless              |
| 1-Propanephosphonic acid cyclic anhydride | 0.49    | No data available             |

## Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic organisms

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                         |                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------|
| UN-No                   | UN2924                                                                                      |
| Hazard Class            | 3                                                                                           |
| Subsidiary Hazard Class | 8                                                                                           |
| Packing Group           | II                                                                                          |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s. 1-Propanephosphonic acid cyclic anhydride, Ethylacetate |



# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

## Road and Rail Transport

UN-No UN2924  
Hazard Class 3  
Subsidiary Hazard Class 8  
Packing Group II  
Proper Shipping Name Flammable liquid, corrosive, n.o.s. 1-Propanephosphonic acid cyclic anhydride, Ethylacetate

## IATA

UN-No UN2924  
Hazard Class 3  
Subsidiary Hazard Class 8  
Packing Group II  
Proper Shipping Name Flammable liquid, corrosive, n.o.s. 1-Propanephosphonic acid cyclic anhydride, Ethylacetate

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component                                 | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL        |
|-------------------------------------------|-----------|------|-----|-------|------|------|-------|------|-------------|
| Ethyl acetate                             | 205-500-4 | X    | X   | X     | X    | X    | X     | X    | KE-00047    |
| 1-Propanephosphonic acid cyclic anhydride | -         | -    | X   | -     | -    | X    | -     | -    | 2011-3-5138 |

| Component     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Ethyl acetate |                                                                                           |                                                                                          |                            | Annex I - Y42                      |

### National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

# SAFETY DATA SHEET

1-Propanephosphonic acid cyclic anhydride, 50 wt.% solution in ethyl acetate

Revision Date 22-Mar-2025

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

22-Mar-2025

Revision Summary

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**