

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Dionex Six Cation Standards

Product Code	THC046070, THC046187, THC088964, THC088969
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal

Category 1

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation

Category 1 B
Category 1

Environmental hazards

No hazards identified

Label Elements



Signal Word**Danger****Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P234 - Keep only in original packaging

P264 - Wash hands thoroughly after handling

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P390 - Absorb spillage to prevent material damage

P405 - Store locked up

P406 - Store in corrosion resistant stainless steel container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	98.5
Hydrochloric acid	7647-01-0	0.75
Calcium chloride	10043-52-4	0.1
Sodium Chloride	7647-14-5	<0.01
Potassium Chloride	7447-40-7	<0.1
Magnesium chloride	7786-30-3	<0.1
Lithium chloride	7447-41-8	<0.1
Ammonium chloride	12125-02-9	<0.1

Section 4 - First Aid Measures

Inhalation	Remove to fresh air.
Ingestion	Rinse mouth. Drink plenty of water.
Skin Contact	Wash off immediately with soap and plenty of water.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Self-Protection of the First Aider	Use personal protective equipment as required.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	No information available.
Notes to Physician	Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Hydrogen chloride.

Specific Hazards Arising from the Chemical

No information available.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods for Containment and Clean Up**Clean-up methods - small spillage****Clean-up methods - large spillage**

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Ensure adequate ventilation.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Hydrochloric acid	Ceiling: 5 ppm Ceiling: 7.5 mg/m ³	Ceiling: 5 ppm Ceiling: 7.5 mg/m ³	Ceiling: 2 ppm	STEL: 5 ppm 15 min STEL: 8 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 2 mg/m ³ 8 hr	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 3 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 2 ppm (8 Stunden). MAK TWA: 3.0 mg/m ³ (8 Stunden). MAK Höhepunkt: 4 ppm Höhepunkt: 6 mg/m ³
Ammonium chloride	STEL: 20 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls**Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment**Eye Protection**

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection

Long sleeved clothing

Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices (or AUS/NZ equivalent)
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Clear	
Physical State	Liquid	
Odor	No information available	
Odor Threshold	No data available	
pH	9	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	Similar to water	
Flash Point	No data available	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	No data available	
Bulk Density	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Lithium chloride	-2.66	
Ammonium chloride	-4.38	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other information

Section 10 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	No information available.
Incompatible Materials	None known. Strong bases

Hazardous Decomposition Products Hydrogen chloride.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

(a) acute toxicity;

Oral	No data available
Dermal	No data available
Inhalation	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)		

Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h
Calcium chloride	LD50 = 1000 mg/kg (Rat)	LD50 > 5000 mg/kg (Rabbit)	
Sodium Chloride	LD50 = 3550 mg/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
Potassium Chloride	LD50 = 2600 mg/kg (Rat)		
Magnesium chloride	LD50 = 2800 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	
Lithium chloride	LD50 = 526 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	
Ammonium chloride	1650 mg/kg (Rat)	> 2000 mg/kg	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available

Section 12 - Ecological Information

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrochloric acid	282 mg/L LC50 96 h Gambusia affinis mg/L LC50 48 h Leuciscus idus	56mg/L EC50 72h Daphnia	-	-
Calcium chloride	LC50: = 10650 mg/L, 96h static (Lepomis macrochirus)	LC50: 2280000 - 3948000 µg/L, 48h (Daphnia magna)		
Sodium Chloride	LC50: 6420 - 6700 mg/L, 96h static (Pimephales promelas) LC50: 4747 - 7824 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50: 340.7 - 469.2 mg/L, 48h Static (Daphnia magna) EC50: = 1000 mg/L, 48h (Daphnia magna)		

	LC50: 6020 - 7070 mg/L, 96h static (Pimephales promelas) LC50: = 12946 mg/L, 96h static (Lepomis macrochirus) LC50: 5560 - 6080 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 7050 mg/L, 96h semi-static (Pimephales promelas)			
Potassium Chloride	LC50: = 1060 mg/L, 96h static (Lepomis macrochirus) LC50: 750 - 1020 mg/L, 96h static (Pimephales promelas)	EC50: = 83 mg/L, 48h Static (Daphnia magna) EC50: = 825 mg/L, 48h (Daphnia magna)	EC50: = 2500 mg/L, 72h (Desmodesmus subspicatus)	
Magnesium chloride	Pimephales promelas: EC50: 2.12 g/L:96H	EC50 : 1400 mg/L/24h	EC50: 2200 mg/L/72h	EC50 Pseudomonas putida: EC50:26,14 g/L/h Photobacterium phosphoreum: EC50: 36,3 mg/L/30 min Photobacterium phosphoreum: EC50: 77,2 mg/L/24 h
Lithium chloride	LC50: = 158 mg/L, 96h static (Oncorhynchus mykiss)			
Ammonium chloride	Cyprinus carpio: LC50 = 209 mg/L	EC50 = 202 mg/L/24h	-	-

Persistence and Degradability
Bioaccumulative Potential

No information available
No information available

Component	log Pow	Bioconcentration factor (BCF)
Lithium chloride	-2.66	No data available
Ammonium chloride	-4.38	No data available

Mobility

No information available.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service.

Section 14 - Transport Information

IMDG/IMO

Not regulated

UN-No

1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION
 Hazard Class 8
 Packing Group III

ADG Not regulated

UN-No 1789
 Proper Shipping Name HYDROCHLORIC ACID SOLUTION
 Hazard Class 8
 Packing Group III

Component	Hazchem Code
Hydrochloric acid 7647-01-0 (0.75)	2R 2RE

IATA Not regulated

UN-No 1789
 Proper Shipping Name HYDROCHLORIC ACID SOLUTION
 Hazard Class 8
 Packing Group III

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Hydrochloric acid - 7647-01-0	Schedule 5 listed - except its salts and derivatives; in preparations except: in preparations containing $\leq 0.5\%$ of Hydrochloric acid, or for therapeutic use Schedule 6 listed - except its salts and derivatives; except: when included in Schedule 5, in preparations for therapeutic use, or in preparations containing $\leq 0.5\%$ of Hydrochloric acid
Potassium Chloride - 7447-40-7	Schedule 4 listed - in oral preparations for human therapeutic use except: a) when containing ≤ 550 mg of Potassium chloride per dosage unit, or b) in preparations for oral rehydration therapy, or c) in preparations for oral use for bowel cleansing prior to diagnostic medical and surgical procedures, or d) in preparations for enteral feeding

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Hydrochloric acid - 7647-01-0	Present	-
Calcium chloride - 10043-52-4	Present	-
Sodium Chloride - 7647-14-5	Present	-
Potassium Chloride - 7447-40-7	Present	-
Magnesium chloride - 7786-30-3	Present	-

Lithium chloride - 7447-41-8	Present	-
Ammonium chloride - 12125-02-9	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Hydrochloric acid - 7647-01-0	Category 3	Listed in Appendix A

Legend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

Chemicals of Security Concern - for further information see <http://www.chemicalsecurity.gov.au/securityconcerns>

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Hydrochloric acid - 7647-01-0	10 tonne/yr. Threshold category 1 400 tonne/yr. Threshold category 2a 1 tonne/h. Threshold category 2a 2000 tonne/yr. Threshold category 2b 60000 MWH. Threshold category 2b 20 MW. Threshold category 2b

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	X	-	X	X		X	KE-35400
Hydrochloric acid	X	X	231-595-7	-	X	X	-	X	X	X	X	KE-20189
Calcium chloride	X	X	233-140-8	-	X	X	-	X	X	X	X	KE-04496
Sodium Chloride	X	X	231-598-3	-	X	X	-	X	X	X	X	KE-31387
Potassium Chloride	X	X	231-211-8	-	X	X	-	X	X	X	X	KE-29086
Magnesium chloride	X	X	232-094-6	-	X	X	-	X	X	X	X	KE-22691
Lithium chloride	X	X	231-212-3	-	X	X	-	X	X	X	X	KE-22552
Ammonium chloride	X	X	235-186-4	-	X	X	-	X	X	X	X	KE-01645

Legend: X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Hydrochloric acid - 7647-01-0	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	25 tonne	250 tonne
Calcium chloride	10043-52-4	Listed	Not applicable	Not applicable	Not applicable
Sodium Chloride	7647-14-5	Listed	Not applicable	Not applicable	Not applicable
Potassium Chloride	7447-40-7	Listed	Not applicable	Not applicable	Not applicable
Magnesium chloride	7786-30-3	Listed	Not applicable	Not applicable	Not applicable
Lithium chloride	7447-41-8	Listed	Not applicable	Not applicable	Not applicable
Ammonium chloride	12125-02-9	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydrochloric acid	-	Use restricted. See entry 75. (see link for restriction details)	-
Calcium chloride	-	Use restricted. See entry 75. (see link for restriction details)	-
Ammonium chloride	-	Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 65. (see link for restriction details)	-

<https://echa.europa.eu/substances-restricted-under-reach>

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - Chinese Inventory of Existing Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
NZS 5433:2020 - Transport of Dangerous Goods on Land
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level

NZIoC - New Zealand Inventory of Chemicals
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
CAS - Chemical Abstracts Service
ACGIH - American Conference of Governmental Industrial Hygienists
PNEC - Predicted No Effect Concentration
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail
OECD - Organisation for Economic Co-operation and Development
LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative
VOC - (Volatile Organic Compound)

BCF - Bioconcentration factor
PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date

12-Mar-2025

Revision Summary

Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet