

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: **Acetic acid**  
 Product Description: **Acetic acid**  
 Cat No. : C12404  
 Synonyms Ethanoic acid; Glacial acetic acid; Methanecarboxylic acid  
 CAS No 64-19-7  
 Molecular Formula C2 H4 O2

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company** Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

**E-mail address** Enquiry.my@thermofisher.com

**Emergency Telephone Number** Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                   |                     |
|-----------------------------------|---------------------|
| Flammable liquids                 | Category 3 (H226)   |
| Skin Corrosion/Irritation         | Category 1 A (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318)   |

**Label Elements**

**Signal Word**
**Danger**

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

## Hazard Statements

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

## Precautionary Statements

### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component   | CAS No  | Weight % |
|-------------|---------|----------|
| Acetic acid | 64-19-7 | <=100    |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

#### Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

#### Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

medical device. Call a physician immediately.

**Self-Protection of the First Aider** Use personal protective equipment as required.

## **Most important symptoms and effects, both acute and delayed**

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## **Indication of any immediate medical attention and special treatment needed**

### **Notes to Physician**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release of irritating gases and vapors.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Should not be released into the environment.

### **Methods and Material for Containment and Cleaning Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component   | Malaysia | ACGIH TLV                   | OSHA PEL                                                                                                 |
|-------------|----------|-----------------------------|----------------------------------------------------------------------------------------------------------|
| Acetic acid |          | TWA: 10 ppm<br>STEL: 15 ppm | (Vacated) TWA: 10 ppm<br>(Vacated) TWA: 25 mg/m <sup>3</sup><br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> |

| Component   | European Union                                                                                                   | The United Kingdom                                                                     | Germany                                                                                                                                                                                                                                                  |
|-------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acetic acid | TWA: 25 mg/m <sup>3</sup> (8h)<br>TWA: 10 ppm (8h)<br>STEL: 50 mg/m <sup>3</sup> (15min)<br>STEL: 20 ppm (15min) | STEL: 37 mg/m <sup>3</sup><br>STEL: 15 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> | TWA: 10 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 25 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 10 ppm (8 Stunden). MAK<br>TWA: 25 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 20 ppm<br>Höhepunkt: 50 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### **Eye Protection**

Tight sealing safety goggles or Face protection shield Goggles

##### **Hand Protection**

Protective gloves

##### **Skin and body protection**

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

##### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

**Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                                |                                               |                                          |
|------------------------------------------------|-----------------------------------------------|------------------------------------------|
| <b>Appearance</b>                              | Colorless                                     |                                          |
| <b>Physical State</b>                          | Liquid                                        |                                          |
| <b>Odor</b>                                    | vinegar-like                                  |                                          |
| <b>Odor Threshold</b>                          | No data available                             |                                          |
| <b>pH</b>                                      | < 2.5                                         | 10 g/L aq.sol                            |
| <b>Melting Point/Range</b>                     | 16 - 16.5 °C / 60.8 - 61.7 °F                 |                                          |
| <b>Softening Point</b>                         | No data available                             |                                          |
| <b>Boiling Point/Range</b>                     | 117 - 118 °C / 242.6 - 244.4 °F               |                                          |
| <b>Flash Point</b>                             | 40 °C / 104 °F                                | <b>Method</b> - No information available |
| <b>Evaporation Rate</b>                        | 0.97 (Butyl Acetate = 1.0)                    |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable                                | Liquid                                   |
| <b>Explosion Limits</b>                        | <b>Lower</b> 4 vol%<br><b>Upper</b> 19.9 vol% |                                          |
| <b>Vapor Pressure</b>                          | 1.52 kPa @ 20 °C                              |                                          |
| <b>Vapor Density</b>                           | 2.10                                          | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 1.048                                         |                                          |
| <b>Bulk Density</b>                            | Not applicable                                | Liquid                                   |
| <b>Water Solubility</b>                        | Miscible                                      |                                          |
| <b>Solubility in other solvents</b>            | No information available                      |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                               |                                          |
| <b>Component</b>                               | <b>log Pow</b>                                |                                          |
| Acetic acid                                    | -0.2                                          |                                          |
| <b>Autoignition Temperature</b>                | 427 °C / 800.6 °F                             |                                          |
| <b>Decomposition Temperature</b>               | No data available                             |                                          |
| <b>Viscosity</b>                               | 1.53 mPa.s @ 25 °C                            |                                          |
| <b>Explosive Properties</b>                    |                                               | explosive air/vapour mixtures possible   |
| <b>Oxidizing Properties</b>                    | No information available                      |                                          |
| <b>Molecular Formula</b>                       | C2 H4 O2                                      |                                          |
| <b>Molecular Weight</b>                        | 60.05                                         |                                          |

## SECTION 10: STABILITY AND REACTIVITY

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

## Reactivity

None known, based on information available.

## Chemical Stability

Stable under normal conditions.

## Possibility of Hazardous Reactions

### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

## Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

## Incompatible Materials

Strong oxidizing agents. Strong bases. Metals.

## Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

|            |                   |
|------------|-------------------|
| Oral       | No data available |
| Dermal     | No data available |
| Inhalation | No data available |

| Component   | LD50 Oral          | LD50 Dermal | LC50 Inhalation       |
|-------------|--------------------|-------------|-----------------------|
| Acetic acid | 3310 mg/kg ( Rat ) | -           | > 40 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

#### (d) respiratory or skin sensitization;

|             |                   |
|-------------|-------------------|
| Respiratory | No data available |
| Skin        | No data available |

(e) germ cell mutagenicity; No data available  
Not mutagenic in AMES Test

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

|                                            |                                                                                                                                                                                        |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (f) carcinogenicity;                       | No data available<br>There are no known carcinogenic chemicals in this product                                                                                                         |
| (g) reproductive toxicity;                 | No data available                                                                                                                                                                      |
| (h) STOT-single exposure;                  | No data available                                                                                                                                                                      |
| (i) STOT-repeated exposure;                | No data available                                                                                                                                                                      |
| Target Organs                              | No information available.                                                                                                                                                              |
| (j) aspiration hazard;                     | Based on available data, the classification criteria are not met                                                                                                                       |
| Symptoms / effects, both acute and delayed | Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. |
| Endocrine Disrupting Properties            | Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.                                                    |

## SECTION 12: ECOLOGICAL INFORMATION

|                            |                                                                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <u>Ecotoxicity effects</u> | Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|

| Component   | Freshwater Fish                                                                          | Water Flea         | Freshwater Algae | Microtox                                                                                                                                                                        |
|-------------|------------------------------------------------------------------------------------------|--------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acetic acid | Pimephales promelas:<br>LC50 = 88 mg/L/96h<br>Lepomis macrochirus:<br>LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | -                | Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/15 min<br>Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/25 min<br>Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/5 min |

|                                       |                                                                                                    |
|---------------------------------------|----------------------------------------------------------------------------------------------------|
| <u>Persistence and degradability</u>  | Expected to be biodegradable                                                                       |
| Persistence                           | Miscible with water, Persistence is unlikely, based on information available.                      |
| Degradation in sewage treatment plant | Neutralization is normally necessary before waste water is discharged into water treatment plants. |

|                                  |                             |
|----------------------------------|-----------------------------|
| <u>Bioaccumulative potential</u> | Bioaccumulation is unlikely |
|----------------------------------|-----------------------------|

| Component   | log Pow | Bioconcentration factor (BCF) |
|-------------|---------|-------------------------------|
| Acetic acid | -0.2    | No data available             |

|                         |                                                                                                                                                              |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Mobility in soil</u> | The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                        |                                                                           |
|----------------------------------------|---------------------------------------------------------------------------|
| <u>Endocrine Disruptor Information</u> | This product does not contain any known or suspected endocrine disruptors |
|----------------------------------------|---------------------------------------------------------------------------|

|                              |                          |
|------------------------------|--------------------------|
| <u>Other adverse effects</u> | No information available |
|------------------------------|--------------------------|

# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

#### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic organisms

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No UN2789  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II  
Proper Shipping Name ACETIC ACID, GLACIAL

### Road and Rail Transport

UN-No UN2789  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II  
Proper Shipping Name ACETIC ACID, GLACIAL

### IATA

UN-No UN2789  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II  
Proper Shipping Name ACETIC ACID, GLACIAL

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component   | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL |
|-------------|-----------|------|-----|-------|------|------|-------|------|------|
| Acetic acid | 200-580-7 | X    | X   | X     | X    | X    | X     | X    | X    |

| Component | Seveso III Directive<br>(2012/18/EC) - Qualifying | Seveso III Directive<br>(2012/18/EC) - Qualifying | Rotterdam Convention<br>(PIC) | Basel Convention<br>(Hazardous Waste) |
|-----------|---------------------------------------------------|---------------------------------------------------|-------------------------------|---------------------------------------|
|           |                                                   |                                                   |                               |                                       |



# SAFETY DATA SHEET

Acetic acid

Revision Date 01-Apr-2025

|             | Quantities for Major<br>Accident Notification | Quantities for Safety<br>Report Requirements |  |               |
|-------------|-----------------------------------------------|----------------------------------------------|--|---------------|
| Acetic acid |                                               |                                              |  | Annex I - Y34 |

## National Regulations

**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

01-Apr-2025

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**