

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product Identifier

**Product Description:** Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits  
**Cat No. :** S33703

### Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### Details of the supplier of the safety data sheet

#### **Importer**

Fisher Scientific Korea  
D5,D6, Incheon Airport Logistics Complex  
150, Gonghangdong-Ro 296 Beon-Gil  
Jung-Gu, Incheon  
Tel: +82-1661-9555  
Fax: +82-2-2023-0603

#### **Supplier**

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099

**E-mail address** Chem.KR@thermofisher.com

### Emergency Telephone Number

**Emergency telephone: Medical:** +(82) 070-7686-0086 or + 1-703-741-5970  
**CHEMTREC:** 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887  
**Korea:** 00-308-13-2549 (24 hours a day, 7 days a week)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

Carcinogenicity  
Reproductive Toxicity

Category 2  
Category 1

#### Environmental hazards

Based on available data, the classification criteria are not met

### Label Elements

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024



Signal Word

Danger

## Hazard Statements

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

## Precautionary Statements

### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## NFPA

Health  
0

Flammability  
0

Instability  
0

Physical hazards  
N/A

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component                                  | Common Name              | CAS No     | Index No   | Weight % |
|--------------------------------------------|--------------------------|------------|------------|----------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | No information available | 3444-17-5  | KE-14-0060 | 60 - 70  |
| Fuels, diesel, no. 2                       | No information available | 68476-34-6 | KE-17287   | 20 - 30  |
| 2-Ethylhexanoic acid                       | 2-Ethylcapronic acid     | 149-57-5   | KE-13740   | 2.5 - <5 |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

|                                                                                          |                                                                                                                                                  |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                                        | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b>                                                | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| <b><u>Most important symptoms and effects, both acute and delayed</u></b>                | None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.                                |
| <b><u>Indication of any immediate medical attention and special treatment needed</u></b> |                                                                                                                                                  |
| <b>Notes to Physician</b>                                                                | Treat symptomatically. Symptoms may be delayed.                                                                                                  |

## SECTION 5: FIREFIGHTING MEASURES

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

Carbon oxides, Chromium oxide.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Ensure adequate ventilation. Use personal protective equipment as required.

### **Environmental precautions**

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

### **Methods and Material for Containment and Cleaning Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

## Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component                                  | CAS No     | Korea                      | ACGIH TLV                          | OSHA PEL                             |
|--------------------------------------------|------------|----------------------------|------------------------------------|--------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | TWA: 0.5 mg/m <sup>3</sup> | Not listed                         | (Vacated) TWA: 0.5 mg/m <sup>3</sup> |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed                 | TWA: 100 mg/m <sup>3</sup><br>Skin | Not listed                           |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed                 | TWA: 5 mg/m <sup>3</sup>           | Not listed                           |

| Component                                  | CAS No     | European Union | The United Kingdom                                                    | Germany    |
|--------------------------------------------|------------|----------------|-----------------------------------------------------------------------|------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not listed     | STEL: 1.5 mg/m <sup>3</sup> 15 min<br>TWA: 0.5 mg/m <sup>3</sup> 8 hr | Not listed |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed     | Not listed                                                            | Not listed |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed     | Not listed                                                            | Not listed |

### ACGIH - Biological Exposure Indices

| Component                                  | CAS No     | ACGIH - Biological Exposure Indices |
|--------------------------------------------|------------|-------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not listed                          |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed                          |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed                          |

## Exposure Controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles)

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Personal protective equipment

Use only those certified by the Korea Occupational Safety and Health Administration.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

Prevent product from entering drains

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.) Green Liquid

Odor No information available

Odor Threshold No data available

pH Not applicable

Melting Point/Range No data available

Softening Point No data available

Boiling Point/Range 265 °C / 509 °F

Flash Point 110 °C / 230 °F

Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 1.01

Bulk Density Not applicable Liquid

Water Solubility No information available

Solubility in other solvents No information available

### Partition Coefficient (n-octanol/water)

| Component                                  | CAS No     | log Pow           |
|--------------------------------------------|------------|-------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available |
| 2-Ethylhexanoic acid                       | 149-57-5   | 2.7               |

Autoignition Temperature No data available

Decomposition Temperature No data available

Viscosity No data available

Explosive Properties No information available

Oxidizing Properties No information available

Molecular Formula Not applicable for mixtures

Molecular Weight Not applicable for mixtures

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

### Conditions to Avoid

None known.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

Carbon oxides. Chromium oxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### Information on expected route of exposure

Use only in closed systems permitted

**Inhalation** Not an expected route of exposure.  
**Ingestion** May be harmful if swallowed.  
**Eyes** Avoid contact with eyes.  
**Skin** Avoid contact with skin.

#### Information on Health Hazards

##### (a) acute toxicity;

**Oral** Based on available data, the classification criteria are not met  
**Dermal** Based on available data, the classification criteria are not met  
**Inhalation** Based on available data, the classification criteria are not met

#### Toxicology data for the components

| Component                                  | CAS No     | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation                                                  |
|--------------------------------------------|------------|---------------------------|------------------------------|------------------------------------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available         | LD50 > 2000 mg/kg ( Rat )    | No data available                                                |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available         | LD50 > 2000 mg/kg ( Rabbit ) | LC50 = 3.6 mg/L ( Rat )<br>4 h<br>LC50 = 5.4 mg/L ( Rat )<br>4 h |
| 2-Ethylhexanoic acid                       | 149-57-5   | LD50 = 1600 mg/kg ( Rat ) | LD50 = 1140 mg/kg ( Rabbit ) | No data available                                                |

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

| Component                                  | CAS No     | Test method       | Test species      | Study result      |
|--------------------------------------------|------------|-------------------|-------------------|-------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available | No data available | No data available |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available | No data available | No data available |
| 2-Ethylhexanoic acid                       | 149-57-5   | No data available | No data available | No data available |

(e) germ cell mutagenicity; No data available

| Component                                  | CAS No     | Test method       | Test species      | Study result      |
|--------------------------------------------|------------|-------------------|-------------------|-------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available | No data available | No data available |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available | No data available | No data available |
| 2-Ethylhexanoic acid                       | 149-57-5   | No data available | No data available | No data available |

(f) carcinogenicity; Category 2

| Component                                  | CAS No     | Test method       | Test species / Duration | Study result      |
|--------------------------------------------|------------|-------------------|-------------------------|-------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available | No data available       | No data available |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available | No data available       | No data available |
| 2-Ethylhexanoic acid                       | 149-57-5   | No data available | No data available       | No data available |

There are no known carcinogenic chemicals in this product

| Component                                  | CAS No     | IARC       | NTP        | ACGIH      | OSHA       | UK         |
|--------------------------------------------|------------|------------|------------|------------|------------|------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not listed | Not listed | Not listed | Not listed | Not listed |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed | Not listed | A3         | Not listed | Not listed |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed | Not listed | Not listed | Not listed | Not listed |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

(g) reproductive toxicity; Category 1

| Component                                  | CAS No     | Test method       | Test species / Duration | Study result      |
|--------------------------------------------|------------|-------------------|-------------------------|-------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available | No data available       | No data available |
| Fuels, diesel, no. 2                       | 68476-34-6 | No data available | No data available       | No data available |
| 2-Ethylhexanoic acid                       | 149-57-5   | No data available | No data available       | No data available |

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

None known.

(j) aspiration hazard; No data available

## Other Adverse Effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

| Component                                  | CAS No     | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Japan - Endocrine Disruptor Information |
|--------------------------------------------|------------|------------------------------------------|--------------------------------------------------|-----------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not applicable                           | Not applicable                                   | Not applicable                          |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not applicable                           | Not applicable                                   | Not applicable                          |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not applicable                           | Not applicable                                   | Not applicable                          |

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component                                  | CAS No     | Freshwater Fish                                         | Water Flea                             | Freshwater Algae                                                                                 | Microtox                                       |
|--------------------------------------------|------------|---------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | No data available                                       | No data available                      | No data available                                                                                | No data available                              |
| Fuels, diesel, no. 2                       | 68476-34-6 | LC50: = 35 mg/L, 96h flow-through (Pimephales promelas) | No data available                      | No data available                                                                                | No data available                              |
| 2-Ethylhexanoic acid                       | 149-57-5   | LC50: = 70 mg/L, 96h (Pimephales promelas)              | EC50: = 85.4 mg/L, 48h (Daphnia magna) | EC50: = 41 mg/L, 96h (Desmodesmus subspicatus)<br>EC50: = 61 mg/L, 72h (Desmodesmus subspicatus) | EC50 = 110 mg/L 17 h<br>EC50 = 670 mg/L 30 min |

### Persistence and degradability

**Persistence**  
**Degradation in sewage treatment plant**

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
May persist.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### Bioaccumulative potential

Product has a high potential to bioconcentrate

| Component            | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| 2-Ethylhexanoic acid | 2.7     | No data available             |

### Mobility in soil

No information available

### Ozone Depletion Potential

| Component                                  | CAS No     | Ozone Depletion Potential |
|--------------------------------------------|------------|---------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not listed                |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed                |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed                |

### Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.



# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

## Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### Road and Rail Transport

Not Regulated

### IATA

Not regulated

### IMDG/IMO

#### Marine Pollutant

Not regulated

No hazards identified

### Special Precautions for User

No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

### International Inventories

| Component                                  | CAS No     | KECL       | TSCA | EINECS    | IECSC | DSL | NDSL | PICCS | ENCS | ISHL | AICS |
|--------------------------------------------|------------|------------|------|-----------|-------|-----|------|-------|------|------|------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | KE-14-0060 | X    | 222-357-3 | X     | X   | -    | X     | -    |      | X    |
| Fuels, diesel, no. 2                       | 68476-34-6 | KE-17287   | X    | 270-676-1 | X     | X   | -    | X     | -    |      | X    |
| 2-Ethylhexanoic acid                       | 149-57-5   | KE-13740   | X    | 205-743-6 | X     | X   | -    | X     | X    | X    | X    |

| Component                                  | CAS No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------------------------|------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Annex I - Y34                      |

| Component                                  | CAS No     | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential |
|--------------------------------------------|------------|----------------|------------------------------|---------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not applicable | Not applicable               | Not applicable            |
| Fuels, diesel, no. 2                       | 68476-34-6 | Listed         | Not applicable               | Not applicable            |
| 2-Ethylhexanoic acid                       | 149-57-5   | Listed         | Not applicable               | Not applicable            |

### Korean National Regulations

| Component                                  | CAS No     | Act on Registration and Evaluation of Chemical Substances (K-REACH) | Authorised Chemicals | Existing Substances Subject to Registration |
|--------------------------------------------|------------|---------------------------------------------------------------------|----------------------|---------------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Annex 1 - KE-14-0060                                                | Not applicable       | Not applicable                              |
| Fuels, diesel, no. 2                       | 68476-34-6 | Annex 1 - KE-17287                                                  | Not applicable       | Not applicable                              |
| 2-Ethylhexanoic acid                       | 149-57-5   | Annex 1 - KE-13740                                                  | Not applicable       | Not applicable                              |

| Component                | CAS No    | Chemical Control Act - Toxic Chemicals | Chemical Control Act - Prohibited Chemicals | Chemical Control Act - Use Restricted Chemicals |
|--------------------------|-----------|----------------------------------------|---------------------------------------------|-------------------------------------------------|
| Hexanoic acid, 2-ethyl-, | 3444-17-5 | Not applicable                         | Not applicable                              | Not applicable                                  |

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

|                      |            |                |                |                |
|----------------------|------------|----------------|----------------|----------------|
| chromium(3+) salt    |            |                |                |                |
| Fuels, diesel, no. 2 | 68476-34-6 | Not applicable | Not applicable | Not applicable |
| 2-Ethylhexanoic acid | 149-57-5   | Not applicable | Not applicable | Not applicable |

| Component                                     | CAS No     | Chemical Control Act -<br>Accident Precaution<br>Chemicals (% in<br>mixtures) | Chemical Control Act -<br>Accident Precaution<br>Chemicals - Quantity<br>limits Storage (% in<br>mixtures) | Chemical Control Act -<br>Accident Precaution<br>Chemicals - Quantity<br>limits Manufacture/Use<br>(% in mixtures) |
|-----------------------------------------------|------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Not applicable                                                                | Not applicable                                                                                             | Not applicable                                                                                                     |
| Fuels, diesel, no. 2                          | 68476-34-6 | Not applicable                                                                | Not applicable                                                                                             | Not applicable                                                                                                     |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable                                                                | Not applicable                                                                                             | Not applicable                                                                                                     |

| Component                                     | CAS No     | Waste Control Law | Ministry of Environment -<br>CMR risk | Ministry of Environment -<br>Critically Controlled<br>Substance |
|-----------------------------------------------|------------|-------------------|---------------------------------------|-----------------------------------------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Not applicable    | Not applicable                        | Not applicable                                                  |
| Fuels, diesel, no. 2                          | 68476-34-6 | Not applicable    | Not applicable                        | Not applicable                                                  |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable    | Not applicable                        | Not applicable                                                  |

| Component                                     | CAS No     | ISHA - Harmful Agents<br>Subject to Work<br>Environment Monitoring | ISHA - Prohibited<br>substances | ISHA - Substances<br>requiring permission |
|-----------------------------------------------|------------|--------------------------------------------------------------------|---------------------------------|-------------------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Not applicable                                                     | Not applicable                  | Not applicable                            |
| Fuels, diesel, no. 2                          | 68476-34-6 | Not applicable                                                     | Not applicable                  | Not applicable                            |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable                                                     | Not applicable                  | Not applicable                            |

| Component                                     | CAS No     | ISHA - Substances<br>subject to control | ISHA - Harmful Agents<br>Requiring Health<br>Examination | ISHA - Permissible<br>Exposure Limits |
|-----------------------------------------------|------------|-----------------------------------------|----------------------------------------------------------|---------------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Listed                                  | Listed                                                   | Not applicable                        |
| Fuels, diesel, no. 2                          | 68476-34-6 | Not applicable                          | Not applicable                                           | Not applicable                        |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable                          | Not applicable                                           | Not applicable                        |

| Component                                     | CAS No     | ISHA - Subject to<br>Process Safety Reports<br>(minimum quantity) | ISHA - Threshold Limit<br>Values (TLVs) Chemicals | ISHA - Special<br>management materials |
|-----------------------------------------------|------------|-------------------------------------------------------------------|---------------------------------------------------|----------------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Not applicable                                                    | TWA: 0.5 mg/m <sup>3</sup>                        | Not applicable                         |
| Fuels, diesel, no. 2                          | 68476-34-6 | 5000 kg                                                           | Not applicable                                    | Not applicable                         |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable                                                    | Not applicable                                    | Not applicable                         |

**National Fire Association - Dangerous Substances** Minimum quantity requiring a permit

| Component                                     | CAS No     | Class 1 -<br>Oxidising<br>solids | Class 2 -<br>Flammable<br>solid | Class 3 -<br>Spontaneously<br>Combustible<br>Substances<br>and Dangerous<br>Substances<br>When Wet | Class 4 -<br>Flammable<br>liquids | Class 5 -<br>Self-reactive<br>substances | Class 6 -<br>Oxidising<br>liquids |
|-----------------------------------------------|------------|----------------------------------|---------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|-----------------------------------|
| Hexanoic acid, 2-ethyl-,<br>chromium(3+) salt | 3444-17-5  | Not applicable                   | Not applicable                  | Not applicable                                                                                     | Not applicable                    | Not applicable                           | Not applicable                    |
| Fuels, diesel, no. 2                          | 68476-34-6 | Not applicable                   | Not applicable                  | Not applicable                                                                                     | Not applicable                    | Not applicable                           | Not applicable                    |
| 2-Ethylhexanoic acid                          | 149-57-5   | Not applicable                   | Not applicable                  | Not applicable                                                                                     | Not applicable                    | Not applicable                           | Not applicable                    |

**NFA Dangerous Substances Classification**

Class 3.7 (Organometallic compounds) - 50 kg

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

## Control Parameters

| Component                                  | CAS No     | Korea                      | ACGIH - Biological Exposure Indices |
|--------------------------------------------|------------|----------------------------|-------------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | TWA: 0.5 mg/m <sup>3</sup> | Not listed                          |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not listed                 | Not listed                          |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not listed                 | Not listed                          |

## US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

| Component                                  | CAS No     | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|--------------------------------------------|------------|----------------------------------|----------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not applicable                   | Not applicable             |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not applicable                   | Not applicable             |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not applicable                   | Not applicable             |

CERCLA

Not applicable

| Component                                  | CAS No     | CERCLA Extremely Hazardous Substances RQs | Hazardous Substances RQs | SARA 313 - Threshold Values % |
|--------------------------------------------|------------|-------------------------------------------|--------------------------|-------------------------------|
| Hexanoic acid, 2-ethyl-, chromium(3+) salt | 3444-17-5  | Not applicable                            | Not applicable           | 1.0 %                         |
| Fuels, diesel, no. 2                       | 68476-34-6 | Not applicable                            | Not applicable           | Not applicable                |
| 2-Ethylhexanoic acid                       | 149-57-5   | Not applicable                            | Not applicable           | Not applicable                |

## GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H351 - Suspected of causing cancer. H360D - May damage the unborn child.

P201 - Obtain special instructions before use. P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P308 + P313 - IF exposed or concerned: Get medical advice/attention.

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

# SAFETY DATA SHEET

Chromium(III) 2-ethylhexanoate, 65-70% in mineral spirits

Revision Date 12-Jun-2024

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

## Prepared By

Health, Safety and Environmental Department

## Creation Date

15-Apr-2015

## Revision Date

12-Jun-2024

## Revision Number

6

## Revision Summary

New emergency telephone response service provider.

## MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**