

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Statsafe® 6000

Product Description:

Statsafe® 6000

Cat No. :

H55787

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

 Tel: +03-5525 7888  
 CHEMTREC Malaysia 1-800-815-308 (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                    |                     |
|----------------------------------------------------|---------------------|
| Flammable liquids                                  | Category 2 (H225)   |
| Aspiration Toxicity                                | Category 1 (H304)   |
| Skin Corrosion/Irritation                          | Category 1 (H314) B |
| Serious Eye Damage/Eye Irritation                  | Category 1 (H318)   |
| Specific target organ toxicity - (single exposure) | Category 3 (H336)   |
| Acute aquatic toxicity                             | Category 1 (H400)   |
| Chronic aquatic toxicity                           | Category 1 (H410)   |

**Label Elements**


Signal Word

Danger

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

## Hazard Statements

H225 - Highly flammable liquid and vapor  
H304 - May be fatal if swallowed and enters airways  
H314 - Causes severe skin burns and eye damage  
H336 - May cause drowsiness or dizziness  
H410 - Very toxic to aquatic life with long lasting effects

## Precautionary Statements

### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P240 - Ground and bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P363 - Wash contaminated clothing before reuse  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component                             | CAS No     | Weight % |
|---------------------------------------|------------|----------|
| n-Heptane                             | 142-82-5   | 70       |
| Proprietary non-hazardous ingredients | N/A        | 18       |
| Dodecylbenzenesulfonic acid           | 27176-87-0 | 9        |
| Castor oil                            | 8001-79-4  | 3        |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

|                                           |                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.                                                                                                                                                                                             |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.                                                                                                                                 |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. Risk of serious damage to the lungs (by aspiration). |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                                                                    |

## **Most important symptoms and effects, both acute and delayed**

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Carbon oxides, Sulfur oxides.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

## Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat, sparks and flame. Flammables area. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component | Malaysia | ACGIH TLV                     | OSHA PEL                                                                                                                                                                            |
|-----------|----------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| n-Heptane |          | TWA: 400 ppm<br>STEL: 500 ppm | (Vacated) TWA: 400 ppm<br>(Vacated) TWA: 1600 mg/m <sup>3</sup><br>(Vacated) STEL: 500 ppm<br>(Vacated) STEL: 2000 mg/m <sup>3</sup><br>TWA: 500 ppm<br>TWA: 2000 mg/m <sup>3</sup> |

| Component | European Union                                        | The United Kingdom                                                                                                    | Germany                                                                                                                                                                                                                                                                    |
|-----------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| n-Heptane | TWA: 500 ppm (8h)<br>TWA: 2085 mg/m <sup>3</sup> (8h) | STEL: 1500 ppm 15 min<br>STEL: 6255 mg/m <sup>3</sup> 15 min<br>TWA: 500 ppm 8 hr<br>TWA: 2085 mg/m <sup>3</sup> 8 hr | TWA: 500 ppm (8 Stunden). AGW -<br>exposure factor 1<br>TWA: 2100 mg/m <sup>3</sup> (8 Stunden).<br>AGW - exposure factor 1<br>TWA: 500 ppm (8 Stunden). MAK<br>TWA: 2100 mg/m <sup>3</sup> (8 Stunden).<br>MAK<br>Höhepunkt: 500 ppm<br>Höhepunkt: 2100 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

|                                 |                       |
|---------------------------------|-----------------------|
| <b>Eye Protection</b>           | Goggles               |
| <b>Hand Protection</b>          | Protective gloves     |
| <b>Skin and body protection</b> | Long sleeved clothing |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Respiratory Protection</b>   | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators                                                                                                                                                             |
| <b>Recommended Filter type:</b> | Multi-purpose/ABEK conforming to EN14387 Organic gases and vapours filter Type A Brown<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly<br>When RPE is used a face piece Fit Test should be conducted |

|                                |                                                                       |
|--------------------------------|-----------------------------------------------------------------------|
| <b><u>Hygiene Measures</u></b> | Handle in accordance with good industrial hygiene and safety practice |
|--------------------------------|-----------------------------------------------------------------------|

|                                               |                                                                                                                                                                                |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b><u>Environmental exposure controls</u></b> | Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                   |                          |                                          |
|-----------------------------------|--------------------------|------------------------------------------|
| <b>Appearance</b>                 |                          |                                          |
| <b>Physical State</b>             | Liquid                   |                                          |
| <b>Odor</b>                       | No information available |                                          |
| <b>Odor Threshold</b>             | No data available        |                                          |
| <b>pH</b>                         | No information available |                                          |
| <b>Melting Point/Range</b>        | No data available        |                                          |
| <b>Softening Point</b>            | No data available        |                                          |
| <b>Boiling Point/Range</b>        | 94 °C / 201.2 °F         |                                          |
| <b>Flash Point</b>                | < -5 °C / < 23 °F        | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>           | No data available        |                                          |
| <b>Flammability (solid,gas)</b>   | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>           | No data available        |                                          |
| <b>Vapor Pressure</b>             | 23 hPa @ 20 °C           |                                          |
| <b>Vapor Density</b>              | No data available        | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b> | 0.805 g/cm3              | @ 20 °C                                  |
| <b>Bulk Density</b>               | Not applicable           | Liquid                                   |
| <b>Water Solubility</b>           | Immiscible               |                                          |

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

**Solubility in other solvents** No information available

**Partition Coefficient (n-octanol/water)**

| Component | log Pow |
|-----------|---------|
| n-Heptane | 4.66    |

**Autoignition Temperature** No data available

**Decomposition Temperature** No data available

**Viscosity** No data available

**Explosive Properties**

**Oxidizing Properties** No information available

Vapors may form explosive mixtures with air

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity**

None known, based on information available.

**Chemical Stability**

Stable under normal conditions.

**Possibility of Hazardous Reactions**

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>Hazardous Polymerization</b> | No information available.     |
| <b>Hazardous Reactions</b>      | None under normal processing. |

**Conditions to Avoid**

Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials**

Strong bases.

**Hazardous Decomposition Products**

Carbon oxides. Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

**Information on Toxicological Effects**

**Product Information**

**(a) acute toxicity;**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| <b>Oral</b>       | Based on available data, the classification criteria are not met |
| <b>Dermal</b>     | Based on available data, the classification criteria are not met |
| <b>Inhalation</b> | Based on available data, the classification criteria are not met |

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

## Toxicology data for the components

| Component                   | LD50 Oral                 | LD50 Dermal                      | LC50 Inhalation              |
|-----------------------------|---------------------------|----------------------------------|------------------------------|
| n-Heptane                   | >2000 mg/kg (rat)         | LD50 = 3000 mg/kg ( Rabbit )     | LC50 > 73.5 mg/L ( Rat ) 4 h |
| Dodecylbenzenesulfonic acid | LD50 = 1260 mg/kg ( Rat ) | LD50 631 - 1000 mg/kg ( Rabbit ) | -                            |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available

Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Category 1

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component | Freshwater Fish                        | Water Flea         | Freshwater Algae | Microtox |
|-----------|----------------------------------------|--------------------|------------------|----------|
| n-Heptane | LC50: = 375.0 mg/L, 96h (Cichlid fish) | EC50: >10 mg/L/24h |                  |          |

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

|                             |                                                                                                            |                                        |                                                        |                         |
|-----------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------|-------------------------|
| Dodecylbenzenesulfonic acid | LC50: 3.5 - 10 mg/L, 96h static (Brachydanio rerio)<br>LC50: = 10.8 mg/L, 96h static (Oncorhynchus mykiss) | EC50: = 5.88 mg/L, 48h (Daphnia magna) | EC50: = 29 mg/L, 96h (Pseudokirchneriella subcapitata) | EC50 = 12.7 mg/L 15 min |
|-----------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------|-------------------------|

## Persistence and degradability

### **Persistence**

Immiscible with water, Persistence is unlikely, based on information available.

### **Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative potential

May have some potential to bioaccumulate

| Component                   | log Pow | Bioconcentration factor (BCF) |
|-----------------------------|---------|-------------------------------|
| n-Heptane                   | 4.66    | No data available             |
| Dodecylbenzenesulfonic acid |         | 119 L/kg<br>36 L/kg           |

## Mobility in soil

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its volatility.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

#### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic organisms Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### **UN-No**

UN2924

#### **Hazard Class**

3

#### **Subsidiary Hazard Class**

8

#### **Packing Group**

II

#### **Proper Shipping Name**

Flammable liquid, corrosive, n.o.s. HEPTANES, n-Dodecylbenzenesulfonic acid

## Road and Rail Transport

ALFAAH55787

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

**UN-No** UN2924  
**Hazard Class** 3  
**Subsidiary Hazard Class** 8  
**Packing Group** II  
**Proper Shipping Name** Flammable liquid, corrosive, n.o.s. HEPTANES, n-Dodecylbenzenesulfonic acid

## IATA

**UN-No** UN2924  
**Hazard Class** 3  
**Subsidiary Hazard Class** 8  
**Packing Group** II  
**Proper Shipping Name** Flammable liquid, corrosive, n.o.s. HEPTANES, n-Dodecylbenzenesulfonic acid

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Taiwan (TCSI) Japan (ISHL) New Zealand (NZIoC) Japan (ISHL)

| Component                   | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|-----------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| n-Heptane                   | 205-563-8 | X    | X   | X     | X    | X    | X     | X    | KE-18271 |
| Dodecylbenzenesulfonic acid | 248-289-4 | X    | X   | X     | X    | X    | X     | X    | KE-12947 |
| Castor oil                  | 232-293-8 | X    | X   | X     | -    |      | X     | X    | KE-04979 |

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

# SAFETY DATA SHEET

Statsafe® 6000

Revision Date 31-Mar-2025

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

|                         |                                             |
|-------------------------|---------------------------------------------|
| <b>Prepared By</b>      | Health, Safety and Environmental Department |
| <b>Revision Date</b>    | 31-Mar-2025                                 |
| <b>Revision Summary</b> | SDS sections updated.                       |

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**