

Creation Date 23-Nov-2009

Revision Date 24-Mar-2024

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product identifier**

Product Description: Ammonium hydroxide, extra pure, 25% solution in water
Cat No. : C25521
Synonyms Ammonia solution; Ammonia water; Ammonium hydrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet**Company**

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (single exposure)

Category 1 B (H314)
Category 1 (H318)
Category 3 (H335)

Environmental hazards

Acute aquatic toxicity

Category 1 (H400)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	70-75	-
Ammonium hydroxide	1336-21-6	215-647-6	25-30	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

				Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Ammonia	7664-41-7	EEC No. 231-635-3	-	Flam. Gas 2 (H221) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (EUH071)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Ammonium hydroxide	STOT SE 3 (H335) :: C>=5%	1	-
Ammonia	STOT SE 3 : C ≥ 5 %	1	-

Components	Reach Registration Number	
Ammonia	01-2119488876-14	(for the anhydrous form)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or Poison Control Centre immediately.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

CO₂, dry chemical, dry sand, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

6.2. Environmental precautions

Should not be released into the environment. Keep out of waterways. Collect spillage. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 8A

Switzerland - Storage of hazardous substances

Storage class - SC 8 (Alkali)
<https://www.kvu.ch/de/themen/stoffe-und-produkte>

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	European Union	The United Kingdom	France	Belgium	Spain
Ammonia	TWA: 20 ppm (8h) TWA: 14 mg/m ³ (8h) STEL: 50 ppm (15min) STEL: 36 mg/m ³ (15min)	STEL: 35 ppm 15 min STEL: 25 mg/m ³ 15 min TWA: 25 ppm 8 hr TWA: 18 mg/m ³ 8 hr	TWA / VME: 10 ppm (8 heures). restrictive limit TWA / VME: 7 mg/m ³ (8 heures). restrictive limit STEL / VLCT: 20 ppm. restrictive limit STEL / VLCT: 14 mg/m ³ . restrictive limit	TWA: 20 ppm 8 uren TWA: 14 mg/m ³ 8 uren STEL: 50 ppm 15 minuten STEL: 36 mg/m ³ 15 minuten	STEL / VLA-EC: 50 ppm (15 minutos). STEL / VLA-EC: 36 mg/m ³ (15 minutos). TWA / VLA-ED: 20 ppm (8 horas) TWA / VLA-ED: 14 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Ammonium hydroxide					TWA: 20 ppm 8 tunteina TWA: 14 mg/m ³ 8 tunteina STEL: 50 ppm 15 minuutteina STEL: 36 mg/m ³ 15 minuutteina
Ammonia	TWA: 20 ppm 8 ore. Time Weighted Average TWA: 14 mg/m ³ 8 ore. Time Weighted Average STEL: 50 ppm 15 minuti. Short-term STEL: 36 mg/m ³ 15 minuti. Short-term	TWA: 20 ppm (8 Stunden). AGW - exposure factor 2 TWA: 14 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 20 ppm (8 Stunden). MAK TWA: 14 mg/m ³ (8 Stunden). MAK Höhepunkt: 40 ppm Höhepunkt: 28 mg/m ³	STEL: 50 ppm 15 minutos STEL: 36 mg/m ³ 15 minutos TWA: 20 ppm 8 horas TWA: 14 mg/m ³ 8 horas	STEL: 36 mg/m ³ 15 minuten TWA: 14 mg/m ³ 8 uren	TWA: 20 ppm 8 tunteina TWA: 14 mg/m ³ 8 tunteina STEL: 50 ppm 15 minuutteina STEL: 36 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Ammonia	MAK-KZGW: 50 ppm 15 Minuten MAK-KZGW: 36 mg/m ³ 15 Minuten MAK-TMW: 20 ppm 8 Stunden MAK-TMW: 14 mg/m ³ 8 Stunden	TWA: 20 ppm 8 timer TWA: 14 mg/m ³ 8 timer STEL: 36 mg/m ³ 15 minutter STEL: 50 ppm 15 minutter	STEL: 40 ppm 15 Minuten STEL: 28 mg/m ³ 15 Minuten TWA: 20 ppm 8 Stunden TWA: 14 mg/m ³ 8 Stunden	STEL: 28 mg/m ³ 15 minutach TWA: 14 mg/m ³ 8 godzinach	TWA: 15 ppm 8 timer TWA: 11 mg/m ³ 8 timer TWA: 20 ppm 8 timer STEL: 50 ppm 15 minutter. value from the regulation STEL: 36 mg/m ³ 15 minutter. value from the regulation STEL: 30 ppm 15 minutter. a transitional norm valid 2013-2024, applies to farmers at livestock production buildings constructed before 2002;value

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

					calculated
--	--	--	--	--	------------

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Ammonia	TWA: 14.0 mg/m ³ TWA: 20 ppm STEL : 50 ppm STEL : 36.0 mg/m ³	TWA-GVI: 20 ppm 8 satima. TWA-GVI: 14 mg/m ³ 8 satima. STEL-KGVI: 50 ppm 15 minutama. STEL-KGVI: 36 mg/m ³ 15 minutama.	TWA: 20 ppm 8 hr. anhydrous TWA: 14 mg/m ³ 8 hr. anhydrous STEL: 50 ppm 15 min STEL: 36 mg/m ³ 15 min	STEL: 50 ppm STEL: 36 mg/m ³ TWA: 20 ppm TWA: 14 mg/m ³	TWA: 14 mg/m ³ 8 hodinách. Ceiling: 36 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Ammonia	TWA: 20 ppm 8 tundides. TWA: 14 mg/m ³ 8 tundides. STEL: 50 ppm 15 minutites. STEL: 36 mg/m ³ 15 minutites.		STEL: 50 ppm STEL: 35 mg/m ³ TWA: 50 ppm TWA: 35 mg/m ³	STEL: 36 mg/m ³ 15 percekben. CK TWA: 14 mg/m ³ 8 órában. AK	STEL: 50 ppm 5 minutes STEL: 36 mg/m ³ 5 minutes TWA: 20 ppm 8 klukkustundum. TWA: 14 mg/m ³ 8 klukkustundum. Skin notation

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Ammonia	STEL: 50 ppm STEL: 36 mg/m ³ TWA: 20 ppm TWA: 14 mg/m ³	TWA: 20 ppm IPRD TWA: 14 mg/m ³ IPRD STEL: 50 ppm STEL: 36 mg/m ³	TWA: 20 ppm 8 Stunden TWA: 14 mg/m ³ 8 Stunden STEL: 50 ppm 15 Minuten STEL: 36 mg/m ³ 15 Minuten	TWA: 20 ppm TWA: 14 mg/m ³ STEL: 50 ppm 15 minuti STEL: 36 mg/m ³ 15 minuti	TWA: 20 ppm 8 ore TWA: 14 mg/m ³ 8 ore STEL: 50 ppm 15 minute STEL: 36 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Ammonia	MAC: 20 mg/m ³	Ceiling: 36 mg/m ³ TWA: 20 ppm TWA: 14 mg/m ³	TWA: 20 ppm 8 urah TWA: 14 mg/m ³ 8 urah STEL: 50 ppm 15 minutah anhydrous STEL: 36 mg/m ³ 15 minutah anhydrous	Binding STEL: 50 ppm 15 minuter Binding STEL: 36 mg/m ³ 15 minuter TLV: 20 ppm 8 timmar. NGV TLV: 14 mg/m ³ 8 timmar. NGV	TWA: 20 ppm 8 saat TWA: 14 mg/m ³ 8 saat STEL: 50 ppm 15 dakika STEL: 36 mg/m ³ 15 dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values; Workers

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
-----------	---------------------	---------------	-----------------------	-----------------

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Ammonia 7664-41-7 (-)		DNEL = 6.8mg/kg bw/day		DNEL = 6.8mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Ammonia 7664-41-7 (-)	DNEL = 36mg/m ³	DNEL = 47.6mg/m ³	DNEL = 14mg/m ³	DNEL = 47.6mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Ammonia 7664-41-7 (-)	PNEC = 0.0011mg/L		PNEC = 0.0068mg/L		

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Ammonia 7664-41-7 (-)	PNEC = 0.0011mg/L				

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	> 480 minutes	0.5 mm	EN 374	(minimum requirement)
Viton (R)	> 480 minutes	0.4 mm		
Neoprene	> 480 minutes	0.45 mm		

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Inorganic gases and vapours filter Type B Grey or Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Ammonia-like	
Odor Threshold	No data available	
Melting Point/Range	-57 °C / -70.6 °F	
Softening Point	No data available	
Boiling Point/Range	38 °C / 100.4 °F	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 15 Vol% Upper 28 Vol%	
Flash Point	No information available	Method - No information available
Autoignition Temperature	651 °C / 1203.8 °F	
Decomposition Temperature	No data available	
pH	12	
Viscosity	No data available	
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	500 hPa @ 20 °C	
Density / Specific Gravity	0.88-0.91	
Bulk Density	Not applicable	Liquid
Vapor Density	0.59	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents. Metals. Acids. Fluorine. Halogens.

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on ATE data, the classification criteria are not met

Dermal

Based on ATE data, the classification criteria are not met

Inhalation

Based on ATE data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Ammonium hydroxide	LD50 > 350 mg/kg (Rat)	-	-
Ammonia	LD50 = 350 mg/kg (Rat)	-	LC50 = 9850 mg/m ³ (Rat) 1 h LC50 = 13770 mg/m ³ (Rat) 1 h

(b) skin corrosion/irritation;

Category 1 B

(c) serious eye damage/irritation;

Category 1

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

(e) germ cell mutagenicity;

No data available

(f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

No data available

(h) STOT-single exposure;

Category 3

Results / Target organs

Respiratory system.

(i) STOT-repeated exposure;

No data available

Target Organs

No information available.

(j) aspiration hazard;

No data available

Symptoms / effects, both acute and delayed

Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Ammonium hydroxide	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50 96h 8.2 mg/L LC50 96h	EC50: 0.66 mg/L/48h	-
Ammonia	LC50: 0.26 - 4.6 mg/L, 96h (Lepomis macrochirus) LC50: = 1.17 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 0.73 - 2.35 mg/L, 96h (Pimephales promelas) LC50: = 5.9 mg/L, 96h static (Pimephales promelas) LC50: > 1.5 mg/L, 96h (Poecilia reticulata) LC50: = 1.19 mg/L, 96h static (Poecilia reticulata) LC50: = 0.44 mg/L, 96h (Cyprinus carpio)	EC50 = 25.4 mg/L, 48h (Daphnia magna) NOEC = 0.79 mg/L (Daphnia magna)	

Component	Microtox	M-Factor
Ammonium hydroxide	-	1
Ammonia	EC50 = 2.0 mg/L 5 min	1

12.2. Persistence and degradability

Persistence

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Disperses rapidly in air

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant

This product does not contain any known or suspected substance

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

<u>14.1. UN number</u>	UN2672
<u>14.2. UN proper shipping name</u>	AMMONIA SOLUTION
<u>14.3. Transport hazard class(es)</u>	8
<u>14.4. Packing group</u>	III

ADR

<u>14.1. UN number</u>	UN2672
<u>14.2. UN proper shipping name</u>	AMMONIA SOLUTION
<u>14.3. Transport hazard class(es)</u>	8
<u>14.4. Packing group</u>	III

IATA

<u>14.1. UN number</u>	UN2672
<u>14.2. UN proper shipping name</u>	AMMONIA SOLUTION
<u>14.3. Transport hazard class(es)</u>	8
<u>14.4. Packing group</u>	III

14.5. Environmental hazards

Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Ammonium hydroxide	1336-21-6	215-647-6	-	-	X	X	KE-01688	X	X
Ammonia	7664-41-7	231-635-3	-	-	X	X	KE-01625	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Ammonium hydroxide	1336-21-6	X	ACTIVE	X	-	X	X	X
Ammonia	7664-41-7	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Ammonium hydroxide	1336-21-6	-	Use restricted. See item 75. (see link for restriction details) Use restricted. See item 65. (see link for restriction details)	-
Ammonia	7664-41-7	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Ammonium hydroxide	1336-21-6	Not applicable	Not applicable
Ammonia	7664-41-7	50 tonne	200 tonne

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Ammonium hydroxide	WGK2	
Ammonia	WGK2	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Ammonium hydroxide 1336-21-6 (25-30)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H221 - Flammable gas

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

EUH071 - Corrosive to the respiratory tract

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

SAFETY DATA SHEET

Ammonium hydroxide, extra pure, 25% solution in water

Revision Date 24-Mar-2024

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 23-Nov-2009

Revision Date 24-Mar-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet