



SAFETY DATA SHEET (SDS)

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008, (EU) No. 2015/830

Revision Date 20-Feb-2024

WAI2 - EGHS - EUROPEAN

Revision Number 5

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name 10ppm Fluoride with TISAB II Standard

Product No 040908
Unique Formula Identifier (UFI) Not applicable

REACH registration number Not applicable

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier Thermo Fisher Scientific©
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
1-978-232-6000

E-mail address wlp.techsupport@thermofisher.com

Made in USA

1.4. Emergency telephone number 24 Hour Emergency Phone Number
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification - Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

2.2. Label elements

Precautionary Statements

2.3. Other hazards

General Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	EC No	CAS No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567	REACH Reg. No
Water	EEC No. 231-791-2	7732-18-5	90 - 100%	Not classified	No information available
Sodium Acetate	EEC No. 204-823-8	127-09-3	0 - 10%		No information available
Sodium Chloride	EEC No. 231-598-3	7647-14-5	0 - 10%		No information available
trans-1,2-Diaminocyclohexane-Tetraacetic Acid Monohydrate (CDTA)	-	125572-95-4	0 - 10%	-	No information available
Acetic Acid	EEC No. 200-580-7	64-19-7	0 - 10%	Flam. Liq. 3 (H226) Skin Corr. 1A (H314)	No information available
Sodium Fluoride	EEC No. 231-667-8	7681-49-4	0 - 10%	Acute Tox. 3 (H301) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) (EUH032)	No information available
FD & C Blue #1	EEC No. 223-339-8	3844-45-9	0 - 10%		No information available

Component	CAS No	Specific concentration limits (SCL's)	M-Factor	Component notes
Water	7732-18-5	-	-	-
Sodium Acetate	127-09-3	-	-	-
Sodium Chloride	7647-14-5	-	-	-
trans-1,2-Diaminocyclohexane-Tetraacetic Acid Monohydrate (CDTA)	125572-95-4	-	-	-
Acetic Acid	64-19-7	Eye Irrit. 2 (H319) :: 10%≤C<25% Skin Corr. 1A (H314) :: C≥90% Skin Corr. 1B (H314) :: 25%≤C<90% Skin Irrit. 2 (H315) :: 10%≤C<25%	-	-
Sodium Fluoride	7681-49-4	-	-	-
FD & C Blue #1	3844-45-9	-	-	-

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures**

General Advice	Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects	None reasonably foreseeable
--	-----------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically
---------------------------	-----------------------

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required.
-----------------------------	---

6.2. Environmental precautions

Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 7 and 8

See Section 8 for information on appropriate personal protective equipment

See Section 12 for additional Ecological Information

See Section 13 for additional waste treatment information

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling****Advice on safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Protect from direct sunlight.

7.3. Specific end use(s)**Specific Use(s)**

Use as laboratory reagent

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	European Union	The United Kingdom	France	Belgium	Spain
Acetic Acid	TWA: 25 mg/m ³ (8h) TWA: 10 ppm (8h) STEL: 50 mg/m ³ (15min) STEL: 20 ppm (15min)	STEL: 20 ppm 15 min STEL: 50 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 25 mg/m ³ 8 hr	TWA / VME: 10 ppm (8 heures). TWA / VME: 25 mg/m ³ (8 heures). STEL / VLCT: 20 ppm. indicative limit STEL / VLCT: 50 mg/m ³ . indicative limit	TWA: 10 ppm 8 uren TWA: 25 mg/m ³ 8 uren STEL: 15 ppm 15 minuten STEL: 38 mg/m ³ 15 minuten	STEL / VLA-EC: 20 ppm (15 minutos). STEL / VLA-EC: 50 mg/m ³ (15 minutos). TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 25 mg/m ³ (8 horas)
Sodium Fluoride		STEL: 7.5 mg/m ³ 15 min TWA: 2.5 mg/m ³ 8 hr	TWA / VME: 2 mg/m ³ (8 heures). TWA / VME: 2.5 mg/m ³ (8 heures). indicative limit		TWA / VLA-ED: 2.5 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Acetic Acid	TWA: 25 ppm 8 ore.	TWA: 10 ppm (8)	STEL: 20 ppm 15	STEL: 50 mg/m ³ 15	TWA: 5 ppm 8 tunteina

	Time Weighted Average TWA: 10 mg/m ³ 8 ore. Time Weighted Average STEL: 50 mg/m ³ 15 minuti. Short-term STEL: 20 ppm 15 minuti. Short-term	Stunden). AGW - exposure factor 2 TWA: 25 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m ³	minutos STEL: 50 mg/m ³ 15 minutos TWA: 10 ppm 8 horas TWA: 25 mg/m ³ 8 horas	minuten TWA: 25 mg/m ³ 8 uren	TWA: 13 mg/m ³ 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 25 mg/m ³ 15 minuutteina
Sodium Fluoride		TWA: 1 mg/m ³ (8 Stunden). AGW - exposure factor 4 TWA: 1 mg/m ³ (8 Stunden). MAK Haut	TWA: 2.5 mg/m ³ 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Acetic Acid	MAK-KZGW: 20 ppm 15 Minuten MAK-KZGW: 50 mg/m ³ 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 25 mg/m ³ 8 Stunden	TWA: 10 ppm 8 timer TWA: 25 mg/m ³ 8 timer STEL: 50 mg/m ³ 15 minutter STEL: 20 ppm 15 minutter	STEL: 20 ppm 15 Minuten STEL: 50 mg/m ³ 15 Minuten TWA: 10 ppm 8 Stunden TWA: 25 mg/m ³ 8 Stunden	STEL: 50 mg/m ³ 15 minutach TWA: 25 mg/m ³ 8 godzinach	TWA: 10 ppm 8 timer TWA: 25 mg/m ³ 8 timer STEL: 20 ppm 15 minutter. value from the regulation STEL: 50 mg/m ³ 15 minutter. value from the regulation
Sodium Fluoride					TWA: 0.5 mg/m ³ 8 timer

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Acetic Acid	TWA: 25 mg/m ³ TWA: 10 ppm STEL : 50 mg/m ³ STEL : 20 ppm	TWA-GVI: 10 ppm 8 satima. TWA-GVI: 25 mg/m ³ 8 satima. STEL-KGVI: 20 ppm 15 minutama. STEL-KGVI: 50 mg/m ³ 15 minutama.	TWA: 20 ppm 8 hr. TWA: 50 mg/m ³ 8 hr. STEL: 20 ppm 15 min STEL: 50 mg/m ³ 15 min	STEL: 50 mg/m ³ STEL: 20 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 25 mg/m ³ 8 hodinách. Ceiling: 50 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Acetic Acid	TWA: 10 ppm 8 tundides. TWA: 25 mg/m ³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 25 mg/m ³ 15 minutites.	TWA: 25 mg/m ³ 8 hr TWA: 10 ppm 8 hr STEL: 50 mg/m ³ 15 min STEL: 20 ppm 15 min	STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	STEL: 50 mg/m ³ 15 percekben. CK TWA: 25 mg/m ³ 8 óraban. AK	STEL: 20 ppm STEL: 50 mg/m ³ TWA: 10 ppm 8 klukkustundum. TWA: 25 mg/m ³ 8 klukkustundum.

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium Chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			
Acetic Acid	STEL: 50 mg/m ³ STEL: 20 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm IPRD TWA: 25 mg/m ³ IPRD STEL: 50 mg/m ³ STEL: 20 ppm	TWA: 10 ppm 8 Stunden TWA: 25 mg/m ³ 8 Stunden STEL: 50 mg/m ³ 15 Minuten STEL: 20 ppm 15 Minuten	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm 15 minuti STEL: 50 mg/m ³ 15 minuti	TWA: 10 ppm 8 ore TWA: 25 mg/m ³ 8 ore STEL: 20 ppm 15 minute STEL: 50 mg/m ³ 15 minute
Sodium Fluoride	STEL: 1 mg/m ³ TWA: 0.2 mg/m ³				

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium Acetate	MAC: 10 mg/m ³				
Sodium Chloride	MAC: 5 mg/m ³				
Acetic Acid	Skin notation MAC: 5 mg/m ³	Ceiling: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm 8 urah TWA: 25 mg/m ³ 8 urah STEL: 50 mg/m ³ 15	Binding STEL: 10 ppm 15 minuter Binding STEL: 25	TWA: 10 ppm 8 saat TWA: 25 mg/m ³ 8 saat

			minutah STEL: 20 ppm 15 minutah	mg/m ³ 15 minuter TLV: 5 ppm 8 timmar. NGV TLV: 13 mg/m ³ 8 timmar. NGV	
Sodium Fluoride	TWA: 0.2 mg/m ³ 1503 MAC: 1 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium Acetate 127-09-3 (0 - 10%)		DNEL = 72mg/kg bw/day		DNEL = 12mg/kg bw/day DNEL = 106mg/kg bw/day
Sodium Chloride 7647-14-5 (0 - 10%)		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day
Sodium Fluoride 7681-49-4 (0 - 10%)		DNEL = 0.36mg/kg bw/day		DNEL = 0.36mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium Acetate 127-09-3 (0 - 10%)		DNEL = 6347.36mg/m ³		DNEL = 1057.9mg/m ³ DNEL = 70mg/m ³
Sodium Chloride 7647-14-5 (0 - 10%)		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
Acetic Acid 64-19-7 (0 - 10%)	DNEL = 25mg/m ³		DNEL = 25mg/m ³	
Sodium Fluoride 7681-49-4 (0 - 10%)		DNEL = 2.5mg/m ³	DNEL = 2.5mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Sodium Acetate 127-09-3 (0 - 10%)	PNEC = 85.9mg/L	PNEC = 317mg/kg sediment dw	PNEC = 130mg/L	PNEC = 200mg/L	PNEC = 13.1mg/kg soil dw
Sodium Chloride 7647-14-5 (0 - 10%)	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw
Acetic Acid 64-19-7 (0 - 10%)	PNEC = 3.058mg/L	PNEC = 11.36mg/kg sediment dw	PNEC = 30.58mg/L	PNEC = 85mg/L	PNEC = 0.47mg/kg soil dw
Sodium Fluoride	PNEC = 0.9mg/L			PNEC = 51mg/L	PNEC = 11mg/kg

7681-49-4 (0 - 10%)					soil dw
-----------------------	--	--	--	--	---------

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Sodium Acetate 127-09-3 (0 - 10%)	PNEC = 8.59mg/L	PNEC = 31.7mg/kg sediment dw			
Acetic Acid 64-19-7 (0 - 10%)	PNEC = 0.3058mg/L	PNEC = 1.136mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures None under normal use conditions

Personal protective equipment

Eye/face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves/protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions.
Recommended Filter type: Particle filter.

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Blue
Odor	vinegar-like
Odor Threshold	No information available
pH	3.8
PH Range	2.3 - 5.3

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point/freezing point	No information available	
Boiling Point/Range	~ 100 °C / 212 °F	
Flash Point (High in °C)	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature	-	
Decomposition Temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

Softening Point No information available

Molecular Weight	No information available
VOC Content(%)	0.8
Density	No Information available
Bulk Density	No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None

10.3. Possibility of hazardous reactions

None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight

10.5. Incompatible materials

No information available

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Acute Toxicity

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 24,653.00 mg/kg

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)		
Sodium Acetate	LD50 = 3530 mg/kg (Rat)	LD50 > 10 g/kg (Rabbit)	LC50 > 30 g/m ³ (Rat) 1 h
Sodium Chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
Acetic Acid	LD50 = 3310 mg/kg (Rat)	LD50 = 1060 mg/kg (Rabbit)	LC50 = 11.4 mg/L (Rat) 4 h
Sodium Fluoride	LD50 = 52 mg/kg (Rat)	LD50 = 175 mg/kg (Rat)	
FD & C Blue #1	LD50 > 2 g/kg (Rat)		

Skin Corrosion/Irritation No information available

Serious eye damage/eye irritation No information available

Sensitization No information available

Mutagenic Effects	No information available
Carcinogenic effects	No information available
Reproductive Effects	No information available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Aspiration hazard	No information available

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Sodium Acetate	-	LC50: > 100 mg/L, 96h semi-static (Danio rerio)	EC50: > 1000 mg/L, 48h (Daphnia magna)
Sodium Chloride	-	LC50: 6420 - 6700 mg/L, 96h static (Pimephales promelas) LC50: 4747 - 7824 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 6020 - 7070 mg/L, 96h static (Pimephales promelas) LC50: = 12946 mg/L, 96h static (Lepomis macrochirus) LC50: 5560 - 6080 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 7050 mg/L, 96h semi-static (Pimephales promelas)	EC50: 340.7 - 469.2 mg/L, 48h Static (Daphnia magna) EC50: = 1000 mg/L, 48h (Daphnia magna)
Acetic Acid	-	LC50: = 75 mg/L, 96h static (Lepomis macrochirus) LC50: = 79 mg/L, 96h static (Pimephales promelas)	EC50: = 65 mg/L, 48h Static (Daphnia magna)
Sodium Fluoride	EC50: = 850 mg/L, 72h static (Desmodesmus subspicatus) EC50: = 272 mg/L, 96h (Pseudokirchneriella subcapitata)	LC50: 38 - 68 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 180 mg/L, 96h semi-static (Pimephales promelas) LC50: = 830 mg/L, 96h semi-static (Lepomis macrochirus) LC50: > 530 mg/L, 96h (Lepomis macrochirus)	EC50: = 98 mg/L, 48h Static (Daphnia magna) EC50: = 338 mg/L, 48h (Daphnia magna)

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Sodium Acetate		<10 dimensionless

Acetic Acid	-0.17	No data available
FD & C Blue #1	-6.4	No data available

12.4. Mobility in soil**Mobility**

Component	log Pow
Acetic Acid 64-19-7 (0 - 10%)	-0.17
FD & C Blue #1 3844-45-9 (0 - 10%)	-6.4

12.5. Results of PBT and vPvB assessment

No information available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods****Waste from Residues/Unused Products**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: TRANSPORT INFORMATION**IMDG/IMO**

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Marine Pollutant	Not Applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

ADR

14.1. UN number	Not Regulated
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	Not Regulated
14.4. Packing group	Not Regulated

ICAO

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated

14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

IATA

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable
14.6 Special Provisions	None

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS), U.S.A. (TSCA).

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Sodium Acetate	127-09-3	204-823-8	-	-	X	X	KE-00061	X	X
Sodium Chloride	7647-14-5	231-598-3	-	-	X	X	KE-31387	X	X
trans-1,2-Diaminocyclohexane-Tetraacetic Acid Monohydrate (CDTA)	125572-95-4	-	-	-	-	X	-	-	-
Acetic Acid	64-19-7	200-580-7	-	-	X	X	KE-00013	X	X
Sodium Fluoride	7681-49-4	231-667-8	-	-	X	X	KE-31540	X	X
FD & C Blue #1	3844-45-9	223-339-8	-	-	X	X	KE-13703	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Sodium Acetate	127-09-3	X	ACTIVE	X	-	X	X	X
Sodium Chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
trans-1,2-Diaminocyclohexane-Tetraacetic Acid Monohydrate (CDTA)	125572-95-4	-	-	-	-	-	-	-
Acetic Acid	64-19-7	X	ACTIVE	X	-	X	X	X
Sodium Fluoride	7681-49-4	X	ACTIVE	X	-	X	X	X
FD & C Blue #1	3844-45-9	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

European Union**Authorisation/Restrictions according to EU REACH**

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Sodium Acetate	127-09-3	-	-	-
Sodium Chloride	7647-14-5	-	-	-

trans-1,2-Diaminocyclohexane-Tetr aacetic Acid Monohydrate (CDTA)	125572-95-4	-	-	-
Acetic Acid	64-19-7	-	Use restricted. See item 75. (see link for restriction details)	-
Sodium Fluoride	7681-49-4	-	Use restricted. See item 75. (see link for restriction details)	-
FD & C Blue #1	3844-45-9	-	-	-

<https://echa.europa.eu/substances-restricted-under-reach>

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)
Sodium Acetate 127-09-3 (0 - 10%)	WGK1
Sodium Chloride 7647-14-5 (0 - 10%)	WGK1
Acetic Acid 64-19-7 (0 - 10%)	WGK1
Sodium Fluoride 7681-49-4 (0 - 10%)	WGK1
FD & C Blue #1 3844-45-9 (0 - 10%)	WGK1

Component	France - INRS (Tables of occupational diseases)
Sodium Chloride	Tableaux des maladies professionnelles (TMP) - RG 78
Sodium Fluoride	Tableaux des maladies professionnelles (TMP) - RG 32

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium Acetate 127-09-3 (0 - 10%)	Prohibited and Restricted Substances		
Sodium Chloride 7647-14-5 (0 - 10%)	Prohibited and Restricted Substances		
Acetic Acid 64-19-7 (0 - 10%)	Prohibited and Restricted Substances	Group I	
FD & C Blue #1 3844-45-9 (0 - 10%)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

A Chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor
H301 - Toxic if swallowed
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
EUH032 - Contact with acids liberates very toxic gas

Key or legend to abbreviations and acronyms used in the safety data sheet

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TWA TWA (time-weighted average)

Ceiling Maximum limit value

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H315 - Causes skin irritation
H319 - Causes serious eye irritation
EUH032 - Contact with acids liberates very toxic gas

Prepared By Regulatory Affairs

Prepared For Thermo Fisher Scientific Inc.

Issue Date No information available

Revision Date 20-Feb-2024

Reason for revision SDS sections updated.

Training Advice Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet