

Creation Date 21-Jan-2019

Revision Date 03-Jan-2021

Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **A45351 – MagMAX TFS Solution**
Cat No. : **SP/3315/15**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company **EU entity/business name**
Acros Organics BVBA
Janssen Pharmaceuticaaan 3a
2440 Geel, Belgium

UK entity/business name
Fisher Scientific UK
Bishop Meadow Road, Loughborough,
Leicestershire LE11 5RG, United Kingdom

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166
Chemtrec US: (800) 424-9300
Chemtrec EU: 001 (202) 483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-	77-86-1	201-064-4	<0.5	-
Sodium chloride	7647-14-5	231-598-3	<1	-
Potassium chloride	7447-40-7	231-211-8	<0.1	-
Diammonium sulfate	7783-20-2	231-984-1	<2	-
Ethylenediaminetetraacetic acid	60-00-4	EEC No. 200-449-4	<0.2	Eye Irrit. 2 (H319) Acute Tox. 4 (H332) STOT RE 2 (H373)
Water	7732-18-5	231-791-2	>96	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK)
(Germany)

Storage Class/LGK 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Potassium chloride	TWA: 5.0 mg/m ³				
Diammonium sulfate	TWA: 10.0 mg/m ³				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			
Potassium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			
Diammonium sulfate	TWA: 0.02 mg/m ³				

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium chloride	MAC: 5 mg/m ³				
Potassium chloride	MAC: 5 mg/m ³				
Diammonium sulfate	MAC: 10 mg/m ³				
Ethylenediaminetetraacetic acid	MAC: 2 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-77-86-1 (<0.5)				DNEL = 166.7mg/kg bw/day
Sodium chloride 7647-14-5 (<1)		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day
Potassium chloride 7447-40-7 (<0.1)		DNEL = 910mg/kg bw/day		DNEL = 303mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-77-86-1 (<0.5)				DNEL = 117.5mg/m ³
Sodium chloride 7647-14-5 (<1)		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
Potassium chloride 7447-40-7 (<0.1)		DNEL = 5320mg/m ³		DNEL = 1064mg/m ³
Ethylenediaminetetraacetic acid 60-00-4 (<0.2)	DNEL = 3mg/m ³		DNEL = 1.5mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-77-86-1 (<0.5)				PNEC = 300mg/L	
Sodium chloride 7647-14-5 (<1)	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw
Potassium chloride 7447-40-7 (<0.1)	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	
Ethylenediaminetetraacetic acid 60-00-4 (<0.2)	PNEC = 2.2mg/L		PNEC = 1.2mg/L	PNEC = 43mg/L	PNEC = 0.72mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Potassium chloride 7447-40-7 (<0.1)	PNEC = 0.1mg/L				
Ethylenediaminetetraacetic acid 60-00-4 (<0.2)	PNEC = 0.22mg/L				

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particle filter

Small scale/Laboratory use

Maintain adequate ventilation

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State

Liquid

Appearance

Odor

No information available

Odor Threshold

No data available

Melting Point/Range

No data available

Softening Point

No data available

Boiling Point/Range

No information available

Flammability (liquid)

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

No data available

Flash Point

Not applicable

Method - No information available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

pH

7.4

Viscosity

No data available

Water Solubility

No information available

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Component

log Pow

Diammonium sulfate

-5.1

Vapor Pressure

No data available

Density / Specific Gravity

No data available

Bulk Density

Not applicable

Liquid
(Air = 1.0)

Vapor Density

No data available

Particle characteristics

Not applicable (liquid)

9.2. Other information

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization
Hazardous Reactions

No information available.
None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3-Propanediol, 2-amino-2-(hydroxymethyl)- Sodium chloride	LD50 = 5900 mg/kg (Rat)	LD50 > 5000 mg/kg (Rat)	-
Potassium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
Diammonium sulfate	LD50 = 2600 mg/kg (Rat)	-	-
Ethylenediaminetetraacetic acid	2840 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	-
	4500 mg/kg (Rat) >2000 mg/kg (Rat)	-	1 mg/l (rat)
Water	-	-	-

(b) skin corrosion/irritation;

No data available

(c) serious eye damage/irritation;

No data available

(d) respiratory or skin sensitization;

Respiratory

No data available

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Skin	No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	No data available
Symptoms / effects, both acute and delayed	No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h
Diammonium sulfate	Cyprinus carpio: LC50: >460 mg/L/96h Brachydanio rerio: LC50: 420 mg/L/96h	EC50: 423 mg/L/24h LC50: 14 mg/L/48h	-
Ethylenediaminetetraacetic acid	LC50: 34 - 62 mg/L, 96h static (Lepomis macrochirus) LC50: 44.2 - 76.5 mg/L, 96h static (Pimephales promelas)	EC50: = 113 mg/L, 48h Static (Daphnia magna)	EC50: = 1.01 mg/L, 72h (Desmodesmus subspicatus)

Component	Microtox	M-Factor
Diammonium sulfate	-	

12.2. Persistence and degradability No information available

12.3. Bioaccumulative potential No information available

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Component	log Pow	Bioconcentration factor (BCF)
Diammonium sulfate	-5.1	No data available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

- 14.5. Environmental hazards** No hazards identified
- 14.6. Special precautions for user** No special precautions required
- 14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	IECSC	ENCS	ISHL	AICS	KECL
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-	201-064-4	-		X	X	-	X	X	X	X	X	KE-01403
Sodium chloride	231-598-3	-		X	X	-	X	X	X	X	X	KE-31387
Potassium chloride	231-211-8	-		X	X	-	X	X	X	X	X	KE-29086
Diammonium sulfate	231-984-1	-		X	X	-	X	X	X	X	X	KE-01743
Ethylenediaminetetraacetic acid	200-449-4	-		X	X	-	X	X	X	X	X	KE-13648
Water	231-791-2	-		X	X	-	X	X	X		X	KE-35400

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Diammonium sulfate		Use restricted. See item 65. (see link for restriction details)	
Ethylenediaminetetraacetic acid		Use restricted. See item 75. (see link for restriction details)	

<https://echa.europa.eu/substances-restricted-under-reach>

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals
Not applicable

National Regulations

WGK Classification Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-	WGK1	
Sodium chloride	WGK1	
Potassium chloride	WGK1	
Diammonium sulfate	WGK1	
Ethylenediaminetetraacetic acid	WGK2	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78
Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date 21-Jan-2019

Revision Date 03-Jan-2021

Revision Summary Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SAFETY DATA SHEET

A45351 – MagMAX TFS Solution

Revision Date 03-Jan-2021

End of Safety Data Sheet