

INSERT  
COMPANY  
LOGO  
HERE

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Creation Date 04-Oct-2010

Revision Date 04-Jan-2024

Revision Number 8

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **Deblock / TCA – Jurassic**  
Cat No. : **850-00028**  
Synonyms **Deblock Base 4**

Unique Formula Identifier (UFI) **HASJ-D2DW-1X08-98JE**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use **Laboratory chemicals.**  
Uses advised against **No Information available**

### 1.3. Details of the supplier of the safety data sheet

Company

E-mail address **begel.sdsdesk@thermofisher.com**

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

Poison Centre - Emergency information services **Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week)**  
**Malta : +356 2395 2000**  
**Cyprus : +357 2240 5611**

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

Based on available data, the classification criteria are not met

## Health hazards

Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Carcinogenicity  
Specific target organ toxicity - (single exposure)

Category 2 (H315)  
Category 1 (H318)  
Category 2 (H351)  
Category 3 (H335) (H336)

## Environmental hazards

Chronic aquatic toxicity

Category 2 (H411)

Full text of Hazard Statements: see section 16

## 2.2. Label elements

Contains Dichloromethane & Trichloroacetic acid



Signal Word

Danger

## Hazard Statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H411 - Toxic to aquatic life with long lasting effects

## Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates  
Contains a substance on the National Authorities Endocrine Disruptor Lists  
Contains a known or suspected endocrine disruptor

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

| Component            | CAS No  | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008                                                                   |
|----------------------|---------|-------------------|----------|---------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | 75-09-2 | EEC No. 200-838-9 | 97       | Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>STOT SE 3 (H336)<br>Carc. 2 (H351)                                   |
| Trichloroacetic acid | 76-03-9 | EEC No. 200-927-2 | 3        | Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)<br>STOT SE 3 (H335)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410) |

| Component            | Specific concentration limits (SCL's) | M-Factor | Component notes |
|----------------------|---------------------------------------|----------|-----------------|
| Trichloroacetic acid | STOT SE 3 (H335) :: C>=1%             | 1        | -               |

| Components           | Reach Registration Number |
|----------------------|---------------------------|
| Dichloromethane      | 01-2119480404-41          |
| Trichloroacetic acid | 01-2119485186-30          |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                           |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                                                     |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |                                                                                                                                                                                                                                              |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to Physician</b> | A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed. |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

## Hazardous Combustion Products

Phosgene, Chlorine, Hydrocarbons, Hydrogen chloride gas.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 10

**Switzerland - Storage of hazardous substances**

Storage class - SC 10/12  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

| Component            | European Union                                                                                                               | The United Kingdom                                                                                                         | France                                                                                                                                                                                                                         | Belgium                                                                                                                               | Spain                                                                                                                                                                         |
|----------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | TWA: 353 mg/m <sup>3</sup> (8h)<br>TWA: 100 ppm (8h)<br>STEL: 706 mg/m <sup>3</sup> (15min)<br>STEL: 200 ppm (15min)<br>Skin | STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>Skin | TWA / VME: 50 ppm (8 heures). restrictive limit<br>TWA / VME: 178 mg/m <sup>3</sup> (8 heures). restrictive limit<br>STEL / VLCT: 100 ppm. restrictive limit<br>STEL / VLCT: 356 mg/m <sup>3</sup> . restrictive limit<br>Peau | TWA: 50 ppm 8 uren<br>TWA: 177 mg/m <sup>3</sup> 8 uren<br>STEL: 200 ppm 15 minuten<br>STEL: 706 mg/m <sup>3</sup> 15 minuten<br>Huid | STEL / VLA-EC: 100 ppm (15 minutos).<br>STEL / VLA-EC: 353 mg/m <sup>3</sup> (15 minutos).<br>TWA / VLA-ED: 50 ppm (8 horas)<br>TWA / VLA-ED: 177 mg/m <sup>3</sup> (8 horas) |
| Trichloroacetic acid |                                                                                                                              |                                                                                                                            | TWA / VME: 1 ppm (8 heures).<br>TWA / VME: 5 mg/m <sup>3</sup> (8 heures).                                                                                                                                                     | TWA: 1 ppm 8 uren<br>TWA: 6.8 mg/m <sup>3</sup> 8 uren                                                                                | TWA / VLA-ED: 1 ppm (8 horas)<br>TWA / VLA-ED: 6.8 mg/m <sup>3</sup> (8 horas)                                                                                                |

| Component            | Italy                                                                                                                                                                                                          | Germany                                                                                                                                                                                                                                                                                                                                                        | Portugal                                                                                                                                 | The Netherlands                                                                     | Finland                                                                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | TWA: 175 mg/m <sup>3</sup> 8 ore.<br>Time Weighted Average<br>TWA: 50 ppm 8 ore.<br>Time Weighted Average<br>STEL: 353 mg/m <sup>3</sup> 15 minuti. Short-term<br>STEL: 100 ppm 15 minuti. Short-term<br>Pelle | TWA: 50 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 100 ppm<br>Höhepunkt: 360 mg/m <sup>3</sup><br>Haut                                                                                           | STEL: 706 mg/m <sup>3</sup> 15 minutos<br>STEL: 200 ppm 15 minutos<br>TWA: 353 mg/m <sup>3</sup> 8 horas<br>TWA: 100 ppm 8 horas<br>Pele | huid<br>STEL: 706 mg/m <sup>3</sup> 15 minuten<br>TWA: 353 mg/m <sup>3</sup> 8 uren | TWA: 50 ppm 8 tunteina<br>TWA: 177 mg/m <sup>3</sup> 8 tunteina<br>STEL: 100 ppm 15 minuutteina<br>STEL: 353 mg/m <sup>3</sup> 15 minuutteina<br>Iho |
| Trichloroacetic acid |                                                                                                                                                                                                                | TWA: 0.2 ppm (8 Stunden). AGW - exposure factor 1<br>TWA: 1.4 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1<br>TWA: 0.2 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time<br>TWA: 1.4 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time<br>Höhepunkt: 0.2 ppm<br>Höhepunkt: 1.4 mg/m <sup>3</sup> | TWA: 0.5 ppm 8 horas                                                                                                                     |                                                                                     |                                                                                                                                                      |

| Component       | Austria                                                                                                 | Denmark                                                                                                                           | Switzerland                                                                                      | Poland                                                                           | Norway                                                                                                                                            |
|-----------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane | Haut<br>MAK-KZGW: 200 ppm 15 Minuten<br>MAK-KZGW: 700 mg/m <sup>3</sup> 15 Minuten<br>MAK-TMW: 50 ppm 8 | TWA: 35 ppm 8 timer<br>TWA: 122 mg/m <sup>3</sup> 8 timer<br>STEL: 706 mg/m <sup>3</sup> 15 minutter<br>STEL: 200 ppm 15 minutter | Haut/Peau<br>STEL: 200 ppm 15 Minuten<br>STEL: 706 mg/m <sup>3</sup> 15 Minuten<br>TWA: 50 ppm 8 | STEL: 353 mg/m <sup>3</sup> 15 minutach<br>TWA: 88 mg/m <sup>3</sup> 8 godzinach | TWA: 15 ppm 8 timer<br>TWA: 50 mg/m <sup>3</sup> 8 timer<br>STEL: 45 ppm 15 minutter. value from the regulation<br>STEL: 150 mg/m <sup>3</sup> 15 |

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

|                      |                                                                          |                                                                              |                                                               |                                                                                     |                                                                                                                                                                                   |
|----------------------|--------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      | Stunden<br>MAK-TMW: 175 mg/m <sup>3</sup><br>8 Stunden                   | Hud                                                                          | Stunden<br>TWA: 177 mg/m <sup>3</sup> 8<br>Stunden            |                                                                                     | minutter. value from the<br>regulation<br>Hud                                                                                                                                     |
| Trichloroacetic acid | MAK-TMW: 1 ppm 8<br>Stunden<br>MAK-TMW: 5 mg/m <sup>3</sup> 8<br>Stunden | TWA: 1 mg/m <sup>3</sup> 8 timer<br>STEL: 2 mg/m <sup>3</sup> 15<br>minutter | TWA: 1 ppm 8 Stunden<br>TWA: 7 mg/m <sup>3</sup> 8<br>Stunden | STEL: 4 mg/m <sup>3</sup> 15<br>minutach<br>TWA: 2 mg/m <sup>3</sup> 8<br>godzinach | TWA: 0.75 ppm 8 timer<br>TWA: 5 mg/m <sup>3</sup> 8 timer<br>STEL: 2.25 ppm 15<br>minutter. value<br>calculated<br>STEL: 10 mg/m <sup>3</sup> 15<br>minutter. value<br>calculated |

| Component            | Bulgaria                                                                                                      | Croatia                                                                                                                                                                        | Ireland                                                                                                                         | Cyprus                                                                                                                                   | Czech Republic                                                                                                       |
|----------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | TWA: 353 mg/m <sup>3</sup><br>TWA: 100 ppm<br>STEL : 706 mg/m <sup>3</sup><br>STEL : 200 ppm<br>Skin notation | kože<br>TWA-GVI: 100 ppm 8<br>satima.<br>TWA-GVI: 353 mg/m <sup>3</sup> 8<br>satima.<br>STEL-KGVI: 200 ppm<br>15 minutama.<br>STEL-KGVI: 706 mg/m <sup>3</sup><br>15 minutama. | TWA: 100 ppm 8 hr.<br>TWA: 353 mg/m <sup>3</sup> 8 hr.<br>STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15<br>min<br>Skin | Skin-potential for<br>cutaneous absorption<br>STEL: 706 mg/m <sup>3</sup><br>STEL: 200 ppm<br>TWA: 353 mg/m <sup>3</sup><br>TWA: 100 ppm | TWA: 200 mg/m <sup>3</sup> 8<br>hodinách.<br>Potential for cutaneous<br>absorption<br>Ceiling: 500 mg/m <sup>3</sup> |
| Trichloroacetic acid | TWA: 7.0 mg/m <sup>3</sup>                                                                                    |                                                                                                                                                                                | TWA: 0.5 ppm 8 hr.<br>STEL: 1.5 ppm 15 min                                                                                      |                                                                                                                                          |                                                                                                                      |

| Component            | Estonia                                                                                                                                                          | Gibraltar                                                                                                                              | Greece                                                                                                                                     | Hungary                                                                                                                                     | Iceland                                                                                                                                                 |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | Nahk<br>TWA: 35 ppm 8<br>tundides.<br>TWA: 120 mg/m <sup>3</sup> 8<br>tundides.<br>STEL: 70 ppm 15<br>minutites.<br>STEL: 250 mg/m <sup>3</sup> 15<br>minutites. | Skin notation<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>STEL: 706 mg/m <sup>3</sup> 15<br>min<br>STEL: 200 ppm 15 min | skin - potential for<br>cutaneous absorption<br>STEL: 200 ppm<br>STEL: 706 mg/m <sup>3</sup><br>TWA: 100 ppm<br>TWA: 353 mg/m <sup>3</sup> | STEL: 706 mg/m <sup>3</sup> 15<br>percekben. CK<br>TWA: 353 mg/m <sup>3</sup> 8<br>órában. AK<br>lehetséges borón<br>keresztüli felszívódás | TWA: 35 ppm 8<br>klukkustundum.<br>TWA: 122 mg/m <sup>3</sup> 8<br>klukkustundum.<br>Skin notation<br>Ceiling: 70 ppm<br>Ceiling: 244 mg/m <sup>3</sup> |
| Trichloroacetic acid |                                                                                                                                                                  |                                                                                                                                        |                                                                                                                                            |                                                                                                                                             | TWA: 1 mg/m <sup>3</sup> 8<br>klukkustundum.<br>Ceiling: 2 mg/m <sup>3</sup>                                                                            |

| Component            | Latvia                                                                                                                                 | Lithuania                                                                                                 | Luxembourg                                                                                                                                                                                                | Malta                                                                                                                                                                         | Romania                                                                                                                                           |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane      | skin - potential for<br>cutaneous exposure<br>STEL: 150 mg/m <sup>3</sup><br>STEL: 42 ppm<br>TWA: 120 mg/m <sup>3</sup><br>TWA: 34 ppm | TWA: 35 ppm IPRD<br>TWA: 120 mg/m <sup>3</sup> IPRD<br>Oda<br>STEL: 70 ppm<br>STEL: 250 mg/m <sup>3</sup> | Possibility of significant<br>uptake through the skin<br>TWA: 100 ppm 8<br>Stunden<br>TWA: 353 mg/m <sup>3</sup> 8<br>Stunden<br>STEL: 200 ppm 15<br>Minuten<br>STEL: 706 mg/m <sup>3</sup> 15<br>Minuten | possibility of significant<br>uptake through the skin<br>TWA: 100 ppm<br>TWA: 353 mg/m <sup>3</sup><br>STEL: 200 ppm 15<br>minuti<br>STEL: 706 mg/m <sup>3</sup> 15<br>minuti | Skin notation<br>TWA: 100 ppm 8 ore<br>TWA: 353 mg/m <sup>3</sup> 8 ore<br>STEL: 200 ppm 15<br>minute<br>STEL: 706 mg/m <sup>3</sup> 15<br>minute |
| Trichloroacetic acid | TWA: 5 mg/m <sup>3</sup>                                                                                                               |                                                                                                           |                                                                                                                                                                                                           |                                                                                                                                                                               |                                                                                                                                                   |

| Component            | Russia                                                       | Slovak Republic                                                                                                       | Slovenia                                                                                                                                     | Sweden                                                                                                                                                                        | Turkey |
|----------------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Dichloromethane      | TWA: 50 mg/m <sup>3</sup> 0922<br>MAC: 100 mg/m <sup>3</sup> | Ceiling: 706 mg/m <sup>3</sup><br>Potential for cutaneous<br>absorption<br>TWA: 100 ppm<br>TWA: 353 mg/m <sup>3</sup> | TWA: 100 ppm 8 urah<br>TWA: 353 mg/m <sup>3</sup> 8 urah<br>Koža<br>STEL: 200 ppm 15<br>minutah<br>STEL: 706 mg/m <sup>3</sup> 15<br>minutah | Binding STEL: 70 ppm<br>15 minuter<br>Binding STEL: 250<br>mg/m <sup>3</sup> 15 minuter<br>TLV: 35 ppm 8 timmar.<br>NGV<br>TLV: 120 mg/m <sup>3</sup> 8<br>timmar. NGV<br>Hud |        |
| Trichloroacetic acid | Skin notation<br>MAC: 5 mg/m <sup>3</sup>                    |                                                                                                                       | TWA: 1.4 mg/m <sup>3</sup> 8 urah<br>TWA: 0.2 ppm 8 urah<br>STEL: 0.2 ppm 15<br>minutah<br>STEL: 1.4 mg/m <sup>3</sup> 15<br>minutah         |                                                                                                                                                                               |        |

## Biological limit values

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

| Component       | European Union | United Kingdom                                      | France                                                                                                | Spain                                        | Germany                                                             |
|-----------------|----------------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------|
| Dichloromethane |                | Carbon monoxide: 30 ppm end-tidal breath post shift | Dichloromethane: 0.2 mg/L urine end of shift<br>Carboxyhemoglobine sanguine: 3.5 % blood end of shift | Dichloromethane: 0.3 mg/L urine end of shift | Dichloromethane: 500 µg/L whole blood (immediately after exposure ) |

| Component       | Italy | Finland | Denmark | Bulgaria | Romania                                                                                                                                                  |
|-----------------|-------|---------|---------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dichloromethane |       |         |         |          | Carboxyhemoglobin: 5 % Hemoglobin blood end of shift<br>Methylene chloride: 0.3 mg/L urine end of shift<br>Methylene chloride: 1 mg/L blood end of shift |

| Component       | Gibraltar | Latvia | Slovak Republic                                                                                                                         | Luxembourg | Turkey |
|-----------------|-----------|--------|-----------------------------------------------------------------------------------------------------------------------------------------|------------|--------|
| Dichloromethane |           |        | Dichloromethane: 1 mg/L blood end of exposure or work shift<br>Carboxyhemoglobin: 5 % of hemoglobin blood end of exposure or work shift |            |        |

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See values below:

| Component                             | Acute effects local (Oral) | Acute effects systemic (Oral) | Chronic effects local (Oral) | Chronic effects systemic (Oral) |
|---------------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------------|
| Trichloroacetic acid<br>76-03-9 ( 3 ) |                            |                               |                              | 0.7 mg/kg/d                     |

| Component                             | Acute effects local (Dermal)        | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------|-------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Dichloromethane<br>75-09-2 ( 97 )     |                                     |                                 |                                | DNEL = 12mg/kg bw/day             |
| Trichloroacetic acid<br>76-03-9 ( 3 ) | DMEL = 5% in mixture (weight basis) | DNEL = 1.41mg/kg bw/day         |                                | DNEL = 1.41mg/kg bw/day           |

| Component                             | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Dichloromethane<br>75-09-2 ( 97 )     |                                  | DMEL = 132.14mg/m <sup>3</sup>      |                                    | DNEL = 176mg/m <sup>3</sup>           |
| Trichloroacetic acid<br>76-03-9 ( 3 ) |                                  | DNEL = 124.3mg/m <sup>3</sup>       |                                    | DNEL = 124.3mg/m <sup>3</sup>         |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|-----------|-------------|----------------------|--------------------|------------------------------------|--------------------|
|           |             |                      |                    |                                    |                    |

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

|                                       |                                   |                                                                   |                 |                |                                                           |
|---------------------------------------|-----------------------------------|-------------------------------------------------------------------|-----------------|----------------|-----------------------------------------------------------|
| Dichloromethane<br>75-09-2 ( 97 )     | PNEC = 130µg/L<br>PNEC = 0.31mg/L | PNEC = 163µg/kg<br>sediment dw<br>PNEC = 2.57mg/kg<br>sediment dw | PNEC = 0.27mg/L | PNEC = 26mg/L  | PNEC = 173µg/kg<br>soil dw<br>PNEC = 0.33mg/kg<br>soil dw |
| Trichloroacetic acid<br>76-03-9 ( 3 ) | PNEC = 0.17µg/L                   | PNEC = 0.143µg/kg<br>sediment dw                                  | PNEC = 2.7µg/L  | PNEC = 100mg/L | PNEC = 4.6µg/kg<br>soil dw                                |

| Component                             | Marine water                       | Marine water<br>sediment                                          | Marine water<br>Intermittent | Food chain               | Air |
|---------------------------------------|------------------------------------|-------------------------------------------------------------------|------------------------------|--------------------------|-----|
| Dichloromethane<br>75-09-2 ( 97 )     | PNEC = 130µg/L<br>PNEC = 0.031mg/L | PNEC = 163µg/kg<br>sediment dw<br>PNEC = 0.26mg/kg<br>sediment dw | PNEC = 0.027mg/L             |                          |     |
| Trichloroacetic acid<br>76-03-9 ( 3 ) | PNEC = 0.017µg/L                   | PNEC =<br>0.0143µg/kg<br>sediment dw                              |                              | PNEC = 23.5mg/kg<br>food |     |

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments                                                                 |
|----------------|-------------------|-----------------|-------------|--------------------------------------------------------------------------------|
| Viton (R)      | < 120 minutes     | 0.7 mm          | EN 374      | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| Nitrile rubber | < 4 minutes       | 0.38 mm         |             |                                                                                |
| PVA            | > 360 minutes     |                 |             |                                                                                |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

## 9.1. Information on basic physical and chemical properties

|                                         |                                              |                                          |
|-----------------------------------------|----------------------------------------------|------------------------------------------|
| Physical State                          | Liquid                                       |                                          |
| Appearance                              | Colorless                                    |                                          |
| Odor                                    | sweet                                        |                                          |
| Odor Threshold                          | No data available                            |                                          |
| Melting Point/Range                     | -97 °C / -142.6 °F                           |                                          |
| Softening Point                         | No data available                            |                                          |
| Boiling Point/Range                     | 40 °C / 104 °F                               |                                          |
| Flammability (liquid)                   | No data available                            |                                          |
| Flammability (solid,gas)                | Not applicable                               | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 13 vol%<br><b>Upper</b> 22 vol% |                                          |
| Flash Point                             | Not applicable                               | <b>Method -</b> No information available |
| Autoignition Temperature                | 556 °C / 1032.8 °F                           |                                          |
| Decomposition Temperature               | > 120°C                                      |                                          |
| pH                                      | Not applicable                               |                                          |
| Viscosity                               | 0.43 cP at 20 °C                             |                                          |
| Water Solubility                        | Immiscible                                   |                                          |
| Solubility in other solvents            | No information available                     |                                          |
| Partition Coefficient (n-octanol/water) |                                              |                                          |
| Component                               | <b>log Pow</b>                               |                                          |
| Dichloromethane                         | 1.25                                         |                                          |
| Trichloroacetic acid                    | 1.44                                         |                                          |
| Vapor Pressure                          | 350 mbar @ 20 °C                             |                                          |
| Density / Specific Gravity              | 1.325                                        |                                          |
| Bulk Density                            | Not applicable                               | Liquid                                   |
| Vapor Density                           | No data available                            | (Air = 1.0)                              |
| Particle characteristics                | Not applicable (liquid)                      |                                          |

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization  
Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Bases. Alcohols. Amines. Metals.

### 10.6. Hazardous decomposition products

Phosgene. Chlorine. Hydrocarbons. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

**Product Information** No acute toxicity information is available for this product

(a) acute toxicity;  
Oral Based on ATE data, the classification criteria are not met  
Dermal Based on ATE data, the classification criteria are not met  
Inhalation Based on ATE data, the classification criteria are not met

## Toxicology data for the components

| Component            | LD50 Oral            | LD50 Dermal               | LC50 Inhalation                                            |
|----------------------|----------------------|---------------------------|------------------------------------------------------------|
| Dichloromethane      | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat )      | 53 mg/L ( Rat ) 6 h<br>76000 mg/m <sup>3</sup> ( Rat ) 4 h |
| Trichloroacetic acid | 3320 mg/kg rat       | LD50 > 2000 mg/kg ( Rat ) | -                                                          |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;  
Respiratory Based on available data, the classification criteria are not met  
Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2  
The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component            | EU | UK | Germany | IARC     |
|----------------------|----|----|---------|----------|
| Dichloromethane      |    |    |         | Group 2A |
| Trichloroacetic acid |    |    |         | Group 2B |

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3  
Results / Target organs Central nervous system (CNS), Respiratory system.

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met  
Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## 11.2. Information on other hazards

Endocrine Disrupting Properties .  
Assess endocrine disrupting properties for human health Contains a substance on the National Authorities Endocrine Disruptor Lists

## SECTION 12: ECOLOGICAL INFORMATION

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

## 12.1. Toxicity

### Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component            | Freshwater Fish                        | Water Flea         | Freshwater Algae   |
|----------------------|----------------------------------------|--------------------|--------------------|
| Dichloromethane      | Pimephales promelas: LC50:193 mg/L/96h | EC50: 140 mg/L/48h | EC50:>660 mg/L/96h |
| Trichloroacetic acid | >277 mg/l                              | 110 mg/l           | 0.27 mg/l          |

| Component            | Microtox                                    | M-Factor |
|----------------------|---------------------------------------------|----------|
| Dichloromethane      | EC50: 1 mg/L/24 h<br>EC50: 2.88 mg/L/15 min |          |
| Trichloroacetic acid |                                             | 1        |

## 12.2. Persistence and degradability

### Persistence

Persistence is unlikely, based on information available, Immiscible with water.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

May have some potential to bioaccumulate

| Component            | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| Dichloromethane      | 1.25    | 6.4 - 40 dimensionless        |
| Trichloroacetic acid | 1.44    | 0.4-1.7 Cyprinus caprio       |

## 12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Spillage unlikely to penetrate soil. The product is insoluble and sinks in water. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

### Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with local regulations. Dispose of this container to hazardous or special waste collection point.

### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

## Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                  | UN2922                                |
| <b>14.2. UN proper shipping name</b>    | Corrosive liquid, toxic, n.o.s.       |
| <b>Technical Shipping Name</b>          | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| <b>Subsidiary Hazard Class</b>          | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

### ADR

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                  | UN2922                                |
| <b>14.2. UN proper shipping name</b>    | Corrosive liquid, toxic, n.o.s.       |
| <b>Technical Shipping Name</b>          | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| <b>Subsidiary Hazard Class</b>          | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

### IATA

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                  | UN2922                                |
| <b>14.2. UN proper shipping name</b>    | Corrosive liquid, toxic, n.o.s.       |
| <b>Technical Shipping Name</b>          | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| <b>Subsidiary Hazard Class</b>          | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

|                                    |                                                                                                          |
|------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>14.5. Environmental hazards</b> | Dangerous for the environment<br>Product is a marine pollutant according to the criteria set by IMDG/IMO |
|------------------------------------|----------------------------------------------------------------------------------------------------------|

|                                           |                                  |
|-------------------------------------------|----------------------------------|
| <b>14.6. Special precautions for user</b> | No special precautions required. |
|-------------------------------------------|----------------------------------|

|                                                                      |                                |
|----------------------------------------------------------------------|--------------------------------|
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods |
|----------------------------------------------------------------------|--------------------------------|

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component            | CAS No  | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|----------------------|---------|-----------|--------|-----|-------|------|----------|------|------|
| Dichloromethane      | 75-09-2 | 200-838-9 | -      | -   | X     | X    | KE-23893 | X    | X    |
| Trichloroacetic acid | 76-03-9 | 200-927-2 | -      | -   | X     | X    | KE-34058 | X    | X    |

| Component            | CAS No  | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------------|---------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Dichloromethane      | 75-09-2 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |
| Trichloroacetic acid | 76-03-9 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component            | CAS No  | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances                                                            | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------|---------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Dichloromethane      | 75-09-2 | -                                                                   | Use restricted. See item 59.<br>(see link for restriction details)<br>Use restricted. See item 75.<br>(see link for restriction details) | -                                                                                                     |
| Trichloroacetic acid | 76-03-9 | -                                                                   | Use restricted. See item 75.<br>(see link for restriction details)                                                                       | -                                                                                                     |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component            | CAS No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Dichloromethane      | 75-09-2 | Not applicable                                                                            | Not applicable                                                                           |
| Trichloroacetic acid | 76-03-9 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 2 (self classification)

| Component            | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                  |
|----------------------|---------------------------------------|------------------------------------------|
| Dichloromethane      | WGK2                                  | Class I : 20 mg/m³ (Massenkonzentration) |
| Trichloroacetic acid | WGK2                                  | Class I : 20 mg/m³ (Massenkonzentration) |

| Component       | France - INRS (Tables of occupational diseases)      |
|-----------------|------------------------------------------------------|
| Dichloromethane | Tableaux des maladies professionnelles (TMP) - RG 12 |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

| Component                         | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Dichloromethane<br>75-09-2 ( 97 ) | Persistent Organic Pollutants (POPs)<br>Prohibited and Restricted Substances                                   | Group I                                                                         |                                                                                             |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards**

On basis of test data

**Health Hazards**

Calculation method

**Environmental hazards**

Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

# SAFETY DATA SHEET

Deblock / TCA – Jurassic

Revision Date 04-Jan-2024

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

|                  |                 |
|------------------|-----------------|
| Creation Date    | 04-Oct-2010     |
| Revision Date    | 04-Jan-2024     |
| Revision Summary | Not applicable. |

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**