

Creation Date 31-May-2012

Revision Date 09-Feb-2024

Revision Number 8

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	<u>Iodomethane, 2M solution in tert-butyl methyl ether</u>
Cat No. :	<u>378410000; 378411000; 378418000</u>
Synonyms	Methyl iodide
Molecular Formula	CH ₃ I

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name
Thermo Fisher Scientific
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

UK entity/business name
Fisher Scientific UK
Bishop Meadow Road,
Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids

Category 2 (H225)

Health hazards

Acute oral toxicity

Category 3 (H301)

Acute Inhalation Toxicity - Vapors

Category 3 (H331)

Skin Corrosion/Irritation

Category 2 (H315)

Carcinogenicity

Category 2 (H351)

Specific target organ toxicity - (single exposure)

Category 3 (H335)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H351 - Suspected of causing cancer

H315 - Causes skin irritation

H335 - May cause respiratory irritation

H301 + H331 - Toxic if swallowed or if inhaled

Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor/physician

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Toxic to terrestrial vertebrates

Contains a known or suspected endocrine disruptor

Contains a substance on the National Authorities Endocrine Disruptor Lists

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Iodomethane	74-88-4	EEC No. 200-819-5	30	Acute Tox. 3 (H301) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351)
Methyl tert-butyl ether	1634-04-4	EEC No. 216-653-1	70	Flam. Liq. 2 (H225) Skin Irrit. 2 (H315)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If not breathing, give artificial respiration.
Self-Protection of the First Aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen iodide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Refrigerator/flammables. Protect from direct sunlight.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Iodomethane		STEL: 6 ppm 15 min STEL: 36 mg/m ³ 15 min TWA: 2 ppm 8 hr TWA: 12 mg/m ³ 8 hr Skin	TWA / VME: 2 ppm (8 heures). TWA / VME: 12 mg/m ³ (8 heures).	TWA: 2 ppm 8 uren TWA: 12 mg/m ³ 8 uren Huid	TWA / VLA-ED: 2 ppm (8 horas) TWA / VLA-ED: 12 mg/m ³ (8 horas) Piel
Methyl tert-butyl ether	TWA: 50 ppm (8h) TWA: 183.5 mg/m ³ (8h) STEL: 100 ppm (15min) STEL: 367 mg/m ³ (15min)	STEL: 100 ppm 15 min STEL: 367 mg/m ³ 15 min TWA: 50 ppm 8 hr TWA: 183.5 mg/m ³ 8 hr	TWA / VME: 50 ppm (8 heures). restrictive limit TWA / VME: 183.5 mg/m ³ (8 heures). restrictive limit STEL / VLCT: 367 mg/m ³ . restrictive limit STEL / VLCT: 100 ppm. restrictive limit	TWA: 40 ppm 8 uren TWA: 146 mg/m ³ 8 uren STEL: 100 ppm 15 minuten STEL: 367 mg/m ³ 15 minuten	STEL / VLA-EC: 100 ppm (15 minutos). STEL / VLA-EC: 367 mg/m ³ (15 minutos). TWA / VLA-ED: 50 ppm (8 horas) TWA / VLA-ED: 183.5 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Iodomethane		Haut	TWA: 2 ppm 8 horas Pele		TWA: 2 ppm 8 tunteina TWA: 12 mg/m ³ 8 tunteina
Methyl tert-butyl ether	TWA: 50 ppm 8 ore. Time Weighted Average TWA: 183.5 mg/m ³ 8 ore. Time Weighted Average STEL: 100 ppm 15 minuti. Short-term STEL: 367 mg/m ³ 15 minuti. Short-term	TWA: 50 ppm (8 Stunden). AGW - exposure factor 1.5 TWA: 180 mg/m ³ (8 Stunden). AGW - exposure factor 1.5 TWA: 50 ppm (8 Stunden). MAK TWA: 180 mg/m ³ (8 Stunden). MAK Höhepunkt: 75 ppm Höhepunkt: 270 mg/m ³	STEL: 100 ppm 15 minutos STEL: 367 mg/m ³ 15 minutos TWA: 50 ppm 8 horas TWA: 183.5 mg/m ³ 8 horas	STEL: 360 mg/m ³ 15 minuten TWA: 180 mg/m ³ 8 uren	TWA: 50 ppm 8 tunteina TWA: 180 mg/m ³ 8 tunteina STEL: 100 ppm 15 minuutteina STEL: 360 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Iodomethane	TRK-KZGW: 1.2 ppm 15 Minuten TRK-KZGW: 8 mg/m ³ 15 Minuten Haut TRK-TMW: 0.3 ppm TRK-TMW: 2 mg/m ³	TWA: 1 ppm 8 timer TWA: 5.6 mg/m ³ 8 timer STEL: 2 ppm 15 minutter STEL: 11.2 mg/m ³ 15 minutter Hud	Haut/Peau TWA: 0.3 ppm 8 Stunden TWA: 2 mg/m ³ 8 Stunden	STEL: 20 mg/m ³ 15 minutach TWA: 7 mg/m ³ 8 godzinach	TWA: 1 ppm 8 timer TWA: 5 mg/m ³ 8 timer STEL: 3 ppm 15 minutter. value calculated STEL: 10 mg/m ³ 15 minutter. value calculated Hud
Methyl tert-butyl ether	MAK-KZGW: 100 ppm 15 Minuten MAK-KZGW: 360 mg/m ³ 15 Minuten MAK-TMW: 50 ppm 8 Stunden MAK-TMW: 180 mg/m ³ 8 Stunden	TWA: 40 ppm 8 timer TWA: 144 mg/m ³ 8 timer STEL: 376 mg/m ³ 15 minutter STEL: 100 ppm 15 minutter	STEL: 75 ppm 15 Minuten STEL: 270 mg/m ³ 15 Minuten TWA: 50 ppm 8 Stunden TWA: 180 mg/m ³ 8 Stunden	STEL: 270 mg/m ³ 15 minutach TWA: 180 mg/m ³ 8 godzinach	TWA: 50 ppm 8 timer TWA: 183.5 mg/m ³ 8 timer STEL: 100 ppm 15 minutter. value from the regulation STEL: 367 mg/m ³ 15 minutter. value from the regulation

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Iodomethane		kože TWA-GVI: 2 ppm 8 satima. TWA-GVI: 12 mg/m ³ 8 satima.	TWA: 2 ppm 8 hr. TWA: 11 mg/m ³ 8 hr. STEL: 6 ppm 15 min STEL: 33 mg/m ³ 15 min Skin		TWA: 2 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 8 mg/m ³
Methyl tert-butyl	TWA: 50 ppm	kože	TWA: 50 ppm 8 hr.	STEL: 367 mg/m ³	TWA: 100 mg/m ³ 8

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

ether	TWA: 183.5 mg/m ³ STEL : 100 ppm STEL : 367 mg/m ³	TWA-GVI: 50 ppm 8 satima. TWA-GVI: 183.5 mg/m ³ 8 satima. STEL-KGVI: 100 ppm 15 minutama. STEL-KGVI: 367 mg/m ³ 15 minutama.	TWA: 183.5 mg/m ³ 8 hr. STEL: 100 ppm 15 min STEL: 367 mg/m ³ 15 min	STEL: 100 ppm TWA: 183.5 mg/m ³ TWA: 50 ppm	hodinách. Ceiling: 200 mg/m ³
-------	--	---	--	--	---

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Iodomethane	Nahk TWA: 1 ppm 8 tundides. TWA: 6 mg/m ³ 8 tundides. STEL: 5 ppm 15 minutites. STEL: 30 mg/m ³ 15 minutites.		skin - potential for cutaneous absorption TWA: 2 ppm TWA: 10 mg/m ³		TWA: 1 ppm 8 klukkustundum. TWA: 6 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 2 ppm Ceiling: 12 mg/m ³
Methyl tert-butyl ether	TWA: 50 ppm 8 tundides. TWA: 183.5 mg/m ³ 8 tundides. STEL: 100 ppm 15 minutites. STEL: 367 mg/m ³ 15 minutites.	TWA: 183.5 mg/m ³ 8 hr TWA: 50 ppm 8 hr STEL: 367 mg/m ³ 15 min STEL: 100 ppm 15 min	STEL: 100 ppm STEL: 367 mg/m ³ TWA: 50 ppm TWA: 183.5 mg/m ³	STEL: 367 mg/m ³ 15 percekben. CK TWA: 183.5 mg/m ³ 8 órában. AK	STEL: 100 ppm branched in three STEL: 367 mg/m ³ branched in three TWA: 50 ppm 8 klukkustundum. branched in three TWA: 183.5 mg/m ³ 8 klukkustundum. branched in three

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Iodomethane		TWA: 1 ppm IPRD TWA: 6 mg/m ³ IPRD Oda STEL: 5 ppm STEL: 30 mg/m ³			Skin notation TWA: 2.5 ppm 8 ore TWA: 15 mg/m ³ 8 ore STEL: 4.2 ppm 15 minute STEL: 25 mg/m ³ 15 minute
Methyl tert-butyl ether	STEL: 100 ppm STEL: 367 mg/m ³ TWA: 50 ppm TWA: 183.5 mg/m ³	TWA: 50 ppm IPRD TWA: 183.5 mg/m ³ IPRD STEL: 100 ppm STEL: 367 mg/m ³	TWA: 183.5 mg/m ³ 8 Stunden TWA: 50 ppm 8 Stunden STEL: 367 mg/m ³ 15 Minuten STEL: 100 ppm 15 Minuten	TWA: 183.5 mg/m ³ TWA: 50 ppm STEL: 367 mg/m ³ 15 minuti STEL: 100 ppm 15 minuti	TWA: 50 ppm 8 ore TWA: 183.5 mg/m ³ 8 ore STEL: 100 ppm 15 minute STEL: 367 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Iodomethane		TWA: 0.3 ppm TWA: 2 mg/m ³		Indicative STEL: 5 ppm 15 minuter Indicative STEL: 30 mg/m ³ 15 minuter TLV: 1 ppm 8 timmar. NGV TLV: 6 mg/m ³ 8 timmar. NGV Hud	
Methyl tert-butyl ether	TWA: 100 mg/m ³ 1333 MAC: 300 mg/m ³	Ceiling: 367 mg/m ³ TWA: 50 ppm TWA: 183.5 mg/m ³	TWA: 50 ppm 8 urah TWA: 183.5 mg/m ³ 8 urah STEL: 100 ppm 15 minutah STEL: 367 mg/m ³ 15 minutah	Binding STEL: 100 ppm 15 minuter Binding STEL: 367 mg/m ³ 15 minuter TLV: 30 ppm 8 timmar. NGV TLV: 110 mg/m ³ 8 timmar. NGV	TWA: 50 ppm 8 saat TWA: 183.5 mg/m ³ 8 saat STEL: 100 ppm 15 dakika STEL: 367 mg/m ³ 15 dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Iodomethane 74-88-4 (30)			DMEL = 7.3µg/cm2	DNEL = 30mg/kg bw/day
Methyl tert-butyl ether 1634-04-4 (70)				DNEL = 5100mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Iodomethane 74-88-4 (30)	DNEL = 6.32mg/m ³	DNEL = 6.32mg/m ³	DNEL = 4.64mg/m ³	DNEL = 1.2mg/m ³
Methyl tert-butyl ether 1634-04-4 (70)	DNEL = 357mg/m ³			DNEL = 178.5mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Iodomethane 74-88-4 (30)	PNEC = 1.6µg/L		PNEC = 5.7µg/L		
Methyl tert-butyl ether 1634-04-4 (70)	PNEC = 5.1mg/L	PNEC = 23mg/kg sediment dw	PNEC = 47.2mg/L	PNEC = 71mg/L	PNEC = 1.56mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Methyl tert-butyl ether 1634-04-4 (70)	PNEC = 0.26mg/L	PNEC = 1.17mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber Neoprene Natural rubber	See manufacturers recommendations		EN 374	(minimum requirement)

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

PVC	-
Skin and body protection	Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance		
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	41 - 43 °C / 106 - 109 °F	@ 760 mmHg
Flammability (liquid)	Highly flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	-18 °C / -0.4 °F	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Iodomethane	1.57	
Methyl tert-butyl ether	1.06	
Vapor Pressure	251 mmHg @ 20 °C	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular Formula CH3I

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

Molecular Weight 141.94
Explosive Properties Vapors may form explosive mixtures with air

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions. Sensitivity to light.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Excess heat. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Exposure to light. Exposure to moist air or water.

10.5. Incompatible materials

Water. Strong oxidizing agents. Strong bases. oxygen. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen iodide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 3
Dermal Based on available data, the classification criteria are not met
Inhalation Category 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iodomethane	80 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 = 691 ppm (Rat) 4 h
Methyl tert-butyl ether	LD50 = 2963 mg/kg (Rat)	LD50 = 10000 mg/kg (Rabbit)	LC50 = 85 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

The table below indicates whether each agency has listed any ingredient as a carcinogen
Limited evidence of a carcinogenic effect

Component	EU	UK	Germany	IARC
Iodomethane			Cat. 2	

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties
Assess endocrine disrupting
properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Do not empty into drains. Do not flush into surface water or sanitary sewer system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Iodomethane	LC50: = 1.4 mg/L, 96h static-renewal (Oncorhynchus mykiss)		
Methyl tert-butyl ether	887 mg/L LC50 96 h 100 mg/L LC50 96 h 929 mg/L LC50 96 h 672 mg/L LC50 96 h	EC50: = 542 mg/L, 48h (Daphnia magna)	800 mg/L EC50 > 72 h 184 mg/L EC50 = 96 h

Component	Microtox	M-Factor
Methyl tert-butyl ether	EC50 = 11.4 mg/L 30 min EC50 = 8.23 mg/L 5 min EC50 = 9.67 mg/L 15 min	

12.2. Persistence and degradability
Persistence

No information available
Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Iodomethane	1.57	No data available
Methyl tert-butyl ether	1.06	No data available

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

air

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

Assess endocrine disrupting properties for the environment

Contains a substance on the National Authorities Endocrine Disruptor Lists.

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
Methyl tert-butyl ether	Group III Chemical	

12.7. Other adverse effects

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN1992

14.2. UN proper shipping name

Flammable liquid, toxic, n.o.s.

Technical Shipping Name

Methyl tert-butyl ether, Methyl iodide

14.3. Transport hazard class(es)

3

Subsidiary Hazard Class

6.1

14.4. Packing group

II

ADR

14.1. UN number

UN1992

14.2. UN proper shipping name

Flammable liquid, toxic, n.o.s.

Technical Shipping Name

Methyl tert-butyl ether, Methyl iodide

14.3. Transport hazard class(es)

3

Subsidiary Hazard Class

6.1

14.4. Packing group

II

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

IATA

14.1. UN number	UN1992
14.2. UN proper shipping name	Flammable liquid, toxic, n.o.s.
Technical Shipping Name	Methyl tert-butyl ether, Methyl iodide
14.3. Transport hazard class(es)	3
Subsidiary Hazard Class	6.1
14.4. Packing group	II

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Iodomethane	74-88-4	200-819-5	-	-	X	X	KE-21038	X	X
Methyl tert-butyl ether	1634-04-4	216-653-1	-	-	X	X	KE-23648	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Iodomethane	74-88-4	X	ACTIVE	X	-	X	X	X
Methyl tert-butyl ether	1634-04-4	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Iodomethane	74-88-4	-	Use restricted. See item 75. (see link for restriction details)	-
Methyl tert-butyl ether	1634-04-4	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Iodomethane	74-88-4	Not applicable	Not applicable

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

Methyl tert-butyl ether	1634-04-4	Not applicable	Not applicable
-------------------------	-----------	----------------	----------------

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Iodomethane	WGK3	Class I : 20 mg/m ³ (Massenkonzentration)
Methyl tert-butyl ether	WGK1	

Component	France - INRS (Tables of occupational diseases)
Methyl tert-butyl ether	Tableaux des maladies professionnelles (TMP) - RG 84

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H331 - Toxic if inhaled

H315 - Causes skin irritation

H351 - Suspected of causing cancer

H335 - May cause respiratory irritation

H312 - Harmful in contact with skin

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

SAFETY DATA SHEET

Iodomethane, 2M solution in tert-butyl methyl ether

Revision Date 09-Feb-2024

RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
NOEC - No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic

LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
OECD - Organisation for Economic Co-operation and Development
BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
ATE - Acute Toxicity Estimate
VOC - (volatile organic compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	31-May-2012
Revision Date	09-Feb-2024
Revision Summary	Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet