

## SAFETY DATA SHEET

Revision Date 01-Apr-2024

Revision Number 5

### 1. Identification

**Product Name** Spectroflux® 118

**Cat No. :** 12088

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |            |
|-----------------------------------|------------|
| Oxidizing solids                  | Category 3 |
| Acute oral toxicity               | Category 4 |
| Serious Eye Damage/Eye Irritation | Category 2 |

#### Label Elements

##### **Signal Word**

Warning

##### **Hazard Statements**

May intensify fire; oxidizer  
Harmful if swallowed  
Causes serious eye irritation

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep/Store away from clothing/ other combustible materials  
Take any precaution to avoid mixing with combustibles  
Wear protective gloves/protective clothing/eye protection/face protection

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Ingestion**

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
Rinse mouth

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

### 3. Composition/Information on Ingredients

| Component                                                            | CAS No     | Weight % |
|----------------------------------------------------------------------|------------|----------|
| Boron lithium oxide (B <sub>4</sub> Li <sub>2</sub> O <sub>7</sub> ) | 12007-60-2 | 75.00    |
| Sodium nitrate                                                       | 7631-99-4  | 25       |

### 4. First-aid measures

|                                            |                                                                                                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                            |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.             |
| <b>Most important symptoms and effects</b> | None reasonably foreseeable.                                                                                      |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                             |

### 5. Fire-fighting measures

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available  
**Method -** No information available

**Autoignition Temperature** No information available

**Explosion Limits**

**Upper** No data available

**Lower** No data available

**Oxidizing Properties** Oxidizer

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

**Specific Hazards Arising from the Chemical**

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

**Hazardous Combustion Products**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**

**Health**  
2

**Flammability**  
0

**Instability**  
0

**Physical hazards**  
- OX

## 6. Accidental release measures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean Up** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

## 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Incompatible Materials. Strong reducing agents. Combustible material.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component                        | ACGIH TLV                                             | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|----------------------------------|-------------------------------------------------------|----------|-------|------------------|
| Boron lithium oxide<br>(B4Li2O7) | TWA: 2 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup> |          |       |                  |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.  
 Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment**

|                                 |                                                                                                                                                                                                                                                   |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye/face Protection</b>      | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.                                                                       |
| <b>Skin and body protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.                                                                                                                                                                         |
| <b>Respiratory Protection</b>   | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| <b>Recommended Filter type:</b> | Particulates filter conforming to EN 143.                                                                                                                                                                                                         |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                            |

## 9. Physical and chemical properties

|                                               |                          |
|-----------------------------------------------|--------------------------|
| <b>Physical State</b>                         | Solid                    |
| <b>Appearance</b>                             | White                    |
| <b>Odor</b>                                   | Odorless                 |
| <b>Odor Threshold</b>                         | No information available |
| <b>pH</b>                                     | No information available |
| <b>Melting Point/Range</b>                    | No data available        |
| <b>Boiling Point/Range</b>                    | No information available |
| <b>Flash Point</b>                            | No information available |
| <b>Evaporation Rate</b>                       | Not applicable           |
| <b>Flammability (solid,gas)</b>               | No information available |
| <b>Flammability or explosive limits</b>       |                          |
| Upper                                         | No data available        |
| Lower                                         | No data available        |
| <b>Vapor Pressure</b>                         | 23 hPa @ 20 °C           |
| <b>Vapor Density</b>                          | Not applicable           |
| <b>Specific Gravity</b>                       | No information available |
| <b>Solubility</b>                             | No information available |
| <b>Partition coefficient; n-octanol/water</b> | No data available        |
| <b>Autoignition Temperature</b>               | No information available |
| <b>Decomposition Temperature</b>              | No information available |
| <b>Viscosity</b>                              | Not applicable           |

## 10. Stability and reactivity

|                                         |                                                                     |
|-----------------------------------------|---------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | Yes                                                                 |
| <b>Stability</b>                        | Oxidizer: Contact with combustible/organic material may cause fire. |
| <b>Conditions to Avoid</b>              | Incompatible products. Excess heat. Combustible material.           |
| <b>Incompatible Materials</b>           | Strong reducing agents, Combustible material                        |
| <b>Hazardous Decomposition Products</b> | None under normal use conditions                                    |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                            |
| <b>Hazardous Reactions</b>              | None under normal processing.                                       |

## 11. Toxicological information

### Acute Toxicity

#### **Product Information** **Oral LD50**

Category 4. ATE = 300 - 2000 mg/kg.

**Dermal LD50**

Based on ATE data, the classification criteria are not met. ATE &gt; 2000 mg/kg.

**Mist LC50**

Based on ATE data, the classification criteria are not met. ATE &gt; 5 mg/l.

**Component Information**

| Component                     | LD50 Oral           | LD50 Dermal               | LC50 Inhalation |
|-------------------------------|---------------------|---------------------------|-----------------|
| Boron lithium oxide (B4Li2O7) | Not listed          | LD50 > 2000 mg/kg ( Rat ) | Not listed      |
| Sodium nitrate                | >2000 mg/kg ( Rat ) | Not listed                | Not listed      |

**Toxicologically Synergistic**

No information available

**Products****Delayed and immediate effects as well as chronic effects from short and long-term exposure****Irritation**

No information available

**Sensitization**

No information available

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component                     | CAS No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------------------|------------|------------|------------|------------|------------|------------|
| Boron lithium oxide (B4Li2O7) | 12007-60-2 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Sodium nitrate                | 7631-99-4  | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects**

No information available

**Reproductive Effects**

No information available.

**Developmental Effects**

No information available.

**Teratogenicity**

No information available.

**STOT - single exposure**

None known

**STOT - repeated exposure**

None known

**Aspiration hazard**

No information available

**Symptoms / effects, both acute and delayed**

No information available

**Endocrine Disruptor Information**

No information available

**Other Adverse Effects**

The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity**

| Component      | Freshwater Algae | Freshwater Fish                                                                                                  | Microtox | Water Flea    |
|----------------|------------------|------------------------------------------------------------------------------------------------------------------|----------|---------------|
| Sodium nitrate | -                | LC50: 994.4 - 1107 mg/L, 96h static (Oncorhynchus mykiss)<br>LC50: = 2000 mg/L, 96h static (Lepomis macrochirus) | -        | 6000 mg/L 24h |

**Persistence and Degradability**

Insoluble in water

**Bioaccumulation/ Accumulation**

No information available.

**Mobility**

Is not likely mobile in the environment due its low water solubility.

| Component      | log Pow |
|----------------|---------|
| Sodium nitrate | -3.8    |

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

#### DOT

UN-No UN1498  
 Proper Shipping Name SODIUM NITRATE  
 Hazard Class 5.1  
 Packing Group III

#### TDG

UN-No UN1498  
 Proper Shipping Name SODIUM NITRATE  
 Hazard Class 5.1  
 Packing Group III

#### IATA

UN-No UN1498  
 Proper Shipping Name SODIUM NITRATE  
 Hazard Class 5.1  
 Packing Group III

#### IMDG/IMO

UN-No UN1498  
 Proper Shipping Name SODIUM NITRATE  
 Hazard Class 5.1  
 Packing Group III

### 15. Regulatory information

#### United States of America Inventory

| Component                     | CAS No     | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------------------|------------|------|-----------------------------------------------|-----------------------------|
| Boron lithium oxide (B4Li2O7) | 12007-60-2 | X    | ACTIVE                                        | -                           |
| Sodium nitrate                | 7631-99-4  | X    | ACTIVE                                        | -                           |

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)**

Not applicable

**TSCA 12(b)** - Notices of Export

Not applicable

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

| Component                     | CAS No     | DSL | NDL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-------------------------------|------------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Boron lithium oxide (B4Li2O7) | 12007-60-2 | X   | -   | 234-514-3 | X     | X    | X    | X    | X     | KE-11000 |
| Sodium nitrate                | 7631-99-4  | X   | -   | 231-554-3 | X     | X    | X    | X    | X     | KE-31545 |

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### U.S. Federal Regulations

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component      | CAS No    | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|----------------|-----------|----------|-------------------------------|---------------------------------|
| Sodium nitrate | 7631-99-4 | 25       | 1.0 %                         | -                               |

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Component                                                            | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------------------------------------------------------------|---------------|------------|--------------|----------|--------------|
| Boron lithium oxide (B <sub>4</sub> Li <sub>2</sub> O <sub>7</sub> ) | -             | X          | -            | -        | -            |
| Sodium nitrate                                                       | X             | X          | X            | X        | X            |

#### U.S. Department of Transportation

Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product contains the following DHS chemicals:  
**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component      | DHS Chemical Facility Anti-Terrorism Standard |
|----------------|-----------------------------------------------|
| Sodium nitrate | Theft STQs - 400lb                            |

#### Other International Regulations

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH** Not applicable

| Component                                                            | CAS No     | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------------------------------------------------------|------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Boron lithium oxide (B <sub>4</sub> Li <sub>2</sub> O <sub>7</sub> ) | 12007-60-2 | -                                                                   | -                                                                             | -                                                                                                     |
| Sodium nitrate                                                       | 7631-99-4  | -                                                                   | -                                                                             | -                                                                                                     |

## Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                     | CAS No     | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------------------|------------|----------------|------------------------------|---------------------------|--------------------------------------------|
| Boron lithium oxide (B4Li2O7) | 12007-60-2 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |
| Sodium nitrate                | 7631-99-4  | Listed         | Not applicable               | Not applicable            | Not applicable                             |

## Contains component(s) that meet a 'definition' of per &amp; poly fluoroalkyl substance (PFAS)?

Not applicable

## Other International Regulations

| Component                     | CAS No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------------------|------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Boron lithium oxide (B4Li2O7) | 12007-60-2 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |
| Sodium nitrate                | 7631-99-4  | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

## Prepared By

Health, Safety and Environmental Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

## Revision Date

01-Apr-2024

## Print Date

01-Apr-2024

## Revision Summary

New emergency telephone response service provider.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**