

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description: Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized
Cat No. : C25775
Synonyms Peracetic acid
Molecular Formula C2 H4 O3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet
Importer

Fisher Scientific Korea
 D5,D6, Incheon Airport Logistics Complex
 150, Gonghangdong-Ro 296 Beon-Gil
 Jung-Gu, Incheon
 Tel: +82-1661-9555
 Fax: +82-2-2023-0603

Supplier

Thermo Fisher Scientific Chemicals, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099

E-mail address

Chem.KR@thermofisher.com

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970
 CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887
 Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture
Physical hazards

Flammable liquids	Category 4
Organic peroxides	Type D

Health hazards

Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 3

Environmental hazards

Acute aquatic toxicity	Category 1
------------------------	------------

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Label Elements



Signal Word

Danger

Hazard Statements

H227 - Combustible liquid
H314 - Causes severe skin burns and eye damage
H242 - Heating may cause a fire
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life
H318 - Causes serious eye damage
H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P234 - Keep only in original packaging
P235 - Keep cool
P240 - Ground and bond container and receiving equipment
P264 - Wash hands and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P273 - Avoid release to the environment

Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
P330 - Rinse mouth
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P312 - Call a POISON CENTER or doctor if you feel unwell
P321 - Specific treatment (see supplemental first aid instructions on this label)
P362 + P364 - Take off contaminated clothing and wash it before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P363 - Wash contaminated clothing before reuse
P310 - Immediately call a POISON CENTER or doctor
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P391 - Collect spillage

Storage

P403 - Store in a well-ventilated place
P411 - Store at temperatures not exceeding 50 °C/ 122 °F
P420 - Store separately
P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Other Hazards

This product does not contain any known or suspected endocrine disruptors

NFPA

Health
3

Flammability
3

Instability
4

Physical hazards
OX

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	Common Name	CAS No	Index No	Weight %
Acetic acid	Acetic acid	64-19-7	KE-00013	50
Peroxyacetic acid	No information available	79-21-0	2005-3-3198	30 - 40
Hydrogen peroxide	No information available	7722-84-1	KE-20204	>=10 - 20

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Sulfur oxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Should not be released into the environment.

Methods and Material for Containment and Cleaning Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep refrigerated. Corrosives area. Organic peroxides. Keep away from heat, sparks and flame. Do not store near combustible materials. Keep container tightly closed.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

ALFAAC25775

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Acetic acid	64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm STEL: 15 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³
Peroxyacetic acid	79-21-0	Not listed	STEL: 0.4 ppm	Not listed
Hydrogen peroxide	7722-84-1	TWA: 1 ppm	TWA: 1 ppm	(Vacated) TWA: 1 ppm (Vacated) TWA: 1.4 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³

Component	CAS No	European Union	The United Kingdom	Germany
Acetic acid	64-19-7	TWA: 25 mg/m ³ (8h) TWA: 10 ppm (8h) STEL: 50 mg/m ³ (15min) STEL: 20 ppm (15min)	STEL: 37 mg/m ³ STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 25 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m ³
Peroxyacetic acid	79-21-0	Not listed	Not listed	TWA: 0.1 ppm (8 Stunden). MAK TWA: 0.32 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.1 ppm Höhepunkt: 0.32 mg/m ³
Hydrogen peroxide	7722-84-1	Not listed	STEL: 2 ppm 15 min STEL: 2.8 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 1.4 mg/m ³ 8 hr	TWA: 0.5 ppm (8 Stunden). AGW - TWA: 0.71 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 0.5 ppm (8 Stunden). MAK TWA: 0.71 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.5 ppm Höhepunkt: 0.71 mg/m ³

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Acetic acid	64-19-7	Not listed
Peroxyacetic acid	79-21-0	Not listed
Hydrogen peroxide	7722-84-1	Not listed

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.
Remove gloves with care avoiding skin contamination.

Personal protective equipment Use only those certified by the Korea Occupational Safety and Health Administration.
Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.) Clear Colorless Liquid

Odor Strong pungent
Odor Threshold No data available
pH -1.2

Melting Point/Range -44 °C / -47.2 °F
Softening Point No data available
Boiling Point/Range 105 °C / 221 °F @ 760 mmHg
Flash Point 62 °C / 143.6 °F **Method -** No information available

Evaporation Rate No data available
Flammability (solid,gas) Not applicable Liquid
Explosion Limits No data available

Vapor Pressure 20 hPa @ 20 °C
Vapor Density No data available (Air = 1.0)
Specific Gravity / Density 1.130
Bulk Density Not applicable Liquid
Water Solubility Soluble
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Acetic acid	64-19-7	-0.2
Peroxyacetic acid	79-21-0	-0.46
Hydrogen peroxide	7722-84-1	-1.1

Autoignition Temperature No data available
Decomposition Temperature No data available

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Viscosity	No data available	
Explosive Properties		explosive air/vapour mixtures possible
Oxidizing Properties	Oxidizer	
Molecular Formula	C2 H4 O3	
Molecular Weight	76.05	

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>	Yes
<u>Chemical Stability</u>	Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.
<u>Possibility of Hazardous Reactions</u>	
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.
<u>Conditions to Avoid</u>	Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Combustible material. Excess heat.
<u>Incompatible Materials</u>	Strong oxidizing agents. Finely powdered metals. Organic materials. Metals. Reducing Agent. Strong reducing agents. Combustible material.
<u>Hazardous Decomposition Products</u>	Carbon monoxide (CO). Carbon dioxide (CO ₂). Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation	Not an expected route of exposure.
Ingestion	May be harmful if swallowed.
Eyes	Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.
Skin	Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Harmful in contact with skin.

Information on Health Hazards

(a) acute toxicity;

Oral	Category 4
Dermal	Category 4
Inhalation	Category 4

Toxicology data for the components

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	64-19-7	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h
Peroxyacetic acid	79-21-0	1540 µL/kg (Rat)	1410 µL/kg (Rabbit)	LC50 = 213 mg/m ³ (Rat) 4 h LC50 = 186 mg/m ³ (Rat) 4 h
Hydrogen peroxide	7722-84-1	376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol)	>2000 mg/kg (Rabbit)	LC50 = 2000 mg/m ³ (Rat) 4 h

(b) skin corrosion/irritation; Category 1

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

Component	CAS No	Test method	Test species	Study result
Acetic acid	64-19-7	No data available	No data available	No data available
Peroxyacetic acid	79-21-0	No data available	No data available	No data available
Hydrogen peroxide	7722-84-1	No data available	No data available	No data available

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Acetic acid	64-19-7	No data available	No data available	No data available
Peroxyacetic acid	79-21-0	No data available	No data available	No data available
Hydrogen peroxide	7722-84-1	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Acetic acid	64-19-7	No data available	No data available	No data available
Peroxyacetic acid	79-21-0	No data available	No data available	No data available
Hydrogen peroxide	7722-84-1	No data available	No data available	No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Acetic acid	64-19-7	Not listed	Not listed	Not listed	Not listed	Not listed
Peroxyacetic acid	79-21-0	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	Not listed

ACGIH: (American Conference of Governmental Industrial Hygienists)
A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

(g) reproductive toxicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Acetic acid	64-19-7	No data available	No data available	No data available
Peroxyacetic acid	79-21-0	No data available	No data available	No data available
Hydrogen peroxide	7722-84-1	No data available	No data available	No data available

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

(h) STOT-single exposure;
Results / Target organs

Category 3
Respiratory system.

(i) STOT-repeated exposure;

No data available

Target Organs

None known.

(j) aspiration hazard;

No data available

Other Adverse Effects

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Component	CAS No	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acetic acid	64-19-7	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min
Peroxyacetic acid	79-21-0	LC50: = 1.1 mg/L, 96h semi-static (Lepomis macrochirus)	No data available	No data available	No data available
Hydrogen peroxide	7722-84-1	LC50: 16.4 mg/L/96h (P.promelas)	EC50 7.7 mg/L/24h	EC50 2.5 mg/L/72h	No data available

Persistence and degradability

Persistence
Degradation in sewage treatment plant

Readily biodegradable
Soluble in water, Persistence is unlikely, based on information available.
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Acetic acid	-0.2	No data available
Peroxyacetic acid	-0.46	No data available
Hydrogen peroxide	-1.1	No data available

Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Acetic acid	64-19-7	Not listed
Peroxyacetic acid	79-21-0	Not listed
Hydrogen peroxide	7722-84-1	Not listed

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN3105
Proper Shipping Name ORGANIC PEROXIDE TYPE D, LIQUID (PEROXYACETIC ACID, TYPE D, stabilized)
Hazard Class 5.2
Subsidiary Hazard Class 8

IATA

UN-No UN3105
Proper Shipping Name ORGANIC PEROXIDE TYPE D, LIQUID (PEROXYACETIC ACID, TYPE D, STABILIZED)
FORBIDDEN FOR IATA TRANSPORT
Hazard Class 5.2
Subsidiary Hazard Class 8

IMDG/IMO

UN-No UN3105
Proper Shipping Name ORGANIC PEROXIDE TYPE D, LIQUID (PEROXYACETIC ACID, TYPE D, STABILIZED)
Hazard Class 5.2
Subsidiary Hazard Class 8
Marine Pollutant Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions for User

No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Acetic acid	64-19-7	X	X	200-580-7	X	X	-	X	X	X	X
Peroxyacetic acid	79-21-0	2005-3-3198	X	201-186-8	X	X	-	X	X	X	X
Hydrogen peroxide	7722-84-1	KE-20204	X	231-765-0	X	X	-	X	X	X	X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	Annex I - Y34
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Acetic acid	64-19-7	Listed	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Listed	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Listed	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Acetic acid	64-19-7	Annex 1 - KE-00013	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Annex 2 - 2005-3-3198	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Annex 1 - KE-20204	Not applicable	Listed

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Acetic acid	64-19-7	2023-1-1147 (>=25%)	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	1997-1-0002 (>6%)	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures)
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	>35%	30000 kg/yr	90000 kg/yr

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	> 6% (CCA) > 1% (ISHA)	Not applicable	Not applicable

CCA = Chemical Control Act

ISHA = Subject to Process Safety Reports

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Acetic acid	64-19-7	Listed	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Listed	Not applicable	Not applicable

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Acetic acid	64-19-7	Listed	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Listed	Not applicable	Not applicable

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Acetic acid	64-19-7	5000 kg	STEL: 15 ppm TWA: 10 ppm	Not applicable
Peroxyacetic acid	79-21-0	5000 kg	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	10000 kg	TWA: 1 ppm	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	4. Group 2 Petroleum (Soluble) 2000 L	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	Not applicable	Not applicable	Not applicable	1. Organic Peroxides 10 kg	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	2. Hydrogen peroxide 300 L

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Acetic acid	64-19-7	STEL: 15 ppm TWA: 10 ppm	Not listed
Peroxyacetic acid	79-21-0	Not listed	Not listed
Hydrogen peroxide	7722-84-1	TWA: 1 ppm	Not listed

US Management Information

OSHA - Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Acetic acid	64-19-7	Not applicable	Not applicable
Peroxyacetic acid	79-21-0	Not applicable	TQ: 1000 lb
Hydrogen peroxide	7722-84-1	Not applicable	TQ: 7500 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Acetic acid	64-19-7	Not applicable	5000 lb	Not applicable
Peroxyacetic acid	79-21-0	500 lb	Not applicable	1.0 %
Hydrogen peroxide	7722-84-1	1000 lb	Not applicable	Not applicable

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

Danger.

H242 - Heating may cause a fire. H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled. H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation. H400 - Very toxic to aquatic life. Combustible liquid.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

Prepared By

Health, Safety and Environmental Department

Creation Date

21-May-2012

Revision Date

12-Jun-2024

Revision Number

3

Revision Summary

New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

SAFETY DATA SHEET

Peroxyacetic acid, ca. 35wt.% sol. in diluted acetic acid, stabilized

Revision Date 12-Jun-2024

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet