

## SAFETY DATA SHEET

Revision Date 01-April-2024

Revision Number 3

### 1. Identification

|                             |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| <b>Product Name</b>         | <b>Sulfur in Diesel Fuel standard solution, Specpure, 50,000µg/g (5.00%)</b> |
| <b>Cat No. :</b>            | <b>41698</b>                                                                 |
| <b>Synonyms</b>             | No information available                                                     |
| <b>Recommended Use</b>      | Laboratory chemicals.                                                        |
| <b>Uses advised against</b> | Food, drug, pesticide or biocidal product use.                               |

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                         |            |
|---------------------------------------------------------|------------|
| <b>Skin Corrosion/Irritation</b>                        | Category 2 |
| <b>Serious Eye Damage/Eye Irritation</b>                | Category 2 |
| <b>Carcinogenicity</b>                                  | Category 2 |
| <b>Specific target organ toxicity (single exposure)</b> | Category 3 |
| Target Organs - Respiratory system.                     |            |

#### Label Elements

##### **Signal Word**

Warning

##### **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

Suspected of causing cancer



### Precautionary Statements

#### Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/protective clothing/eye protection/face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Use only outdoors or in a well-ventilated area

#### Response

IF exposed or concerned: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse

#### Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

## 3. Composition/Information on Ingredients

| Component            | CAS-No     | Weight % |
|----------------------|------------|----------|
| Fuels, diesel, no. 2 | 68476-34-6 | 77.20    |
| Butane, 1,1-thiobis- | 544-40-1   | 22.80    |

## 4. First-aid measures

|                                        |                                                                                                                   |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                  | If symptoms persist, call a physician.                                                                            |
| <b>Eye Contact</b>                     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Inhalation</b>                      | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Ingestion</b>                       | Clean mouth with water and drink afterwards plenty of water.                                                      |
| <b>Most important symptoms/effects</b> | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting      |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                             |

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available  
**Method -** No information available

**Autoignition Temperature** No information available

**Explosion Limits**

**Upper** No data available

**Lower** No data available

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

**Health**  
2

**Flammability**  
0

**Instability**  
0

**Physical hazards**  
-

## 6. Accidental release measures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Oxidizing agent.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component            | Alberta                    | British Columbia                   | Ontario TWAEV                      | Quebec                     | ACGIH TLV                          | OSHA PEL | NIOSH |
|----------------------|----------------------------|------------------------------------|------------------------------------|----------------------------|------------------------------------|----------|-------|
| Fuels, diesel, no. 2 | TWA: 100 mg/m <sup>3</sup> | TWA: 100 mg/m <sup>3</sup><br>Skin | TWA: 100 mg/m <sup>3</sup><br>Skin | TWA: 100 mg/m <sup>3</sup> | TWA: 100 mg/m <sup>3</sup><br>Skin |          |       |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection**  
**Hand Protection**

Goggles  
Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time                 | Glove thickness | Glove comments         |
|----------------|-----------------------------------|-----------------|------------------------|
| Viton (R)      | See manufacturers recommendations | -               | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
**Recommended Filter type:** Multi-purpose/ABEK conforming to EN14387 low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                        |                          |
|----------------------------------------|--------------------------|
| Physical State                         | Liquid                   |
| Appearance                             | No information available |
| Odor                                   | Petroleum distillates    |
| Odor Threshold                         | No information available |
| pH                                     | No information available |
| Melting Point/Range                    | No data available        |
| Boiling Point/Range                    | No information available |
| Flash Point                            | No information available |
| Evaporation Rate                       | No information available |
| Flammability (solid,gas)               | Not applicable           |
| Flammability or explosive limits       |                          |
| Upper                                  | No data available        |
| Lower                                  | No data available        |
| Vapor Pressure                         | No information available |
| Vapor Density                          | No information available |
| Specific Gravity                       | No information available |
| Solubility                             | No information available |
| Partition coefficient; n-octanol/water | No data available        |
| Autoignition Temperature               | No information available |
| Decomposition Temperature              | No information available |

Viscosity No information available

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Incompatible products.

**Incompatible Materials** Oxidizing agent

**Hazardous Decomposition Products** Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulfur oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

### Acute Toxicity

#### Product Information

**Oral LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Vapor LC50** Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

#### Component Information

| Component            | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation                                            |
|----------------------|---------------------------|------------------------------|------------------------------------------------------------|
| Fuels, diesel, no. 2 | Not listed                | LD50 > 2000 mg/kg ( Rabbit ) | LC50 = 3.6 mg/L ( Rat ) 4 h<br>LC50 = 5.4 mg/L ( Rat ) 4 h |
| Butane, 1,1-thiobis- | LD50 = 2220 mg/kg ( Rat ) | Not listed                   | Not listed                                                 |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component            | CAS-No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------------|------------|------------|------------|------------|------------|------------|
| Fuels, diesel, no. 2 | 68476-34-6 | Not listed | Not listed | A3         | Not listed | A3         |
| Butane, 1,1-thiobis- | 544-40-1   | Not listed | Not listed | Not listed | Not listed | Not listed |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component            | Freshwater Algae | Freshwater Fish                                           | Microtox   | Water Flea |
|----------------------|------------------|-----------------------------------------------------------|------------|------------|
| Fuels, diesel, no. 2 | Not listed       | LC50: = 35 mg/L, 96h flow-through (Pimephales promelas)   | Not listed | Not listed |
| Butane, 1,1-thiobis- | Not listed       | LC50: = 3.58 mg/L, 96h flow-through (Pimephales promelas) | Not listed | Not listed |

**Persistence and Degradability** Immiscible with water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

**DOT** Not regulated  
**TDG** Not regulated  
**IATA** Not regulated  
**IMDG/IMO** Not regulated

## 15. Regulatory information

### International Inventories

| Component            | CAS-No     | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|----------------------|------------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| Fuels, diesel, no. 2 | 68476-34-6 | X   | -    | X    | ACTIVE                                        | 270-676-1 | -      | -   |
| Butane, 1,1-thiobis- | 544-40-1   | X   | -    | X    | ACTIVE                                        | 208-870-5 | -      | -   |

| Component            | CAS-No     | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|----------------------|------------|-------|----------|------|------|------|------|-------|-------|
| Fuels, diesel, no. 2 | 68476-34-6 | X     | KE-17287 | -    | -    | X    | X    | X     | X     |
| Butane, 1,1-thiobis- | 544-40-1   | X     | -        | X    | X    | X    | X    | X     | X     |

### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### Other International Regulations

##### Authorisation/Restrictions according to EU REACH

| Component            | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Fuels, diesel, no. 2 | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

##### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

##### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component            | CAS-No     | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|----------------------|------------|----------------|------------------------------|---------------------------|--------------------------------------------|
| Fuels, diesel, no. 2 | 68476-34-6 | Listed         | Not applicable               | Not applicable            | Not applicable                             |
| Butane, 1,1-thiobis- | 544-40-1   | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

| Component            | CAS-No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|----------------------|------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Fuels, diesel, no. 2 | 68476-34-6 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |
| Butane, 1,1-thiobis- | 544-40-1   | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

##### Prepared By

Product Safety Department  
Email: [chem.techinfo@thermofisher.com](mailto:chem.techinfo@thermofisher.com)  
[www.thermofisher.com](http://www.thermofisher.com)

##### Revision Date

01-April-2024

##### Print Date

01-April-2024

##### Revision Summary

New emergency telephone response service provider.

##### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

---

**End of SDS**