

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Sulfur in Diesel Fuel standard solution, Specpure®, 30,000 µg/g (3.00%)

|                                |                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>38780</b>                                                                                         |
| <b>Address</b>                 | ThermoFisher Scientific Australia Pty Ltd<br>5 Caribbean Drive, Scoresby<br>VICTORIA 3179, Australia |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>03 9757 4559 or +613 9757 4559</b>                                            |
| <b>Telephone / Fax Numbers</b> | Tel: 1300 735 292<br>Fax: 1800 067 639                                                               |
| <b>E-mail address</b>          | ANZinfo@thermofisher.com                                                                             |

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

No hazards identified

#### Health hazards

Skin Corrosion/Irritation  
 Serious Eye Damage/Eye Irritation  
 Carcinogenicity  
 Specific target organ toxicity - (single exposure)

Category 2  
 Category 2  
 Category 2  
 Category 3

#### Environmental hazards

No hazards identified

### Label Elements



Health Hazard



Exclamation Mark

**Signal Word**

**Warning**

**Hazard Statements**

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H351 - Suspected of causing cancer  
Combustible liquid

**Precautionary Statements**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear eye protection/ face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

## Section 3 - Composition and Information on Ingredients

| Component             | CAS No     | Weight % |
|-----------------------|------------|----------|
| Fuels, diesel, no. 2  | 68476-34-6 | 86.3     |
| Butane, 1,1'-thiobis- | 544-40-1   | 13.70    |

## Section 4 - First Aid Measures

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                                                     |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                           |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

|                                            |                                                                                                              |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                         |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>                  | Treat symptomatically.                                                                                       |

## Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated.

### **Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

### **Methods for Containment and Clean Up**

#### **Clean-up methods - small spillage**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

#### **Clean-up methods - large spillage**

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

### **Conditions for Safe Storage, Including any Incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

| Component            | Australia | New Zealand WEL | ACGIH TLV                          | The United Kingdom | Germany |
|----------------------|-----------|-----------------|------------------------------------|--------------------|---------|
| Fuels, diesel, no. 2 |           |                 | TWA: 100 mg/m <sup>3</sup><br>Skin |                    |         |

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-------------------|-----------------|-----------------|-----------------------|
| Natural rubber | See manufacturers | -               | AS/NZS 2161     | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |                 |                       |
| Neoprene       |                   |                 |                 |                       |
| PVC            |                   |                 |                 |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Skin and body protection

Long sleeved clothing

#### Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

#### Recommended Filter type:

Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

#### Recommended half mask:-

Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

|                                                |                               |                                          |
|------------------------------------------------|-------------------------------|------------------------------------------|
| <b>Appearance</b>                              | Light brown                   |                                          |
| <b>Physical State</b>                          | Liquid                        |                                          |
| <b>Odor</b>                                    | Petroleum distillates         |                                          |
| <b>Odor Threshold</b>                          | No data available             |                                          |
| <b>pH</b>                                      | No information available      |                                          |
| <b>Melting Point/Range</b>                     | No data available             |                                          |
| <b>Softening Point</b>                         | No data available             |                                          |
| <b>Boiling Point/Range</b>                     | 171 - 315 °C / 339.8 - 599 °F |                                          |
| <b>Flash Point</b>                             | 69 °C / 156.2 °F              | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No data available             |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable                | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available             |                                          |
| <b>Vapor Pressure</b>                          | No data available             |                                          |
| <b>Vapor Density</b>                           | No data available             | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 0.75 g/cm3                    | @ 20 °C                                  |
| <b>Bulk Density</b>                            | Not applicable                | Liquid                                   |
| <b>Water Solubility</b>                        | No information available      |                                          |
| <b>Solubility in other solvents</b>            | No information available      |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                               |                                          |
| <b>Autoignition Temperature</b>                | 500 °C / 932 °F               |                                          |
| <b>Decomposition Temperature</b>               | No data available             |                                          |
| <b>Viscosity</b>                               | No data available             |                                          |
| <b>Explosive Properties</b>                    |                               | explosive air/vapour mixtures possible   |
| <b>Oxidizing Properties</b>                    | No information available      |                                          |

**Other information**

## Section 10 - Stability and Reactivity

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Reactivity</b>                       | None known, based on information available                        |
| <b>Stability</b>                        | Stable under normal conditions.                                   |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | None known.                                                       |
| <b>Hazardous Decomposition Products</b> | None under normal use conditions.                                 |
| <b>Hazardous Polymerization</b>         | No information available.                                         |

## Section 11 - Toxicological Information

**Information on Toxicological Effects**

**Product Information**

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| <b>(a) acute toxicity;</b> |                                                                  |
| <b>Oral</b>                | Based on available data, the classification criteria are not met |
| <b>Dermal</b>              | Based on available data, the classification criteria are not met |
| <b>Inhalation</b>          | Based on available data, the classification criteria are not met |

**Toxicology data for the components**

| Component             | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation                                            |
|-----------------------|---------------------------|------------------------------|------------------------------------------------------------|
| Fuels, diesel, no. 2  |                           | LD50 > 2000 mg/kg ( Rabbit ) | LC50 = 3.6 mg/L ( Rat ) 4 h<br>LC50 = 5.4 mg/L ( Rat ) 4 h |
| Butane, 1,1'-thiobis- | LD50 = 2220 mg/kg ( Rat ) |                              |                                                            |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available  
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

**Ecotoxicity effects**

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component             | Freshwater Fish                                                 | Water Flea | Freshwater Algae | Microtox |
|-----------------------|-----------------------------------------------------------------|------------|------------------|----------|
| Fuels, diesel, no. 2  | LC50: = 35 mg/L, 96h<br>flow-through<br>(Pimephales promelas)   |            |                  |          |
| Butane, 1,1'-thiobis- | LC50: = 3.58 mg/L, 96h<br>flow-through<br>(Pimephales promelas) |            |                  |          |

**Persistence and Degradability**

Degradation in sewage  
treatment plant

**Bioaccumulative Potential**

No information available

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

No information available

**Mobility**

**Endocrine Disruptor Information**

**Persistent Organic Pollutant**

No information available.

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues/Unused Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

**Other Information**

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## Section 14 - Transport Information

**IMDG/IMO**

Not regulated

**ADG**

Not regulated

**IATA**

Not regulated

**Environmental hazards**

No hazards identified

**Special Precautions**

No special precautions required

**Additional information**

None known

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National Regulations**

**Australia**

See section 8 for national exposure control parameters.

**Standard for the Uniform Scheduling of Medicines and Poisons**

No poison schedule number allocated.

**Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                         | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|-----------------------------------|-------------------------------------------------------------|------------------------|
| Fuels, diesel, no. 2 - 68476-34-6 | Present                                                     | -                      |
| Butane, 1,1'-thiobis- - 544-40-1  | Present                                                     | -                      |

**Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### International Inventories

| Component             | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|-----------------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Fuels, diesel, no. 2  | X    | X     | 270-676-1 | -      | X    | X   | -    | X     | -    |      | X     | KE-17287 |
| Butane, 1,1'-thiobis- | X    | X     | 208-870-5 | -      | X    | X   | -    | X     | X    | X    | X     | -        |

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

#### Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Not applicable.

| Component             | CAS No     | OECD HPV       | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------------|------------|----------------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Fuels, diesel, no. 2  | 68476-34-6 | Listed         | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |
| Butane, 1,1'-thiobis- | 544-40-1   | Not applicable | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

#### Authorisation/Restrictions according to EU REACH

| Component            | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Fuels, diesel, no. 2 | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>



## Section 16 - Other Information

### Legend

|                                                                                                      |                                                                                                                              |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>AICS</b> - Australian Inventory of Chemical Substances                                            | <b>NZIoC</b> - New Zealand Inventory of Chemicals                                                                            |
| <b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory                      | <b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances |
| <b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List                      | <b>ENCS</b> - Japanese Existing and New Chemical Substances                                                                  |
| <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances                                     | <b>KECL</b> - Korean Existing and Evaluated Chemical Substances                                                              |
| <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances                            | <b>CAS</b> - Chemical Abstracts Service                                                                                      |
| <b>TWA</b> - Time Weighted Average                                                                   | <b>ACGIH</b> - American Conference of Governmental Industrial Hygienists                                                     |
| <b>IARC</b> - International Agency for Research on Cancer                                            | Predicted No Effect Concentration (PNEC)                                                                                     |
| <b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association | <b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code                            |
| <b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships                  | <b>ADG</b> Australian Code for the Transport of Dangerous Goods by Road and Rail                                             |
| <b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land                                          | <b>OECD</b> - Organisation for Economic Co-operation and Development                                                         |
| <b>LD50</b> - Lethal Dose 50%                                                                        | <b>LC50</b> - Lethal Concentration 50%                                                                                       |
| <b>EC50</b> - Effective Concentration 50%                                                            | <b>ATE</b> - Acute Toxicity Estimate                                                                                         |
| <b>WEL</b> - Workplace Exposure Limit                                                                | <b>RPE</b> - Respiratory Protective Equipment                                                                                |
| <b>DNEL</b> - Derived No Effect Level                                                                | <b>NOEC</b> - No Observed Effect Concentration                                                                               |
| <b>POW</b> - Partition coefficient Octanol:Water                                                     | <b>BCF</b> - Bioconcentration factor                                                                                         |
| <b>vPvB</b> - very Persistent, very Bioaccumulative                                                  | <b>PBT</b> - Persistent, Bioaccumulative, Toxic                                                                              |
| <b>VOC</b> - (Volatile Organic Compound)                                                             |                                                                                                                              |

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

|                         |                 |
|-------------------------|-----------------|
| <b>Revision Date</b>    | 19-Nov-2022     |
| <b>Revision Summary</b> | Not applicable. |

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet