

## SAFETY DATA SHEET

Revision Date 01-April-2024

Revision Number 3

### 1. Identification

**Product Name** Tungsten(V) dichloride triethoxide, 10% w/v in ethanol

**Cat No. :** 39171

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                         |              |
|---------------------------------------------------------|--------------|
| <b>Flammable liquids</b>                                | Category 2   |
| <b>Skin Corrosion/Irritation</b>                        | Category 1 B |
| <b>Serious Eye Damage/Eye Irritation</b>                | Category 1   |
| <b>Specific target organ toxicity (single exposure)</b> | Category 3   |
| Target Organs - Respiratory system.                     |              |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

Highly flammable liquid and vapor  
Causes severe skin burns and eye damage  
May cause respiratory irritation

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

**Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

| Component                          | CAS-No     | Weight % |
|------------------------------------|------------|----------|
| Ethyl alcohol                      | 64-17-5    | 90       |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | 10.00    |

### 4. First-aid measures

**General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

**Inhalation**

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion</b>                       | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.                                                                                                                                                                                                                                                                                                          |
| <b>Most important symptoms/effects</b> | Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                                                                                         |

## 5. Fire-fighting measures

|                                         |                                                                                                                                                                                                                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Carbon dioxide (CO <sub>2</sub> ). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                                                                                                                                                                                                                                 |
| <b>Flash Point</b>                      | 17 °C / 62.6 °F                                                                                                                                                                                                                                                                          |
| <b>Method -</b>                         | No information available                                                                                                                                                                                                                                                                 |
| <b>Autoignition Temperature</b>         | No information available                                                                                                                                                                                                                                                                 |
| <b>Explosion Limits</b>                 |                                                                                                                                                                                                                                                                                          |
| <b>Upper</b>                            | No data available                                                                                                                                                                                                                                                                        |
| <b>Lower</b>                            | No data available                                                                                                                                                                                                                                                                        |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                                                                                                                                                                                                 |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                                                                                                                                                                                                 |

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride. Tungsten oxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

|               |                     |                    |                         |
|---------------|---------------------|--------------------|-------------------------|
| <b>Health</b> | <b>Flammability</b> | <b>Instability</b> | <b>Physical hazards</b> |
| 3             | 3                   | 0                  | -                       |

## 6. Accidental release measures

|                                             |                                                                                                                                                                                                                                                      |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b>            | Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.                               |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.                                                                        |

## 7. Handling and storage

|                 |                                                                                        |
|-----------------|----------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on |
|-----------------|----------------------------------------------------------------------------------------|

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage.**

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Oxidizing agent.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component     | Alberta                                      | British Columbia | Ontario TWAEV  | Quebec         | ACGIH TLV      | OSHA PEL                                                                                                         | NIOSH                                                          |
|---------------|----------------------------------------------|------------------|----------------|----------------|----------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Ethyl alcohol | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> | STEL: 1000 ppm   | STEL: 1000 ppm | STEL: 1000 ppm | STEL: 1000 ppm | (Vacated) TWA: 1000 ppm<br>(Vacated) TWA: 1900 mg/m <sup>3</sup><br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Goggles

**Hand Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time                 | Glove thickness | Glove comments         |
|----------------|-----------------------------------|-----------------|------------------------|
| Viton (R)      | See manufacturers recommendations | -               | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Organic gases and vapours filter low boiling organic solvent Type AX Brown conforming to EN371 or Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                               |                          |
|-----------------------------------------------|--------------------------|
| <b>Physical State</b>                         | Liquid                   |
| <b>Appearance</b>                             | Dark blue                |
| <b>Odor</b>                                   | Alcohol                  |
| <b>Odor Threshold</b>                         | No information available |
| <b>pH</b>                                     | No information available |
| <b>Melting Point/Range</b>                    | No data available        |
| <b>Boiling Point/Range</b>                    | No information available |
| <b>Flash Point</b>                            | 17 °C / 62.6 °F          |
| <b>Evaporation Rate</b>                       | No information available |
| <b>Flammability (solid,gas)</b>               | Not applicable           |
| <b>Flammability or explosive limits</b>       |                          |
| Upper                                         | No data available        |
| Lower                                         | No data available        |
| <b>Vapor Pressure</b>                         | ≤1100 hPa @ 50 °C        |
| <b>Vapor Density</b>                          | No information available |
| <b>Specific Gravity</b>                       | No information available |
| <b>Solubility</b>                             | Reacts with water        |
| <b>Partition coefficient; n-octanol/water</b> | No data available        |
| <b>Autoignition Temperature</b>               | No information available |
| <b>Decomposition Temperature</b>              | No information available |
| <b>Viscosity</b>                              | No information available |
| <b>Molecular Formula</b>                      | C6 H15 Cl2 O3 W          |
| <b>Molecular Weight</b>                       | 389.94                   |

## 10. Stability and reactivity

|                                         |                                                                                             |
|-----------------------------------------|---------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                                                  |
| <b>Stability</b>                        | Moisture sensitive.                                                                         |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition.                           |
| <b>Incompatible Materials</b>           | Oxidizing agent                                                                             |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen chloride, Tungsten oxides |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                    |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                               |

## 11. Toxicological information

**Acute Toxicity****Product Information**

**Oral LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

**Vapor LC50** Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information**

| Component     | LD50 Oral                                                    | LD50 Dermal | LC50 Inhalation                                                   |
|---------------|--------------------------------------------------------------|-------------|-------------------------------------------------------------------|
| Ethyl alcohol | LD50 = 10470 mg/kg<br>OECD 401 (Rat)<br>3450 mg/kg ( Mouse ) | Not listed  | LC50 = 117-125 mg/l (4h)<br>OECD 403 (rat)<br>20000 ppm/10H (rat) |

**Toxicologically Synergistic Products** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component                          | CAS-No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|------------------------------------|------------|------------|------------|------------|------------|------------|
| Ethyl alcohol                      | 64-17-5    | Not listed | Known      | A3         | Not listed | A3         |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | Not listed | Not listed | Not listed | Not listed | Not listed |

*IARC (International Agency for Research on Cancer)*

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

*Group 2A - Probably Carcinogenic to Humans*

*Group 2B - Possibly Carcinogenic to Humans*

*NTP: (National Toxicity Program)*

*NTP: (National Toxicity Program)*

*Known - Known Carcinogen*

*Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen*

*ACGIH: (American Conference of Governmental Industrial Hygienists)*

*A1 - Known Human Carcinogen*

*A2 - Suspected Human Carcinogen*

*A3 - Animal Carcinogen*

*ACGIH: (American Conference of Governmental Industrial Hygienists)*

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Contains a substance which is: Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component     | Freshwater Algae                              | Freshwater Fish                                                  | Microtox                                                                                                                | Water Flea                                    |
|---------------|-----------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Ethyl alcohol | EC50 (72h) = 275 mg/l<br>(Chlorella vulgaris) | Fathead minnow<br>(Pimephales promelas)<br>LC50 = 14200 mg/l/96h | Photobacterium<br>phosphoreum: EC50 = 34634<br>mg/L/30 min<br>Photobacterium<br>phosphoreum: EC50 = 35470<br>mg/L/5 min | EC50 = 9268 mg/L/48h<br>EC50 = 10800 mg/L/24h |

|                                      |                                                                       |
|--------------------------------------|-----------------------------------------------------------------------|
| <b>Persistence and Degradability</b> | May persist based on information available.                           |
| <b>Bioaccumulation/ Accumulation</b> | No information available.                                             |
| <b>Mobility</b>                      | Is not likely mobile in the environment due its low water solubility. |

| Component     | log Pow |
|---------------|---------|
| Ethyl alcohol | -0.32   |

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

#### DOT

|                                |                                                               |
|--------------------------------|---------------------------------------------------------------|
| <b>UN-No</b>                   | UN2924                                                        |
| <b>Proper Shipping Name</b>    | Flammable liquid, corrosive, n.o.s.                           |
| <b>Technical Name</b>          | (ETHANOL (ETHYL ALCOHOL), Tungsten(V) dichloride triethoxide) |
| <b>Hazard Class</b>            | 3                                                             |
| <b>Subsidiary Hazard Class</b> | 8                                                             |
| <b>Packing Group</b>           | II                                                            |

#### TDG

|                                |                                     |
|--------------------------------|-------------------------------------|
| <b>UN-No</b>                   | UN2924                              |
| <b>Proper Shipping Name</b>    | Flammable liquid, corrosive, n.o.s. |
| <b>Hazard Class</b>            | 3                                   |
| <b>Subsidiary Hazard Class</b> | 8                                   |
| <b>Packing Group</b>           | II                                  |

#### IATA

|                                |                                     |
|--------------------------------|-------------------------------------|
| <b>UN-No</b>                   | UN2924                              |
| <b>Proper Shipping Name</b>    | Flammable liquid, corrosive, n.o.s. |
| <b>Hazard Class</b>            | 3                                   |
| <b>Subsidiary Hazard Class</b> | 8                                   |
| <b>Packing Group</b>           | II                                  |

#### IMDG/IMO

|                                |                                     |
|--------------------------------|-------------------------------------|
| <b>UN-No</b>                   | UN2924                              |
| <b>Proper Shipping Name</b>    | Flammable liquid, corrosive, n.o.s. |
| <b>Hazard Class</b>            | 3                                   |
| <b>Subsidiary Hazard Class</b> | 8                                   |
| <b>Packing Group</b>           | II                                  |

### 15. Regulatory information

#### International Inventories

| Component                          | CAS-No     | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|------------------------------------|------------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| Ethyl alcohol                      | 64-17-5    | X   | -    | X    | ACTIVE                                        | 200-578-6 | -      | -   |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | -   | -    | -    | -                                             | -         | -      | -   |

| Component                          | CAS-No     | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|------------------------------------|------------|-------|----------|------|------|------|------|-------|-------|
| Ethyl alcohol                      | 64-17-5    | X     | KE-13217 | X    | X    | X    | X    | X     | X     |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | -     | -        | -    | -    | -    | -    | -     | -     |

#### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component     | Canada - National Pollutant Release Inventory (NPRI) | Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances | Canada's Chemicals Management Plan (CEPA) |
|---------------|------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------|
| Ethyl alcohol | Part 5, Individual Substances Part 4 Substance       |                                                                            |                                           |

#### Legend

NPRI - National Pollutant Release Inventory

#### Other International Regulations

**Authorisation/Restrictions according to EU REACH** Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                          | CAS-No     | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|------------------------------------|------------|----------------|------------------------------|---------------------------|--------------------------------------------|
| Ethyl alcohol                      | 64-17-5    | Listed         | Not applicable               | Not applicable            | Not applicable                             |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

| Component                          | CAS-No     | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|------------------------------------|------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Ethyl alcohol                      | 64-17-5    | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Annex I - Y42                      |
| Tungsten(V) dichloride triethoxide | 45000-93-9 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

#### Prepared By

Product Safety Department  
 Email: chem.techinfo@thermofisher.com  
 www.thermofisher.com

#### Revision Date

01-April-2024

#### Print Date

01-April-2024

#### Revision Summary

New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**