

SAFETY DATA SHEET

(SDS)

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008, (EU) No. 2015/830

Revision Date 06-Mar-2023

WAI2 - EGHS - EUROPEAN

Revision Number 8

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name	Optimum Results™ B Reference Filling Solution
Product No	900062
Unique Formula Identifier (UFI)	Not applicable
REACH registration number	Not applicable
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Use as laboratory reagent
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier

E-mail address	wlp.techsupport@thermofisher.com
----------------	--

Made in	USA
---------	-----

<u>1.4. Emergency telephone number</u>	24 Hour Emergency Phone Number CHEMTREC® Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887 (collect calls accepted)
--	--

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification - Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements



Signal Word

Warning

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P273 - Avoid release to the environment

2.3. Other hazards

General Hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	EC No	CAS No	Weight %	CLP Classification - Regulation (EC) No 1272/2008	REACH Reg. No
Water	EEC No. 231-791-2	7732-18-5	80 - 90%	Not classified	No information available
Potassium Nitrate	EEC No. 231-818-8	7757-79-1	10 - 20%	Ox. Sol. 3 (H272)	No information available
Potassium Chloride	EEC No. 231-211-8	7447-40-7	0 - 10%	Not classified	No information available
Triton™ X-100	-	9002-93-1	<0.1%	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Acute 2 (H401) Aquatic Chronic 2 (H411)	No information available
Silver Nitrate	EEC No. 231-853-9	7761-88-8	0 - 10%	Ox. Sol. 2 (H272) Skin Corr. 1B (H314) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No information available

Component	CAS No	Specific concentration limits (SCL's)	M-Factor	Component notes
Water	7732-18-5	-	-	-
Potassium Nitrate	7757-79-1	-	-	-
Potassium Chloride	7447-40-7	-	-	-
Triton™ X-100	9002-93-1	-	-	-
Silver Nitrate	7761-88-8	-	-	-

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects	None reasonably foreseeable
-------------------------------------	-----------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically
--------------------	-----------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required.
----------------------	---

6.2. Environmental precautions

Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information.
---------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 7 and 8

See Section 8 for information on appropriate personal protective equipment

See Section 12 for additional Ecological Information

See Section 13 for additional waste treatment information

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Protect from direct sunlight.

7.3. Specific end use(s)

Specific Use(s)

Use as laboratory reagent

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	European Union	The United Kingdom	France	Belgium	Spain
Silver Nitrate	TWA: 0.01 mg/m ³ (8hr)	STEL: 0.03 mg/m ³ 15 min TWA: 0.01 mg/m ³ 8 hr	TWA / VME: 0.01 mg/m ³ (8 heures). indicative limit		TWA / VLA-ED: 0.01 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Silver Nitrate		TWA: 0.01 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 0.01 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m ³	TWA: 0.01 mg/m ³ 8 horas		TWA: 0.01 mg/m ³ 8 tunteina STEL: 0.03 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Silver Nitrate	MAK-TMW: 0.01 mg/m ³ 8 Stunden		STEL: 0.02 mg/m ³ 15 Minuten		TWA: 0.01 mg/m ³ 8 timer

			TWA: 0.01 mg/m ³ 8 Stunden		
--	--	--	---------------------------------------	--	--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Potassium Nitrate	TWA: 5.0 mg/m ³				
Potassium Chloride	TWA: 5.0 mg/m ³				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Potassium Nitrate	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			
Potassium Chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Potassium Nitrate	MAC: 5 mg/m ³				
Potassium Chloride	MAC: 5 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Potassium Chloride 7447-40-7 (0 - 10%)		DNEL = 910mg/kg bw/day		DNEL = 303mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Potassium Chloride 7447-40-7 (0 - 10%)		DNEL = 5320mg/m ³		DNEL = 1064mg/m ³
Silver Nitrate 7761-88-8 (0 - 10%)				DNEL = 0.016mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Potassium Nitrate 7757-79-1 (10 - 20%)				PNEC = 18mg/L	
Potassium Chloride 7447-40-7 (0 - 10%)	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	
Silver Nitrate 7761-88-8 (0 - 10%)	PNEC = 0.04µg/L	PNEC = 438.13mg/kg sediment dw		PNEC = 0.025mg/L	PNEC = 1.41mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium Chloride 7447-40-7 (0 - 10%)	PNEC = 0.1mg/L				
Silver Nitrate 7761-88-8 (0 - 10%)	PNEC = 0.86µg/L	PNEC = 438.13mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures None under normal use conditions

Personal protective equipment

Eye/face Protection Wear chemical splash goggles and face shield. If splashes are likely to occur:. Goggles.

Skin and body protection Wear protective gloves/protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions.
Recommended Filter type: Particle filter.

Environmental exposure controls Prevent product from entering drains

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	None
Odor Threshold	No information available
pH	6.5
PH Range	5.0 - 8.0

Property	Values	Remarks • Method
Melting point/freezing point	No information available	
Boiling Point/Range	~ 100 °C / 212 °F	
Flash Point (High in °C)	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature	-	
Decomposition Temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available

Density No Information available
Bulk Density No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

10.3. Possibility of hazardous reactions

None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight

10.5. Incompatible materials

No information available

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Acute Toxicity

Unknown Acute Toxicity 0.8 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 17,333.00 mg/kg

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)		
Potassium Nitrate	LD50 = 3015 mg/kg (Rat)	LD50 > 5000 mg/kg (Rat)	LC50 > 0.527 mg/L (Rat) 4 h
Potassium Chloride	LD50 = 2600 mg/kg (Rat)		
Triton™ X-100	LD50 = 1800 mg/kg (Rat)		
Silver Nitrate	LD50 = 1173 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 750 µg/m³ (Rat) 4 h

Skin Corrosion/Irritation No information available

Serious eye damage/eye irritation No information available

Sensitization No information available

Mutagenic Effects No information available

Carcinogenic effects	No information available
Reproductive Effects	No information available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	None known.
Aspiration hazard	No information available

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Very toxic to aquatic life with long lasting effects
0.8% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Potassium Chloride	EC50: = 2500 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 1060 mg/L, 96h static (Lepomis macrochirus) LC50: 750 - 1020 mg/L, 96h static (Pimephales promelas)	EC50: = 83 mg/L, 48h Static (Daphnia magna) EC50: = 825 mg/L, 48h (Daphnia magna)
Silver Nitrate	-	LC50: 0.009 - 0.02 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 0.00512 - 0.00787 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 0.0027 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.009 mg/L, 96h (Pimephales promelas) LC50: 0.0064 - 0.0106 mg/L, 96h semi-static (Pimephales promelas) LC50: 0.00181 - 0.00214 mg/L, 96h static (Pimephales promelas) LC50: 0.00452 - 0.00638 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.00839 - 0.1802 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.0075 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 0.001339 - 0.001637 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.05 - 0.07 mg/L, 96h static (Lepomis macrochirus) LC50: 0.0242 - 0.0484 mg/L, 96h semi-static (Lepomis macrochirus)	EC50: 0.0008 - 0.0011 mg/L, 48h Static (Daphnia magna) EC50: 0.0008 - 0.001 mg/L, 48h Flow through (Daphnia magna) EC50: = 0.0006 mg/L, 48h (Daphnia magna)

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

No information available

12.6. Endocrine disrupting properties

Triton™ X-100 is a suspected endocrine disruptor

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Triton™ X-100	Group III Chemical	-	-

12.7. Other adverse effects

Contains a known or suspected endocrine disruptor

Persistent Organic Pollutant This product does not contain any known or suspected substance

Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Marine Pollutant	This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

ADR

14.1. UN number	Not Regulated
14.2. UN proper shipping name	Not Regulated
14.3. Transport hazard class(es)	Not Regulated
14.4. Packing group	Not Regulated

ICAO

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not Applicable

14.6 Special Provisions None

IATA

14.1 UN-No Not Regulated
 14.2 Proper Shipping Name Not Regulated
 14.3 Hazard Class Not Regulated
 14.4 Packing Group Not Regulated
 14.5 Environmental hazard Not Applicable
 14.6 Special Provisions None

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS), U.S.A. (TSCA).

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Potassium Nitrate	7757-79-1	231-818-8	-	-	X	X	KE-29163	X	X
Potassium Chloride	7447-40-7	231-211-8	-	-	X	X	KE-29086	X	X
Triton™ X-100	9002-93-1	-	-	-	X	X	KE-33568	X	X
Silver Nitrate	7761-88-8	231-853-9	-	-	X	X	KE-31281	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Potassium Nitrate	7757-79-1	X	ACTIVE	X	-	X	X	X
Potassium Chloride	7447-40-7	X	ACTIVE	X	-	X	X	X
Triton™ X-100	9002-93-1	X	ACTIVE	X	-	X	X	X
Silver Nitrate	7761-88-8	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

European Union

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Potassium Nitrate	7757-79-1	-	-	-
Potassium Chloride	7447-40-7	-	-	-
Triton™ X-100	9002-93-1	Endocrine disrupting properties (Article 57(f) - environment) Application date: July 4, 2019 Sunset date: January 4, 2021 Exemption - extended latest application and sunset date for the	-	SVHC Candidate list - 618-344-0 - Endocrine disrupting properties, Article 57f - environment

		research, development and production of medicinal products or medical devices in view of their use for the diagnosis, treatment or prevention of the coronavirus disease (COVID-19)		
Silver Nitrate	7761-88-8	-	Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)
Potassium Nitrate 7757-79-1 (10 - 20%)	WGK1
Potassium Chloride 7447-40-7 (0 - 10%)	WGK1
Triton™ X-100 9002-93-1 (<0.1%)	WGK2
Silver Nitrate 7761-88-8 (0 - 10%)	WGK3

Component	France - INRS (Tables of occupational diseases)
Potassium Chloride	Tableaux des maladies professionnelles (TMP) - RG 67

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Triton™ X-100 9002-93-1 (<0.1%)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

A Chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer
H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TWA TWA (time-weighted average)

Ceiling Maximum limit value

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

No information available

STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H272 - May intensify fire; oxidizer

Prepared By Regulatory Affairs

Prepared For Thermo Fisher Scientific Inc.

Issue Date No information available

Revision Date 06-Mar-2023

Reason for revision Update to GHS format.

Training Advice Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS),
Personal Protective Equipment (PPE) and hygiene.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet