

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

**Product Name** Dimethylamine, 2M in methanol

**Molecular Formula** C2 H7 N  
**Molecular Weight** 45.08

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>H27261</b>                                                                               |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

### GHS Classification

#### Physical hazards

Flammable liquids

Category 2

#### Health hazards

|                                                    |              |
|----------------------------------------------------|--------------|
| Acute Oral Toxicity                                | Category 3   |
| Acute Dermal Toxicity                              | Category 3   |
| Acute Inhalation Toxicity - Vapors                 | Category 3   |
| Skin Corrosion/Irritation                          | Category 1 B |
| Serious Eye Damage/Eye Irritation                  | Category 1   |
| Skin Sensitization                                 | Category 1   |
| Reproductive Toxicity                              | Category 2   |
| Specific target organ toxicity - (single exposure) | Category 1   |

#### Environmental hazards

Based on available data, the classification criteria are not met

**Label Elements****Signal Word****Danger****Hazard Statements**

H225 - Highly flammable liquid and vapor  
 H314 - Causes severe skin burns and eye damage  
 H370 - Causes damage to organs  
 H317 - May cause an allergic skin reaction  
 H361 - Suspected of damaging fertility or the unborn child  
 H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

P240 - Ground and bond container and receiving equipment  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
 P233 - Keep container tightly closed  
 P242 - Use non-sparking tools  
 P243 - Take action to prevent static discharges  
 P271 - Use only outdoors or in a well-ventilated area  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor  
 P363 - Wash contaminated clothing before reuse  
 P330 - Rinse mouth  
 P331 - Do NOT induce vomiting  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component          | CAS No   | Weight % |
|--------------------|----------|----------|
| Methyl alcohol     | 67-56-1  | 88       |
| di-methylamine...% | 124-40-3 | 12       |

## Section 4 - First Aid Measures

**Description of first aid measures**

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                    |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.                                                                                       |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                                                                                                           |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                          |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                                                       |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                                                                                                     |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>                  | Treat symptomatically.                                                                                                                                                                                                                                                                                                                                                                                               |

## **Section 5 - Fire Fighting Measures**

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

**Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **Section 6 - Accidental Release Measures**

**Personal Precautions, Protective Equipment and Emergency Procedures****Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up**

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling****Advice on safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

**Conditions for Safe Storage, Including any Incompatibilities****Storage Conditions**

Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

**Incompatible Materials**

Bases. Strong oxidizing agents.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

**Control parameters****Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

| Component      | New Zealand WEL                                                                                    | Australia                                                                                  | ACGIH TLV                             | The United Kingdom                                                                                              |
|----------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Methyl alcohol | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>Skin | STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup> | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | WEL - TWA: 200 ppm TWA;<br>266 mg/m <sup>3</sup> TWA<br>WEL - STEL: 250 ppm<br>STEL; 333 mg/m <sup>3</sup> STEL |

|                    |                                          |                                                                                       |                            |                                                                                                               |
|--------------------|------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|---------------------------------------------------------------------------------------------------------------|
| di-methylamine...% | TWA: 2 ppm<br>TWA: 3.8 mg/m <sup>3</sup> | STEL: 6 ppm<br>STEL: 11 mg/m <sup>3</sup><br>TWA: 2 ppm<br>TWA: 3.8 mg/m <sup>3</sup> | TWA: 5 ppm<br>STEL: 15 ppm | STEL: 6 ppm 15 min<br>STEL: 11 mg/m <sup>3</sup> 15 min<br>TWA: 2 ppm 8 hr<br>TWA: 3.8 mg/m <sup>3</sup> 8 hr |
|--------------------|------------------------------------------|---------------------------------------------------------------------------------------|----------------------------|---------------------------------------------------------------------------------------------------------------|

**Biological limit values**

**NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

| Component      | New Zealand                                      | Australia | ACGIH - Biological Exposure Indices                                     | United Kingdom |
|----------------|--------------------------------------------------|-----------|-------------------------------------------------------------------------|----------------|
| Methyl alcohol | 15 mg/L (urine) end of shift<br>(Methyl alcohol) |           | 15 mg/L<br>Medium: urine<br>Time: end of shift<br>Determinant: Methanol |                |

**Appropriate engineering controls****Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Individual protection measures, such as personal protective equipment**

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection** Protective gloves

| Glove material                                 | Breakthrough time                 | Glove thickness | AUS/NZ Standard | Glove comments        |
|------------------------------------------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Natural rubber, Nitrile rubber, Neoprene, PVC. | See manufacturers recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:** Particulates filter conforming to EN 143 or Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-** Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

|                                                |                                             |                                          |
|------------------------------------------------|---------------------------------------------|------------------------------------------|
| <b>Physical State</b>                          | Liquid                                      |                                          |
| <b>Appearance</b>                              | Colorless                                   |                                          |
| <b>Odor</b>                                    | No information available                    |                                          |
| <b>Odor Threshold</b>                          | No data available                           |                                          |
| <b>pH</b>                                      | No information available                    |                                          |
| <b>Melting Point/Range</b>                     | No data available                           |                                          |
| <b>Softening Point</b>                         | No data available                           |                                          |
| <b>Boiling Point/Range</b>                     | No information available                    |                                          |
| <b>Flammability (liquid)</b>                   | Highly flammable                            | On basis of test data                    |
| <b>Flammability (solid,gas)</b>                | Not applicable                              | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available                           |                                          |
| <b>Flash Point</b>                             | 5 °C / 41 °F                                | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available                           |                                          |
| <b>Decomposition Temperature</b>               | No data available                           |                                          |
| <b>Viscosity</b>                               | No data available                           |                                          |
| <b>Water Solubility</b>                        | Soluble                                     |                                          |
| <b>Solubility in other solvents</b>            | No information available                    |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                             |                                          |
| <b>Component</b>                               | <b>log Pow</b>                              |                                          |
| Methyl alcohol                                 | -0.74                                       |                                          |
| di-methylamine...%                             | -0.274                                      |                                          |
| <b>Vapor Pressure</b>                          | No data available                           |                                          |
| <b>Density / Specific Gravity</b>              | 0.775                                       |                                          |
| <b>Bulk Density</b>                            | Not applicable                              | Liquid                                   |
| <b>Vapor Density</b>                           | No data available                           | (Air = 1.0)                              |
| <b>Particle characteristics</b>                | Not applicable (liquid)                     |                                          |
| <b><u>Other information</u></b>                |                                             |                                          |
| <b>Molecular Formula</b>                       | C2 H7 N                                     |                                          |
| <b>Molecular Weight</b>                        | 45.08                                       |                                          |
| <b>Explosive Properties</b>                    | Vapors may form explosive mixtures with air |                                          |

## Section 10 - Stability and Reactivity

|                                         |                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                       | None known, based on information available                                               |
| <b>Stability</b>                        | Stable under normal conditions.                                                          |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                 |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                 |
| <b>Hazardous Polymerization</b>         | No information available.                                                                |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                            |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition, Incompatible products. |
| <b>Incompatible Materials</b>           | Bases, Strong oxidizing agents.                                                          |
| <b>Hazardous Decomposition Products</b> | Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).          |

## Section 11 - Toxicological Information

### Acute Effects

### Information on likely routes of exposure

## Product Information

|                   |                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | Not an expected route of exposure.                                                              |
| <b>Eyes</b>       | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |
| <b>Skin</b>       | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Harmful in contact with skin. |
| <b>Ingestion</b>  | May be harmful if swallowed.                                                                    |

## Numerical measures of toxicity

|                            |            |
|----------------------------|------------|
| <b>(a) acute toxicity;</b> |            |
| <b>Oral</b>                | Category 3 |
| <b>Dermal</b>              | Category 3 |
| <b>Inhalation</b>          | Category 3 |

## Toxicology data for the components

| Component          | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation                |
|--------------------|--------------------------------|-------------------------------|--------------------------------|
| Methyl alcohol     | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h  |
| di-methylamine...% | LD50 = 698 mg/kg ( Rat )       | LD50 = 3900 mg/kg ( Rat )     | LC50 = 7340 ppm ( Rat ) 20 min |

**(b) skin corrosion/irritation;** Category 1 B

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**  
    **Respiratory** No data available  
    **Skin** No data available

| Component                        | Test method                                                       | Test species | Study result    |
|----------------------------------|-------------------------------------------------------------------|--------------|-----------------|
| Methyl alcohol<br>67-56-1 ( 88 ) | OECD Test Guideline 406<br>Guinea Pig Maximisation Test<br>(GPMT) | guinea pig   | non-sensitising |

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** No data available

| Component                        | Test method             | Test species / Duration       | Study result           |
|----------------------------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol<br>67-56-1 ( 88 ) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

**(h) STOT-single exposure;** Category 1  
Category 3  
  
**Results / Target organs** Respiratory system  
Optic nerve  
Central nervous system (CNS)

**(i) STOT-repeated exposure;** No data available  
  
**Target Organs** No information available.

(j) aspiration hazard; No data available

#### Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Section 12 - Ecological Information

### Ecotoxicity

**Aquatic ecotoxicity** Do not empty into drains. .

| Component          | Freshwater Fish                                                                                                                                                                                                                                                                | Water Flea                                    | Freshwater Algae                                      | Microtox                                                                        |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------|
| Methyl alcohol     | Pimephales promelas:<br>LC50 > 10000 mg/L 96h                                                                                                                                                                                                                                  | EC50 > 10000 mg/L 24h                         |                                                       | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min |
| di-methylamine...% | LC50: = 396 mg/L, 96h static (Brachydanio rerio)<br>LC50: 127 - 349 mg/L, 96h semi-static (Poecilia reticulata)<br>LC50: = 210 mg/L, 96h static (Poecilia reticulata)<br>LC50: = 120 mg/L, 96h static (Oncorhynchus mykiss)<br>LC50: 111 - 125 mg/L, 96h (Oncorhynchus mykiss) | EC50: = 88.7 mg/L, 48h (Daphnia magna Straus) | EC50: = 9 mg/L, 96h (Pseudokirchneriella subcapitata) |                                                                                 |

### Terrestrial ecotoxicity

| Component      | Earthworm                                                             | Avian | Honeybees |
|----------------|-----------------------------------------------------------------------|-------|-----------|
| Methyl alcohol | Acute toxicity: LC50 > 1 mg/cm2 (Eisenia foetida, 48 h, filter paper) |       |           |

### Persistence and Degradability

**Persistence** Persistence is unlikely.

| Component                        | Degradability                  |
|----------------------------------|--------------------------------|
| Methyl alcohol<br>67-56-1 ( 88 ) | DT50 ~ 17.2d<br>>94% after 20d |

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component          | log Pow | Bioconcentration factor (BCF) |
|--------------------|---------|-------------------------------|
| Methyl alcohol     | -0.74   | <10 dimensionless             |
| di-methylamine...% | -0.274  | No data available             |

**Mobility** The product is water soluble, and may spread in water systems. . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

### Other adverse effects

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant  
Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

### Waste treatment methods

#### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## Section 14 - Transport Information

| Component                             | Hazchem Code |
|---------------------------------------|--------------|
| Methyl alcohol<br>67-56-1 ( 88 )      | 2WE          |
| di-methylamine...%<br>124-40-3 ( 12 ) | 2WE<br>2PE   |

### NZS 5433:2020

UN-No UN3286  
Proper Shipping Name Flammable liquid, toxic, corrosive, n.o.s.  
Technical Shipping Name Dimethylamine, 2M solution in methyl alcohol  
Hazard Class 3  
Subsidiary Hazard Class 6.1, 8  
Packing Group II

### IATA

UN-No UN3286  
Proper Shipping Name FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.\*  
Technical Shipping Name Dimethylamine, 2M solution in methyl alcohol  
Hazard Class 3  
Subsidiary Hazard Class 6.1, 8  
Packing Group II

### IMDG/IMO

UN-No UN3286  
Proper Shipping Name Flammable liquid, toxic, corrosive, n.o.s.  
Technical Shipping Name Dimethylamine, 2M solution in methyl alcohol  
Hazard Class 3  
Subsidiary Hazard Class 6.1, 8  
Packing Group II

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable, packaged goods

**Special Precautions**

No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.

**Additional information**

None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

### International Regulations

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)**

Not applicable

| Component      | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | IMDG Marine Pollutant |
|----------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------|
| Methyl alcohol | 500 tonne                                                                                 | 5000 tonne                                                                               |                       |

**Authorisation/Restrictions according to EU REACH**

| Component          | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances                                                      | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Methyl alcohol     | -                                                                   | Use restricted. See item 69. (see link for restriction details)<br>Use restricted. See item 75. (see link for restriction details) | -                                                                                                     |
| di-methylamine...% | -                                                                   | Use restricted. See item 75. (see link for restriction details)                                                                    | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component          | CAS No   | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|--------------------|----------|-------|------|-----------|--------|-----|----------|-------|------|
| Methyl alcohol     | 67-56-1  | X     | X    | -         | -      | -   | KE-23193 | X     | X    |
| di-methylamine...% | 124-40-3 | X     | X    | 204-697-4 | -      | -   | KE-11124 | X     | X    |

| Component          | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|--------------------|----------|------|-----------------------------------------------|-----|------|-------|------|------|
| Methyl alcohol     | 67-56-1  | X    | ACTIVE                                        | X   | -    | X     | X    | X    |
| di-methylamine...% | 124-40-3 | X    | ACTIVE                                        | X   | -    | X     | X    | X    |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

### Legend

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date** 22-Mar-2023

**Revision Summary** Not applicable

---

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**