

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Xylenes, mixed isomers with ethylbenzene (Flash Point 26.1°C / 79°F; PG III)

**Synonyms** Xylol; Methyltoluene; Dimethylbenzene; (Histological/Laboratory/Certified ACS/Scintanalyzed)

**Product Code** X3-F1GAL; X3P-1GAL; X3RB50; X3S-4; X3S-20; X3S-200

**Address** ThermoFisher Scientific Australia Pty Ltd  
 5 Caribbean Drive, Scoresby  
 VICTORIA 3179, Australia

**Emergency Tel.** CHEMTREC®  
 03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292  
 Fax: 1800 067 639

**E-mail address** ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids Category 3

#### Health hazards

|                                                      |            |
|------------------------------------------------------|------------|
| Aspiration Toxicity                                  | Category 1 |
| Acute Dermal Toxicity                                | Category 4 |
| Acute Inhalation Toxicity - Vapors                   | Category 4 |
| Skin Corrosion/Irritation                            | Category 2 |
| Serious Eye Damage/Eye Irritation                    | Category 2 |
| Specific target organ toxicity - (single exposure)   | Category 3 |
| Specific target organ toxicity - (repeated exposure) | Category 2 |

#### Environmental hazards

No hazards identified

### Label Elements



Flame



Exclamation Mark



Health Hazard

Signal Word

Danger

#### Hazard Statements

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H312 + H332 - Harmful in contact with skin or if inhaled

#### Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component                    | CAS No    | Weight % |
|------------------------------|-----------|----------|
| Xylenes (o-, m-, p- isomers) | 1330-20-7 | 96       |

## Section 4 - First Aid Measures

|                                            |                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                          | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                 |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.                                                                                                                                                                                                                                      |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                                                                                                                                                                                                |
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                                                                                                                                                                                                                                         |
| <b>Self-Protection of the First Aider</b>  | Use personal protective equipment as required.                                                                                                                                                                                                                                                                                 |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                           |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting                                                                                                                                                                                                                   |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

### Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Aldehydes, Hydrocarbons.

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Thermal decomposition can lead to release of irritating gases and vapors.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Take precautionary measures against static discharges.

### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component                   | Australia                                                                                 | New Zealand WEL                           | ACGIH TLV   | The United Kingdom                                                                                                        | Germany                                                                                                                                                                                                                                                                                                          |
|-----------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Xylenes (o-, m-, p-isomers) | STEL: 150 ppm<br>STEL: 655 mg/m <sup>3</sup><br>TWA: 80 ppm<br>TWA: 350 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 217 mg/m <sup>3</sup> | TWA: 20 ppm | STEL: 100 ppm 15 min<br>STEL: 441 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 220 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 220 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK all isomers<br>TWA: 220 mg/m <sup>3</sup> (8 Stunden). MAK all isomers<br>Höhepunkt: 100 ppm<br>Höhepunkt: 440 mg/m <sup>3</sup><br>Haut<br>Haut all isomers |

### Biological limit values

**UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005; **NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component                   | Australia | New Zealand                                   | European Union | United Kingdom                                   | Germany                                        |
|-----------------------------|-----------|-----------------------------------------------|----------------|--------------------------------------------------|------------------------------------------------|
| Xylenes (o-, m-, p-isomers) |           | 1.5 g/L (urine) end of shift (Methylhippuric) |                | Methyl hippuric acid:<br>650 mmol/mol creatinine | Methylhippuric(tolur-)acid (all isomers): 2000 |

|  |  |       |  |                  |                                          |
|--|--|-------|--|------------------|------------------------------------------|
|  |  | acid) |  | urine post shift | mg/L urine (end of shift<br>all isomers) |
|--|--|-------|--|------------------|------------------------------------------|

## Exposure Controls

### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

### Eye Protection

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

### Hand Protection

Protective gloves

| Glove material | Breakthrough time                    | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|--------------------------------------|-----------------|-----------------|-----------------------|
| Viton (R)      | See manufacturers<br>recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Skin and body protection

Long sleeved clothing

### Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

### Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

### Recommended half mask:-

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

## Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

# Section 9 - Physical and Chemical Properties

## Information on basic physical and chemical properties

|                          |                               |                                   |
|--------------------------|-------------------------------|-----------------------------------|
| Appearance               | Clear                         |                                   |
| Physical State           | Liquid                        |                                   |
| Odor                     | aromatic                      |                                   |
| Odor Threshold           | No data available             |                                   |
| pH                       | Not applicable                |                                   |
| Melting Point/Range      | -34 °C / -29.2 °F             |                                   |
| Softening Point          | No data available             |                                   |
| Boiling Point/Range      | 136 - 140 °C / 276.8 - 284 °F |                                   |
| Flash Point              | 25.6 - 32.2 °C / 78.1 - 90 °F | Method - No information available |
| Evaporation Rate         | 0.7 (Butyl Acetate = 1.0)     |                                   |
| Flammability (solid,gas) | Not applicable                | Liquid                            |

|                                                |                                                                    |                                        |
|------------------------------------------------|--------------------------------------------------------------------|----------------------------------------|
| <b>Explosion Limits</b>                        | No data available <b>Lower</b> 1.1 vol %<br><b>Upper</b> 7.0 vol % |                                        |
| <b>Vapor Pressure</b>                          | 8.29 mmHg @ 25 °C                                                  |                                        |
| <b>Vapor Density</b>                           | 3.66 (Air = 1.0)                                                   | (Air = 1.0)                            |
| <b>Specific Gravity / Density</b>              | 0.865 (H <sub>2</sub> O=1)                                         |                                        |
| <b>Bulk Density</b>                            | Not applicable                                                     | Liquid                                 |
| <b>Water Solubility</b>                        | Insoluble                                                          |                                        |
| <b>Solubility in other solvents</b>            | No information available                                           |                                        |
| <b>Partition Coefficient (n-octanol/water)</b> |                                                                    |                                        |
| <b>Component</b>                               | <b>log Pow</b>                                                     |                                        |
| Xylenes (o-, m-, p- isomers)                   | 3.15                                                               |                                        |
| <b>Autoignition Temperature</b>                | 527 - °C / 980.6 - °F                                              |                                        |
| <b>Decomposition Temperature</b>               | No data available                                                  |                                        |
| <b>Viscosity</b>                               | No data available                                                  |                                        |
| <b>Explosive Properties</b>                    |                                                                    | explosive air/vapour mixtures possible |
| <b>Oxidizing Properties</b>                    | No information available                                           |                                        |
| <b>Other information</b>                       |                                                                    |                                        |
| <b>Molecular Formula</b>                       | C <sub>8</sub> H <sub>10</sub>                                     |                                        |
| <b>Molecular Weight</b>                        | 106.17                                                             |                                        |

## Section 10 - Stability and Reactivity

|                                         |                                                                                                       |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                       | None known, based on information available                                                            |
| <b>Stability</b>                        | Stable under normal conditions.                                                                       |
| <b>Conditions to Avoid</b>              | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Strong acids.                                                                |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Aldehydes. Hydrocarbons.                     |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                              |

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

|                     |                   |
|---------------------|-------------------|
| (a) acute toxicity; |                   |
| Oral                | No data available |
| Dermal              | No data available |
| Inhalation          | No data available |

#### Toxicology data for the components

| Component                    | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation                              |
|------------------------------|---------------------------|------------------------------|----------------------------------------------|
| Xylenes (o-, m-, p- isomers) | LD50 = 3500 mg/kg ( Rat ) | LD50 > 4350 mg/kg ( Rabbit ) | 29.08 mg/L [MOE Risk Assessment Vol.1, 2002] |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

**(d) respiratory or skin sensitization;**

Respiratory No data available  
Skin No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

**(g) reproductive toxicity;**

Reproductive Effects No data available  
Developmental Effects Experiments have shown reproductive toxicity effects on laboratory animals  
Teratogenicity Developmental effects have occurred in experimental animals  
Teratogenic effects have occurred in experimental animals.

**(h) STOT-single exposure;** No data available

**(i) STOT-repeated exposure;** No data available

**Target Organs** Central nervous system (CNS), Eyes, Respiratory system, Skin, Liver, Kidney, Blood.

**(j) aspiration hazard;** Based on available data, the classification criteria are not met

**Other Adverse Effects** See actual entry in RTECS for complete information

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

**Ecotoxicity effects**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is: Toxic to aquatic organisms.

| Component                    | Freshwater Fish                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Water Flea                                                                              | Freshwater Algae | Microtox                   |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------|----------------------------|
| Xylenes (o-, m-, p- isomers) | LC50: = 19 mg/L, 96h<br>(Lepomis macrochirus)<br>LC50: 7.711 - 9.591<br>mg/L, 96h static<br>(Lepomis macrochirus)<br>LC50: 23.53 - 29.97<br>mg/L, 96h static<br>(Pimephales promelas)<br>LC50: 13.1 - 16.5 mg/L,<br>96h flow-through<br>(Lepomis macrochirus)<br>LC50: 13.5 - 17.3 mg/L,<br>96h (Oncorhynchus<br>mykiss)<br>LC50: 2.661 - 4.093<br>mg/L, 96h static<br>(Oncorhynchus mykiss)<br>LC50: = 13.4 mg/L, 96h<br>flow-through<br>(Pimephales promelas)<br>LC50: 30.26 - 40.75<br>mg/L, 96h static<br>(Poecilia reticulata)<br>LC50: > 780 mg/L, 96h<br>(Cyprinus carpio)<br>LC50: = 780 mg/L, 96h<br>semi-static (Cyprinus) | LC50: = 0.6 mg/L, 48h<br>(Gammarus lacustris)<br>EC50: = 3.82 mg/L, 48h<br>(water flea) |                  | EC50 = 0.0084 mg/L 24<br>h |

|                                              |                                                                                                                 |                                      |  |  |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------|--|--|
|                                              | carpio)                                                                                                         |                                      |  |  |
| <b>Persistence and Degradability</b>         | No information available                                                                                        |                                      |  |  |
| <b>Persistence</b>                           | Persistence is unlikely.                                                                                        |                                      |  |  |
| <b>Degradation in sewage treatment plant</b> | Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |                                      |  |  |
| <b>Bioaccumulative Potential</b>             | Bioaccumulation is unlikely                                                                                     |                                      |  |  |
| <b>Component</b>                             | <b>log Pow</b>                                                                                                  | <b>Bioconcentration factor (BCF)</b> |  |  |
| Xylenes (o-, m-, p- isomers)                 | 3.15                                                                                                            | 0.6 - 15 dimensionless               |  |  |
| <b>Mobility</b>                              | .                                                                                                               |                                      |  |  |
| <b>Endocrine Disruptor Information</b>       | This product does not contain any known or suspected endocrine disruptors                                       |                                      |  |  |
| <b>Persistent Organic Pollutant</b>          | This product does not contain any known or suspected substance                                                  |                                      |  |  |
| <b>Ozone Depletion Potential</b>             | This product does not contain any known or suspected substance                                                  |                                      |  |  |

## Section 13 - Disposal Considerations

|                                            |                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from Residues/Unused Products</b> | Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations. |
| <b>Contaminated Packaging</b>              | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                                             |
| <b>Other Information</b>                   | Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.                   |

## Section 14 - Transport Information

### IMDG/IMO

|                             |         |
|-----------------------------|---------|
| <b>UN-No</b>                | UN1307  |
| <b>Proper Shipping Name</b> | XYLENES |
| <b>Hazard Class</b>         | 3       |
| <b>Packing Group</b>        | III     |

### ADG

|                             |         |
|-----------------------------|---------|
| <b>UN-No</b>                | UN1307  |
| <b>Proper Shipping Name</b> | XYLENES |
| <b>Hazard Class</b>         | 3       |
| <b>Packing Group</b>        | III     |

|                              |                     |
|------------------------------|---------------------|
| <b>Component</b>             | <b>Hazchem Code</b> |
| Xylenes (o-, m-, p- isomers) | 3Y                  |
| 1330-20-7 ( 96 )             | 3YE                 |

### IATA

|                             |         |
|-----------------------------|---------|
| <b>UN-No</b>                | UN1307  |
| <b>Proper Shipping Name</b> | XYLENES |
| <b>Hazard Class</b>         | 3       |
| <b>Packing Group</b>        | III     |

|                        |                                 |
|------------------------|---------------------------------|
| Environmental hazards  | No hazards identified           |
| Special Precautions    | No special precautions required |
| Additional information | None known                      |

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations Australia

See section 8 for national exposure control parameters.

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component                                | Standard for the Uniform Scheduling of Medicines and Poisons                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Xylenes (o-, m-, p- isomers) - 1330-20-7 | Schedule 5 listed - including Kerosene, Diesel [distillate], Mineral turpentine, White petroleum spirit, Toluene, Xylene and light mineral and paraffin oils but except their derivative; except a) Toluene and Xylene when included in Schedule 6, b) Benzene and liquid aromatic hydrocarbons when included in Schedule 7, c) food grade and pharmaceutical grade White mineral oil, d) in solid or semi-solid preparations, e) in preparations containing ≤25% of designated solvents, f) in preparations packed in pressurized spray packs, g) in adhesives packed in containers each containing ≤50 grams of adhesive, h) in writing correction fluids and thinners for writing correction fluids packed in containers having a capacity of ≤20 mL, or i) in other preparations when packed in containers with a capacity of ≤2 mL<br>Schedule 6 listed - except its derivatives; except in preparations containing ≤50% of Xylene or Xylene and Toluene |

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                                | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|------------------------------------------|-------------------------------------------------------------|------------------------|
| Xylenes (o-, m-, p- isomers) - 1330-20-7 | Present                                                     | -                      |

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

#### **National pollutant inventory** Subject to reporting requirements

| Component                                | National pollutant inventory                                            |
|------------------------------------------|-------------------------------------------------------------------------|
| Xylenes (o-, m-, p- isomers) - 1330-20-7 | 10 tonne/yr. Threshold category 1 including individual or mixed isomers |

#### **Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

| Component                    | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|------------------------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Xylenes (o-, m-, p- isomers) | X    | X     | 215-535-7 | -      | X    | X   | -    | X     | X    | X    | X     | KE-35427 |

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

## Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component                                | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|------------------------------------------|------------------------------------|------------------------------------------------------------------------|
| Xylenes (o-, m-, p- isomers) - 1330-20-7 | Annex I - Y42                      | Y42 except Halogenated solvents                                        |

| Component                    | CAS No    | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|------------------------------|-----------|----------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Xylenes (o-, m-, p- isomers) | 1330-20-7 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

## Authorisation/Restrictions according to EU REACH

| Component                    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Xylenes (o-, m-, p- isomers) | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

# Section 16 - Other Information

## Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**NZIoC** - New Zealand Inventory of Chemicals  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**PNEC** - Predicted No Effect Concentration  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

---

|                                                                                     |                                                                                  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships | <b>ADG</b> Australian Code for the Transport of Dangerous Goods by Road and Rail |
| <b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land                         | <b>OECD</b> - Organisation for Economic Co-operation and Development             |
| <b>LD50</b> - Lethal Dose 50%                                                       | <b>LC50</b> - Lethal Concentration 50%                                           |
| <b>EC50</b> - Effective Concentration 50%                                           | <b>ATE</b> - Acute Toxicity Estimate                                             |
| <b>WEL</b> - Workplace Exposure Limit                                               | <b>RPE</b> - Respiratory Protective Equipment                                    |
| <b>DNEL</b> - Derived No Effect Level                                               | <b>NOEC</b> - No Observed Effect Concentration                                   |
| <b>POW</b> - Partition coefficient Octanol:Water                                    | <b>BCF</b> - Bioconcentration factor                                             |
| <b>vPvB</b> - very Persistent, very Bioaccumulative                                 | <b>PBT</b> - Persistent, Bioaccumulative, Toxic                                  |
| <b>VOC</b> - (Volatile Organic Compound)                                            |                                                                                  |

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

|                         |                 |
|-------------------------|-----------------|
| <b>Revision Date</b>    | 21-Nov-2022     |
| <b>Revision Summary</b> | Not applicable. |

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**