

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Hydrogen Peroxide 30%, VLSI for microelectronics  
Cat No. : S60373

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Oxidizing liquids Category 1 (H271)

##### Health hazards

Acute oral toxicity Category 4 (H302)  
Acute Inhalation Toxicity - Vapors Category 4 (H332)  
Skin Corrosion/Irritation Category 1 (H314) A  
Serious Eye Damage/Eye Irritation Category 1 (H318)  
Specific target organ toxicity - (single exposure) Category 3 (H335)

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

## Environmental hazards

Chronic aquatic toxicity

Category 3 (H412)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H271 - May cause fire or explosion; strong oxidizer  
H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation  
H412 - Harmful to aquatic life with long lasting effects  
H302 + H332 - Harmful if swallowed or if inhaled

## Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P220 - Keep away from clothing and other combustible materials  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component         | CAS No    | EC No     | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------------|-----------|-----------|----------|-----------------------------------------------------------------------------------------|
| Water             | 7732-18-5 | 231-791-2 | 68-70    | -                                                                                       |
| Hydrogen peroxide | 7722-84-1 | 231-765-0 | 30-32    | Ox. Liq. 1 (H271)<br>Acute Tox. 4 (H302)<br>Acute Tox. 4 (H332)<br>Skin Corr. 1A (H314) |

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

|  |  |  |  |                                                                   |
|--|--|--|--|-------------------------------------------------------------------|
|  |  |  |  | Eye Dam. 1 (H318)<br>STOT SE 3 (H335)<br>Aquatic Chronic 3 (H412) |
|--|--|--|--|-------------------------------------------------------------------|

| Component         | Specific concentration limits (SCL's)                                                                                                                                                                                                                                             | M-Factor | Component notes |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| Hydrogen peroxide | Ox. Liq. 1 :: C>=70%<br>Ox. Liq. 2 :: 20%<=C<70%<br>Ox. Liq. 3 :: 8%<=C<20%<br>Skin Corr. 1A :: C>=70%<br>Skin Corr. 1B :: 50%<=C<70%<br>Eye Dam. 1 :: >=8%C<50%<br>Eye Irrit. 2 :: 5%<=C<8%<br>Skin Irrit. 2 :: 35%<=C<50%<br>STOT SE 3 :: C>=35%<br>Aquatic Chronic 3 :: C>=63% | -        | -               |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                              |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                              |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.                                                                                                                                        |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.                                                                                                                                                                                           |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                               |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|--------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

## 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Water spray, fog or alcohol-resistant foam.

### **Extinguishing media which must not be used for safety reasons**

Dry chemical. Carbon dioxide (CO<sub>2</sub>).

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors, Oxygen.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. To maintain product quality. Keep refrigerated. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510

Class 5.1A

Storage Class (LGK) (Germany)

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component         | The United Kingdom                                                                                             | European Union | Ireland                                                                                                        |
|-------------------|----------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------|
| Hydrogen peroxide | STEL: 2 ppm 15 min<br>STEL: 2.8 mg/m <sup>3</sup> 15 min<br>TWA: 1 ppm 8 hr<br>TWA: 1.4 mg/m <sup>3</sup> 8 hr |                | TWA: 1 ppm 8 hr.<br>TWA: 1.5 mg/m <sup>3</sup> 8 hr.<br>STEL: 3 mg/m <sup>3</sup> 15 min<br>STEL: 2 ppm 15 min |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                                | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Hydrogen peroxide<br>7722-84-1 ( 30-32 ) | DNEL = 3mg/m <sup>3</sup>        |                                     | DNEL = 1.4mg/m <sup>3</sup>        |                                       |

#### Predicted No Effect Concentration (PNEC)

See values below.

| Component                                | Fresh water          | Fresh water sediment                | Water Intermittent   | Microorganisms in sewage treatment | Soil (Agriculture)               |
|------------------------------------------|----------------------|-------------------------------------|----------------------|------------------------------------|----------------------------------|
| Hydrogen peroxide<br>7722-84-1 ( 30-32 ) | PNEC =<br>0.0126mg/L | PNEC =<br>0.047mg/kg<br>sediment dw | PNEC =<br>0.0138mg/L | PNEC = 4.66mg/L                    | PNEC =<br>0.0023mg/kg soil<br>dw |

| Component                                | Marine water         | Marine water sediment               | Marine water intermittent | Food chain | Air |
|------------------------------------------|----------------------|-------------------------------------|---------------------------|------------|-----|
| Hydrogen peroxide<br>7722-84-1 ( 30-32 ) | PNEC =<br>0.0126mg/L | PNEC =<br>0.047mg/kg<br>sediment dw |                           |            |     |

### 8.2. Exposure controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

control hazardous materials at source

## Personal protective equipment

### Eye Protection

Goggles (European standard - EN 166)

### Hand Protection

Protective gloves

| Glove material                                      | Breakthrough time                    | Glove thickness | EU standard | Glove comments        |
|-----------------------------------------------------|--------------------------------------|-----------------|-------------|-----------------------|
| Natural rubber<br>Nitrile rubber<br>Neoprene<br>PVC | See manufacturers<br>recommendations | -               | EN 374      | (minimum requirement) |

### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143 Inorganic gases and vapours filter Type B Grey conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                           |                           |                                   |
|---------------------------|---------------------------|-----------------------------------|
| Physical State            | Liquid                    |                                   |
| Appearance                | Clear, colorless solution |                                   |
| Odor                      | Slight Acidic             |                                   |
| Odor Threshold            | No data available         |                                   |
| Melting Point/Range       | -33 °C / -27.4 °F         |                                   |
| Softening Point           | No data available         |                                   |
| Boiling Point/Range       | 108 °C / 226.4 °F         | @760mmHg                          |
| Flammability (liquid)     | No data available         |                                   |
| Flammability (solid,gas)  | Not applicable            | Liquid                            |
| Explosion Limits          | No data available         |                                   |
| Flash Point               | No information available  | Method - No information available |
| Autoignition Temperature  | No data available         |                                   |
| Decomposition Temperature | No data available         |                                   |
| pH                        | 3.3                       | (30 %)                            |
| Viscosity                 | No data available         |                                   |

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

|                                         |                          |             |
|-----------------------------------------|--------------------------|-------------|
| Water Solubility                        | Soluble                  |             |
| Solubility in other solvents            | No information available |             |
| Partition Coefficient (n-octanol/water) |                          |             |
| Component                               | log Pow                  |             |
| Hydrogen peroxide                       | -1.1                     |             |
| Vapor Pressure                          | No data available        |             |
| Density / Specific Gravity              | 1.11                     |             |
| Bulk Density                            | Not applicable           | Liquid      |
| Vapor Density                           | 1.10                     | (Air = 1.0) |
| Particle characteristics                | Not applicable (liquid)  |             |

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Stable under normal conditions. Light sensitive.

### 10.3. Possibility of hazardous reactions

|                          |                                          |
|--------------------------|------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light.

### 10.5. Incompatible materials

Metals. Reducing Agent. Alcohols. Ammonia. copper. Copper alloys. lead oxides. Cyanides. Sulfides. Lead. Acetone.

### 10.6. Hazardous decomposition products

Hydrogen. Thermal decomposition can lead to release of irritating gases and vapors. Oxygen.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

|            |                                                                  |
|------------|------------------------------------------------------------------|
| Oral       | Category 4                                                       |
| Dermal     | Based on available data, the classification criteria are not met |
| Inhalation | Category 4                                                       |

#### Toxicology data for the components

| Component         | LD50 Oral                                                                               | LD50 Dermal            | LC50 Inhalation                           |
|-------------------|-----------------------------------------------------------------------------------------|------------------------|-------------------------------------------|
| Water             | -                                                                                       | -                      | -                                         |
| Hydrogen peroxide | 376 mg/kg ( Rat ) (90%)<br>910 mg/kg ( Rat ) (20-60%)<br>1518 mg/kg ( Rat ) (8-20% sol) | >2000 mg/kg ( Rabbit ) | LC50 = 2000 mg/m <sup>3</sup> ( Rat ) 4 h |

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

|                                            |                                                                                                                                                                                                                                                             |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (b) skin corrosion/irritation;             | Category 1 A                                                                                                                                                                                                                                                |
| (c) serious eye damage/irritation;         | Category 1                                                                                                                                                                                                                                                  |
| (d) respiratory or skin sensitization;     |                                                                                                                                                                                                                                                             |
| Respiratory                                | No data available                                                                                                                                                                                                                                           |
| Skin                                       | No data available                                                                                                                                                                                                                                           |
| (e) germ cell mutagenicity;                | No data available                                                                                                                                                                                                                                           |
| (f) carcinogenicity;                       | No data available                                                                                                                                                                                                                                           |
|                                            | The table below indicates whether each agency has listed any ingredient as a carcinogen                                                                                                                                                                     |
| (g) reproductive toxicity;                 | No data available                                                                                                                                                                                                                                           |
| (h) STOT-single exposure;                  | Category 3                                                                                                                                                                                                                                                  |
| Results / Target organs                    | Respiratory system.                                                                                                                                                                                                                                         |
| (i) STOT-repeated exposure;                | No data available                                                                                                                                                                                                                                           |
| Target Organs                              | None known.                                                                                                                                                                                                                                                 |
| (j) aspiration hazard;                     | No data available                                                                                                                                                                                                                                           |
| Symptoms / effects, both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. |

## 11.2. Information on other hazards

|                                 |                                                                                                                                     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors. |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Contains a substance which is: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component         | Freshwater Fish                     | Water Flea        | Freshwater Algae  |
|-------------------|-------------------------------------|-------------------|-------------------|
| Hydrogen peroxide | LC50: 16.4 mg/L/96h<br>(P.promelas) | EC50 7.7 mg/L/24h | EC50 2.5 mg/L/72h |

### 12.2. Persistence and degradability

|                       |                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------|
| Persistence           | Soluble in water, Persistence is unlikely, based on information available.              |
| Degradability         | Not relevant for inorganic substances.                                                  |
| Degradation in sewage | Contains substances known to be hazardous to the environment or not degradable in waste |



# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

treatment plant water treatment plants.

**12.3. Bioaccumulative potential** Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Hydrogen peroxide | -1.1    | No data available             |

**12.4. Mobility in soil** The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment. Large amounts will affect pH and harm aquatic organisms.

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO**

**14.1. UN number** UN2017  
**14.2. UN proper shipping name** AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE SOLUTION  
**14.3. Transport hazard class(es)** 6.1  
**Subsidiary Hazard Class** 8  
**14.4. Packing group**

**ADR**

**14.1. UN number** UN2017  
**14.2. UN proper shipping name** AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE SOLUTION  
**14.3. Transport hazard class(es)** 6.1

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

Subsidiary Hazard Class 8  
**14.4. Packing group**

## IATA

**14.1. UN number** UN2017  
**14.2. UN proper shipping name** AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE SOLUTION  
**14.3. Transport hazard class(es)** 6.1  
Subsidiary Hazard Class 8  
**14.4. Packing group**

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component         | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Water             | 7732-18-5 | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |
| Hydrogen peroxide | 7722-84-1 | 231-765-0 | -      | -   | X     | X    | KE-20204 | X    | X    |

| Component         | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDL | AICS | NZIoC | PICCS |
|-------------------|-----------|------|-----------------------------------------------|-----|-----|------|-------|-------|
| Water             | 7732-18-5 | X    | ACTIVE                                        | X   | -   | X    | X     | X     |
| Hydrogen peroxide | 7722-84-1 | X    | ACTIVE                                        | X   | -   | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

| Component         | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Water             | 7732-18-5 | -                                                                   | -                                                                             | -                                                                                                     |
| Hydrogen peroxide | 7722-84-1 | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

### Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report |
|-----------|--------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|-----------|--------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------|

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

|                   |           | Notification   | Requirements   |
|-------------------|-----------|----------------|----------------|
| Water             | 7732-18-5 | Not applicable | Not applicable |
| Hydrogen peroxide | 7722-84-1 | Not applicable | Not applicable |

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

| Component         | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|-------------------------|
| Hydrogen peroxide | WGK1                                  |                         |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
H332 - Harmful if inhaled  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H412 - Harmful to aquatic life with long lasting effects  
H271 - May cause fire or explosion; strong oxidizer

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

# SAFETY DATA SHEET

Hydrogen Peroxide 30%, VLSI for microelectronics

Revision Date 06-Mar-2024

**RPE** - Respiratory Protective Equipment  
**LC50** - Lethal Concentration 50%  
**NOEC** - No Observed Effect Concentration  
**PBT** - Persistent, Bioaccumulative, Toxic

**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

|                         |                                                    |
|-------------------------|----------------------------------------------------|
| <b>Prepared By</b>      | Health, Safety and Environmental Department        |
| <b>Creation Date</b>    | 08-Mar-2024                                        |
| <b>Revision Date</b>    | 06-Mar-2024                                        |
| <b>Revision Summary</b> | New emergency telephone response service provider. |

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**