

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Product Description:

Cat No. :

**Methanol**
**Methanol**

A412-1; A412-4; A412-4LC; A412-20; A412-200; A412200-001; A412-200LC; A412-500; A412CU-1300; A412P-4; A412SK-4; A412FB-19; A412FB-50; A412FB-115; A412FB-200; A412POP-19; A412POPB-200; A412RB50; A412RB-115; A412RB-200; A412RS-19; A412RS-28; A412RS-50; A412RS-115; A412RS-200; A412SS-115; A412SS-19; XXA412ETU200LI; NC1282211; XXA412ETWD200LI; NC1380933; A412RS-1350ASME; NC1561769; A412RS200ASME; NC1568698; NC1822351; XXA412ETU20LI; A412ETRS1350ASM; NC1871449; A412RS1350; NC1882599; XXA412ET200LI; NC1911795; A412RS1250; NC2012101; NC2047038; NC2165479; NC2312993

Synonyms

CAS No

Molecular Formula

Methyl alcohol

67-56-1

C H4 O

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Uses advised against

Laboratory chemicals.

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

 Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                    |                   |
|----------------------------------------------------|-------------------|
| Flammable liquids                                  | Category 2 (H225) |
| Acute oral toxicity                                | Category 3 (H301) |
| Acute dermal toxicity                              | Category 3 (H311) |
| Acute Inhalation Toxicity - Vapors                 | Category 3 (H331) |
| Specific target organ toxicity - (single exposure) | Category 1 (H370) |

**Label Elements**

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025



**Signal Word**

**Danger**

## Hazard Statements

H225 - Highly flammable liquid and vapor

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

H370 - Causes damage to organs: Optic nerve, Central nervous system (CNS)

## Precautionary Statements

### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P330 - Rinse mouth

P362 + P364 - Take off contaminated clothing and wash it before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component      | CAS No  | Weight % |
|----------------|---------|----------|
| Methyl alcohol | 67-56-1 | >95      |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.                                                                                                                                                                                                                                                                                                   |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                         |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                                      |
| <b>Inhalation</b>                         | Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.                                                                             |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Avoid contact with skin. |

## **Most important symptoms and effects, both acute and delayed**

Difficulty in breathing. May cause blindness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### **Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

### **Special hazards arising from the substance or mixture**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Formaldehyde.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

## Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component      | Malaysia | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 |
|----------------|----------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methyl alcohol |          | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> |

| Component      | European Union                                               | The United Kingdom                                                                                              | Germany                                                        |
|----------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Methyl alcohol | TWA: 200 ppm 8 hr<br>TWA: 260 mg/m <sup>3</sup> 8 hr<br>Skin | WEL - TWA: 200 ppm TWA; 266<br>mg/m <sup>3</sup> TWA<br>WEL - STEL: 250 ppm STEL; 333<br>mg/m <sup>3</sup> STEL | 100 ppm TWA MAK; 130 mg/m <sup>3</sup><br>TWA MAKSkin absorber |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

|                                 |                              |
|---------------------------------|------------------------------|
| <b>Eye Protection</b>           | Tight sealing safety goggles |
| <b>Hand Protection</b>          | Protective gloves            |
| <b>Skin and body protection</b> | Long sleeved clothing        |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                    |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Respiratory Protection</b>   | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators                                                                                                                                    |
| <b>Recommended Filter type:</b> | low boiling organic solvent Type AX Brown conforming to EN371<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly<br>When RPE is used a face piece Fit Test should be conducted |

|                         |                                                                                                     |
|-------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Hygiene Measures</b> | When using do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing |
|-------------------------|-----------------------------------------------------------------------------------------------------|

|                                        |                          |
|----------------------------------------|--------------------------|
| <b>Environmental exposure controls</b> | No information available |
|----------------------------------------|--------------------------|

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                                |                                             |                                                                                   |
|------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Appearance</b>                              | Colorless                                   |                                                                                   |
| <b>Physical State</b>                          | Liquid                                      |                                                                                   |
| <b>Odor</b>                                    | Alcohol-like                                |                                                                                   |
| <b>Odor Threshold</b>                          | No data available                           |                                                                                   |
| <b>pH</b>                                      | No information available                    |                                                                                   |
| <b>Melting Point/Range</b>                     | -98 °C / -144.4 °F                          |                                                                                   |
| <b>Softening Point</b>                         | No data available                           |                                                                                   |
| <b>Boiling Point/Range</b>                     | 64.7 °C / 148.5 °F                          | @ 760 mmHg                                                                        |
| <b>Flash Point</b>                             | 10 °C / 50 °F                               | <b>Method -</b> CC (closed cup) Abel-Pensky (DIN 51755) Directive 84/449/EEC, A.9 |
| <b>Evaporation Rate</b>                        | 5.2 (ether = 1)                             |                                                                                   |
| <b>Flammability (solid,gas)</b>                | Not applicable                              | Liquid                                                                            |
| <b>Explosion Limits</b>                        | <b>Lower</b> 6 vol%<br><b>Upper</b> 31 vol% |                                                                                   |
| <b>Vapor Pressure</b>                          | 128 hPa @ 20 °C                             |                                                                                   |
| <b>Vapor Density</b>                           | 1.11                                        | (Air = 1.0)                                                                       |
| <b>Specific Gravity / Density</b>              | 0.791                                       |                                                                                   |
| <b>Bulk Density</b>                            | Not applicable                              | Liquid                                                                            |
| <b>Water Solubility</b>                        | Miscible                                    |                                                                                   |
| <b>Solubility in other solvents</b>            | No information available                    |                                                                                   |
| <b>Partition Coefficient (n-octanol/water)</b> |                                             |                                                                                   |
| <b>Component</b>                               | <b>log Pow</b>                              |                                                                                   |

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

Methyl alcohol -0.74

|                           |                          |                                             |
|---------------------------|--------------------------|---------------------------------------------|
| Autoignition Temperature  | 455 °C / 851 °F          |                                             |
| Decomposition Temperature | No data available        |                                             |
| Viscosity                 | 0.55 cP at 20 °C         |                                             |
| Explosive Properties      | Not explosive            | Vapors may form explosive mixtures with air |
| Oxidizing Properties      | No information available |                                             |
| Molecular Formula         | C H4 O                   |                                             |
| Molecular Weight          | 32.04                    |                                             |
| VOC Content(%)            | 100                      |                                             |
| Surface tension           | 0.02255 N/m @ 20°C       |                                             |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

|                          |                                          |
|--------------------------|------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### Conditions to Avoid

Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible Materials

Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides. Strong bases. Metals. Peroxides.

### Hazardous Decomposition Products

Carbon monoxide (CO). Formaldehyde.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

|                     |            |
|---------------------|------------|
| (a) acute toxicity; |            |
| Oral                | Category 3 |
| Dermal              | Category 3 |
| Inhalation          | Category 3 |

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

| Component      | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation               |
|----------------|--------------------------------|-------------------------------|-------------------------------|
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory  
Skin

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

| Component                         | Test method                                                       | Test species | Study result    |
|-----------------------------------|-------------------------------------------------------------------|--------------|-----------------|
| Methyl alcohol<br>67-56-1 ( >95 ) | OECD Test Guideline 406<br>Guinea Pig Maximisation Test<br>(GPMT) | guinea pig   | non-sensitising |

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity;

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

| Component                         | Test method             | Test species / Duration          | Study result              |
|-----------------------------------|-------------------------|----------------------------------|---------------------------|
| Methyl alcohol<br>67-56-1 ( >95 ) | OECD Test Guideline 416 | Rat / Inhalation<br>2 Generation | NOAEC =<br>1.3 mg/l (air) |

Developmental Effects

Component substance is listed on California Proposition 65 as a developmental hazard.

(h) STOT-single exposure;

Category 1

Results / Target organs

Optic nerve, Central nervous system (CNS).

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

May cause blindness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

| Component      | Freshwater Fish                               | Water Flea            | Freshwater Algae | Microtox                                             |
|----------------|-----------------------------------------------|-----------------------|------------------|------------------------------------------------------|
| Methyl alcohol | Pimephales promelas:<br>LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h |                  | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min |

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

|  |  |  |  |                         |
|--|--|--|--|-------------------------|
|  |  |  |  | EC50 = 43000 mg/L 5 min |
|--|--|--|--|-------------------------|

## Persistence and degradability

Readily biodegradable

### **Persistence**

Persistence is unlikely, based on information available.

| Component                         | Degradability                  |
|-----------------------------------|--------------------------------|
| Methyl alcohol<br>67-56-1 ( >95 ) | DT50 ~ 17.2d<br>>94% after 20d |

## Bioaccumulative potential

Bioaccumulation is unlikely

| Component      | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Methyl alcohol | -0.74   | <10 dimensionless             |

## Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

### **Surface tension**

0.02255 N/m @ 20°C

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with local regulations

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No UN1230  
Hazard Class 3  
Subsidiary Hazard Class 6.1  
Packing Group II  
Proper Shipping Name METHANOL

### Road and Rail Transport

UN-No UN1230  
Hazard Class 3  
Subsidiary Hazard Class 6.1  
Packing Group II  
Proper Shipping Name METHANOL



# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

## IATA

UN-No UN1230  
Hazard Class 3  
Subsidiary Hazard Class 6.1  
Packing Group II  
Proper Shipping Name METHANOL

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component      | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|----------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Methyl alcohol | 200-659-6 | X    | X   | X     | X    | X    | X     | X    | KE-23193 |

| Component      | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Major<br>Accident Notification | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Safety<br>Report Requirements | Rotterdam Convention<br>(PIC) | Basel Convention<br>(Hazardous Waste) |
|----------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|
| Methyl alcohol | 500 tonne                                                                                          | 5000 tonne                                                                                        |                               |                                       |

## National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

# SAFETY DATA SHEET

Methanol

Revision Date 23-Mar-2025

---

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 23-Mar-2025  
Revision Summary Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**