

## SAFETY DATA SHEET

Revision Date 01-Apr-2024

Revision Number 5

### 1. Identification

**Product Name** Tellurium, AAS standard solution, Specpure®, Sb 10,000 µg/ml

**Cat No. :** 47187

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                                  |              |
|--------------------------------------------------|--------------|
| Corrosive to metals                              | Category 1   |
| Skin Corrosion/Irritation                        | Category 1 B |
| Serious Eye Damage/Eye Irritation                | Category 1   |
| Skin Sensitization                               | Category 1B  |
| Reproductive Toxicity                            | Category 1B  |
| Effects on or via lactation                      |              |
| Specific target organ toxicity (single exposure) | Category 3   |
| Target Organs - Respiratory system.              |              |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

May be corrosive to metals

Causes severe skin burns and eye damage  
May cause respiratory irritation  
May cause an allergic skin reaction  
May damage the unborn child. Suspected of damaging fertility  
May cause harm to breast-fed children



### **Precautionary Statements**

#### **Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Do not breathe dust/fume/gas/mist/vapors/spray  
Avoid contact during pregnancy/while nursing  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves  
Use only outdoors or in a well-ventilated area  
Keep only in original container

#### **Response**

Immediately call a POISON CENTER or doctor/physician

#### **Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
If skin irritation or rash occurs: Get medical advice/attention

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Spills**

Absorb spillage to prevent material damage

#### **Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
Store in corrosive resistant polypropylene container with a resistant inliner  
Store in a dry place

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Hazards not otherwise classified (HNOC)**

None identified

## **3. Composition/Information on Ingredients**

| <b>Component</b>  | <b>CAS No</b> | <b>Weight %</b> |
|-------------------|---------------|-----------------|
| Water             | 7732-18-5     | 69.00           |
| Hydrochloric acid | 7647-01-0     | 30.00           |
| Tellurium         | 13494-80-9    | 1.00            |

## 4. First-aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.                                                                                                                                                                                                                                                                                                                                  |
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.                                                                                                                                                                                           |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## 5. Fire-fighting measures

|                                         |                                                                                    |
|-----------------------------------------|------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Not combustible. CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                           |
| <b>Flash Point</b>                      | No information available                                                           |
| <b>Method -</b>                         | No information available                                                           |
| <b>Autoignition Temperature</b>         | No information available                                                           |
| <b>Explosion Limits</b>                 |                                                                                    |
| <b>Upper</b>                            | No data available                                                                  |
| <b>Lower</b>                            | No data available                                                                  |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                           |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                           |

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### Hazardous Combustion Products

Hydrogen chloride. Tellurium oxide.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
0

**Instability**  
0

**Physical hazards**  
-

## 6. Accidental release measures

|                                             |                                                                                                                                                                  |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.    |
| <b>Environmental Precautions</b>            | Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.                                                                         |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. |
| <b>Storage.</b> | Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong bases.                                                                                                             |

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component         | ACGIH TLV                  | OSHA PEL                                                                                                             | NIOSH                                                          | Mexico OEL (TWA)           |
|-------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------------|
| Hydrochloric acid | Ceiling: 2 ppm             | Ceiling: 5 ppm<br>Ceiling: 7 mg/m <sup>3</sup><br>(Vacated) Ceiling: 5 ppm<br>(Vacated) Ceiling: 7 mg/m <sup>3</sup> | IDLH: 50 ppm<br>Ceiling: 5 ppm<br>Ceiling: 7 mg/m <sup>3</sup> | Ceiling: 2 ppm             |
| Tellurium         | TWA: 0.1 mg/m <sup>3</sup> | (Vacated) TWA: 0.1 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup>                                                   | IDLH: 25 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup>       | TWA: 0.1 mg/m <sup>3</sup> |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists  
OSHA - Occupational Safety and Health Administration  
NIOSH: NIOSH - National Institute for Occupational Safety and Health

|                             |                                                                                        |
|-----------------------------|----------------------------------------------------------------------------------------|
| <b>Engineering Measures</b> | Ensure that eyewash stations and safety showers are close to the workstation location. |
|-----------------------------|----------------------------------------------------------------------------------------|

### Personal Protective Equipment

|                                 |                                                                                                                                                                                                                                                   |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eyeface Protection</b>       | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.                                                                       |
| <b>Skin and body protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.                                                                                                                                                                         |
| <b>Respiratory Protection</b>   | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| <b>Recommended Filter type:</b> | Acid gases filter.                                                                                                                                                                                                                                |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                            |

## 9. Physical and chemical properties

|                                        |                          |
|----------------------------------------|--------------------------|
| Physical State                         | Liquid                   |
| Appearance                             | No information available |
| Odor                                   | Acidic                   |
| Odor Threshold                         | No information available |
| pH                                     | No information available |
| Melting Point/Range                    | No data available        |
| Boiling Point/Range                    | No information available |
| Flash Point                            | No information available |
| Evaporation Rate                       | No information available |
| Flammability (solid,gas)               | Not applicable           |
| Flammability or explosive limits       |                          |
| Upper                                  | No data available        |
| Lower                                  | No data available        |
| Vapor Pressure                         | 23 hPa @ 20 °C           |
| Vapor Density                          | No information available |
| Specific Gravity                       | No information available |
| Solubility                             | No information available |
| Partition coefficient; n-octanol/water | No data available        |
| Autoignition Temperature               | No information available |
| Decomposition Temperature              | No information available |
| Viscosity                              | No information available |
| Molecular Formula                      | Te in 30% HCl            |

## 10. Stability and reactivity

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| Reactive Hazard                  | None known, based on information available |
| Stability                        | Stable under normal conditions.            |
| Conditions to Avoid              | Incompatible products.                     |
| Incompatible Materials           | Strong bases                               |
| Hazardous Decomposition Products | Hydrogen chloride, Tellurium oxide         |
| Hazardous Polymerization         | Hazardous polymerization does not occur.   |
| Hazardous Reactions              | None under normal processing.              |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

|             |                                                                                                           |
|-------------|-----------------------------------------------------------------------------------------------------------|
| Oral LD50   | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.                             |
| Dermal LD50 | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.                             |
| Vapor LC50  | Category 3. ATE = 2 - 10 mg/l. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. |

#### Component Information

| Component         | LD50 Oral               | LD50 Dermal             | LC50 Inhalation                     |
|-------------------|-------------------------|-------------------------|-------------------------------------|
| Water             | -                       | -                       | -                                   |
| Hydrochloric acid | 238 - 277 mg/kg ( Rat ) | > 5010 mg/kg ( Rabbit ) | 1.68 mg/L ( Rat ) 1 h               |
| Tellurium         | >5000 mg/kg ( Rat )     | Not listed              | >2420 mg/m <sup>3</sup> ( Rat ) 4 h |

|                                      |                          |
|--------------------------------------|--------------------------|
| Toxicologically Synergistic Products | No information available |
|--------------------------------------|--------------------------|

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|            |                          |
|------------|--------------------------|
| Irritation | No information available |
|------------|--------------------------|

**Sensitization** May cause sensitization by skin contact

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component         | CAS No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|------------|------------|------------|------------|------------|------------|
| Water             | 7732-18-5  | Not listed | Not listed | Not listed | Not listed | Not listed |
| Hydrochloric acid | 7647-01-0  | Not listed | Not listed | Not listed | Not listed | Not listed |
| Tellurium         | 13494-80-9 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component         | Freshwater Algae | Freshwater Fish                                                            | Microtox   | Water Flea              |
|-------------------|------------------|----------------------------------------------------------------------------|------------|-------------------------|
| Hydrochloric acid | -                | 282 mg/L LC50 96 h<br>Gambusia affinis<br>mg/L LC50 48 h Leuciscus<br>idus | -          | 56mg/L EC50 72h Daphnia |
| Tellurium         | Not listed       | LC50>37.1 mg/L 96h                                                         | Not listed | EC50 = 5.7 mg/L 48h     |

**Persistence and Degradability** based on information available. May persist

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

UN-No UN1789  
Proper Shipping Name HYDROCHLORIC ACID  
Hazard Class 8

|                             |                   |
|-----------------------------|-------------------|
| <b>Packing Group</b>        | II                |
| <b>TDG</b>                  |                   |
| <b>UN-No</b>                | UN1789            |
| <b>Proper Shipping Name</b> | HYDROCHLORIC ACID |
| <b>Hazard Class</b>         | 8                 |
| <b>Packing Group</b>        | II                |
| <b>IATA</b>                 |                   |
| <b>UN-No</b>                | UN1789            |
| <b>Proper Shipping Name</b> | HYDROCHLORIC ACID |
| <b>Hazard Class</b>         | 8                 |
| <b>Packing Group</b>        | II                |
| <b>IMDG/IMO</b>             |                   |
| <b>UN-No</b>                | UN1789            |
| <b>Proper Shipping Name</b> | HYDROCHLORIC ACID |
| <b>Hazard Class</b>         | 8                 |
| <b>Packing Group</b>        | II                |

## 15. Regulatory information

### United States of America Inventory

| Component         | CAS No     | TSCA | TSCA Inventory notification -<br>Active-Inactive | TSCA - EPA Regulatory<br>Flags |
|-------------------|------------|------|--------------------------------------------------|--------------------------------|
| Water             | 7732-18-5  | X    | ACTIVE                                           | -                              |
| Hydrochloric acid | 7647-01-0  | X    | ACTIVE                                           | -                              |
| Tellurium         | 13494-80-9 | X    | ACTIVE                                           | -                              |

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical  
Substances & Mixtures, Under TSCA Section 6(h) (PBT)**

Not applicable

**TSCA 12(b)** - Notices of Export

Not applicable

### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

| Component         | CAS No     | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-------------------|------------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water             | 7732-18-5  | X   | -    | 231-791-2 | X     | X    |      | X    | X     | KE-35400 |
| Hydrochloric acid | 7647-01-0  | X   | -    | 231-595-7 | X     | X    | X    | X    | X     | KE-20189 |
| Tellurium         | 13494-80-9 | X   | -    | 236-813-4 | X     | X    |      | X    | X     | KE-33095 |

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component         | CAS No    | Weight % | SARA 313 - Threshold<br>Values % | SARA 313 - Reporting<br>thresholds |
|-------------------|-----------|----------|----------------------------------|------------------------------------|
| Hydrochloric acid | 7647-01-0 | 30.00    | 1.0 %                            | -                                  |

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

| Component         | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Hydrochloric acid | X                          | 5000 lb                     | -                      | -                         |

**Clean Air Act**

| Component         | HAPS Data | Class 1 Ozone Depleters | Class 2 Ozone Depleters |
|-------------------|-----------|-------------------------|-------------------------|
| Hydrochloric acid | X         |                         | -                       |

**OSHA** - Occupational Safety and Health Administration Not applicable

| Component         | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|-------------------|----------------------------------|----------------------------|
| Hydrochloric acid | -                                | TQ: 5000 lb                |

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component         | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-------------------|--------------------------|-------------------------------------------|-------------------------------|
| Hydrochloric acid | 5000 lb                  | 5000 lb                                   | 5000 lb<br>2270 kg            |

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

| Component         | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Water             | -             | -          | X            | -        | -            |
| Hydrochloric acid | X             | X          | X            | X        | X            |
| Tellurium         | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product contains the following DHS chemicals:  
**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component         | DHS Chemical Facility Anti-Terrorism Standard                                                                       |
|-------------------|---------------------------------------------------------------------------------------------------------------------|
| Hydrochloric acid | Release STQs - 15000lb (concentration >=37%)<br>Release STQs - 5000lb (anhydrous)<br>Theft STQs - 500lb (anhydrous) |

**Other International Regulations**

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH**

| Component | CAS No | REACH (1907/2006) - | REACH (1907/2006) - | REACH Regulation (EC |
|-----------|--------|---------------------|---------------------|----------------------|
|-----------|--------|---------------------|---------------------|----------------------|



|                   |            | Annex XIV - Substances<br>Subject to Authorization | Annex XVII - Restrictions<br>on Certain Dangerous<br>Substances          | 1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|-------------------|------------|----------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Water             | 7732-18-5  | -                                                  | -                                                                        | -                                                                                         |
| Hydrochloric acid | 7647-01-0  | -                                                  | Use restricted. See item<br>75.<br>(see link for restriction<br>details) | -                                                                                         |
| Tellurium         | 13494-80-9 | -                                                  | Use restricted. See item<br>75.<br>(see link for restriction<br>details) | -                                                                                         |

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component         | CAS No     | OECD HPV       | Persistent Organic<br>Pollutant | Ozone Depletion<br>Potential | Restriction of<br>Hazardous<br>Substances (RoHS) |
|-------------------|------------|----------------|---------------------------------|------------------------------|--------------------------------------------------|
| Water             | 7732-18-5  | Listed         | Not applicable                  | Not applicable               | Not applicable                                   |
| Hydrochloric acid | 7647-01-0  | Listed         | Not applicable                  | Not applicable               | Not applicable                                   |
| Tellurium         | 13494-80-9 | Not applicable | Not applicable                  | Not applicable               | Not applicable                                   |

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

| Component         | CAS No     | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste) |
|-------------------|------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|
| Water             | 7732-18-5  | Not applicable                                                                                        | Not applicable                                                                                       | Not applicable                | Not applicable                        |
| Hydrochloric acid | 7647-01-0  | 25 tonne                                                                                              | 250 tonne                                                                                            | Not applicable                | Annex I - Y34                         |
| Tellurium         | 13494-80-9 | Not applicable                                                                                        | Not applicable                                                                                       | Not applicable                | Annex I - Y28                         |

## 16. Other information

**Prepared By**

Health, Safety and Environmental Department  
Email: [chem.techinfo@thermofisher.com](mailto:chem.techinfo@thermofisher.com)  
[www.thermofisher.com](http://www.thermofisher.com)

**Revision Date**

01-Apr-2024

**Print Date**

01-Apr-2024

**Revision Summary**

New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

---

**End of SDS**