

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihalan Produk:

**4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene**

Product Description:

**4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene**

Cat No. :

377251000; 377258000; 377250000

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

 Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                                        |                          |
|------------------------------------------------------------------------|--------------------------|
| Flammable liquids                                                      | Category 2 (H225)        |
| Substances/mixtures which, in contact with water, emit flammable gases | Category 1 (H260)        |
| Aspiration Toxicity                                                    | Category 1 (H304)        |
| Skin Corrosion/Irritation                                              | Category 1 B (H314)      |
| Serious Eye Damage/Eye Irritation                                      | Category 1 (H318)        |
| Carcinogenicity                                                        | Category 2 (H351)        |
| Reproductive Toxicity                                                  | Category 2 (H361d)       |
| Specific target organ toxicity - (single exposure)                     | Category 3 (H335) (H336) |
| Specific target organ toxicity - (repeated exposure)                   | Category 2 (H373)        |

**Label Elements**


Signal Word

Danger

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

## Hazard Statements

H225 - Highly flammable liquid and vapor  
H260 - In contact with water releases flammable gases which may ignite spontaneously  
H304 - May be fatal if swallowed and enters airways  
H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H361d - Suspected of damaging the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure

## Precautionary Statements

### Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P231 + P232 - Handle and store contents under inert gas. Protect from moisture  
P240 - Ground and bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P362 + P364 - Take off contaminated clothing and wash it before reuse  
P370 + P378 - In case of fire: Use limestone powder, sodium chloride or dry sand to extinguish

### Storage

P402 + P404 - Store in a dry place. Store in a closed container

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

EUH014 - Reacts violently with water  
EUH019 - May form explosive peroxides

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component                      | CAS No   | Weight % |
|--------------------------------|----------|----------|
| Tetrahydrofuran                | 109-99-9 | 40       |
| Toluene                        | 108-88-3 | 40       |
| Bromo(p-chlorophenyl)magnesium | 873-77-8 | 20       |

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                   |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.                                                                                                                                                                                             |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.                                                                                                                                 |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. Risk of serious damage to the lungs (by aspiration). |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                                                                    |

### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

Dry chemical. Dry sand. Limestone powder, dry clay, approved class D extinguishers. Water mist may be used to cool closed containers.

#### **Extinguishing media which must not be used for safety reasons**

Water. Carbon dioxide (CO<sub>2</sub>). Foam.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen halides, Chlorine, Magnesium oxides, Bromine, Benzene, Hydrogen chloride gas.

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### Methods and Material for Containment and Cleaning Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Flammables area. Keep under nitrogen. Keep away from heat, sparks and flame. Protect from direct sunlight. Store at room temperature. Keep from any possible contact with water. Shelf life 12 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component       | Malaysia | ACGIH TLV                            | OSHA PEL                                                                                                                                                                         |
|-----------------|----------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tetrahydrofuran |          | TWA: 50 ppm<br>STEL: 100 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 590 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 735 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup> |
| Toluene         |          | TWA: 20 ppm                          | (Vacated) TWA: 100 ppm                                                                                                                                                           |

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

|  |  |  |                                                                                                                                              |
|--|--|--|----------------------------------------------------------------------------------------------------------------------------------------------|
|  |  |  | (Vacated) TWA: 375 mg/m <sup>3</sup><br>Ceiling: 300 ppm<br>(Vacated) STEL: 150 ppm<br>(Vacated) STEL: 560 mg/m <sup>3</sup><br>TWA: 200 ppm |
|--|--|--|----------------------------------------------------------------------------------------------------------------------------------------------|

| Component       | European Union                                                                                                                | The United Kingdom                                                                                                        | Germany                                                                                                                                                                                                                                                                    |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tetrahydrofuran | TWA: 50 ppm (8h)<br>TWA: 150 mg/m <sup>3</sup> (8h)<br>STEL: 100 ppm (15min)<br>STEL: 300 mg/m <sup>3</sup> (15min)<br>Skin   | STEL: 100 ppm 15 min<br>STEL: 300 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 150 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 150 mg/m <sup>3</sup> (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 20 ppm (8 Stunden). MAK<br>TWA: 60 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 40 ppm<br>Höhepunkt: 120 mg/m <sup>3</sup><br>Haut   |
| Toluene         | TWA: 50 ppm (8hr)<br>TWA: 192 mg/m <sup>3</sup> (8hr)<br>STEL: 100 ppm (15min)<br>STEL: 384 mg/m <sup>3</sup> (15min)<br>Skin | STEL: 100 ppm 15 min<br>STEL: 384 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 191 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 190 mg/m <sup>3</sup> (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK<br>TWA: 190 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 100 ppm<br>Höhepunkt: 380 mg/m <sup>3</sup><br>Haut |

## Exposure Controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

### Eye Protection

Goggles

### Hand Protection

Protective gloves

### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

### Recommended Filter type:

low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                |                   |
|----------------|-------------------|
| Appearance     | Dark brown        |
| Physical State | Liquid            |
| Odor           | Irritating        |
| Odor Threshold | No data available |
| pH             | 7                 |

|                     |                          |                                   |
|---------------------|--------------------------|-----------------------------------|
| Melting Point/Range | No data available        |                                   |
| Softening Point     | No data available        |                                   |
| Boiling Point/Range | No information available |                                   |
| Flash Point         | -21 °C / -5.8 °F         | Method - No information available |

|                          |                   |        |
|--------------------------|-------------------|--------|
| Evaporation Rate         | No data available |        |
| Flammability (solid,gas) | Not applicable    | Liquid |
| Explosion Limits         | No data available |        |

|                              |                             |             |
|------------------------------|-----------------------------|-------------|
| Vapor Pressure               | No data available           |             |
| Vapor Density                | No data available           | (Air = 1.0) |
| Specific Gravity / Density   | 1.000                       |             |
| Bulk Density                 | Not applicable              | Liquid      |
| Water Solubility             | Reacts violently with water |             |
| Solubility in other solvents | No information available    |             |

### Partition Coefficient (n-octanol/water)

|                 |         |
|-----------------|---------|
| Component       | log Pow |
| Tetrahydrofuran | 0.45    |
| Toluene         | 2.73    |

|                           |                          |                                             |
|---------------------------|--------------------------|---------------------------------------------|
| Autoignition Temperature  | No data available        |                                             |
| Decomposition Temperature | No data available        |                                             |
| Viscosity                 | No data available        |                                             |
| Explosive Properties      |                          | Vapors may form explosive mixtures with air |
| Oxidizing Properties      | No information available |                                             |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Yes. Reacts violently with water. Contact with water liberates extremely flammable gases.

### Chemical Stability

May form explosive peroxides. Moisture sensitive. Light sensitive. Reacts violently with water, liberating extremely flammable gases. Air sensitive.

### Possibility of Hazardous Reactions

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

## Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing. Reacts violently with water.

## Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition. Exposure to light.  
Incompatible products. Exposure to air or moisture over prolonged periods. Exposure to moist air or water. Exposure to moisture.

## Incompatible Materials

Acids. Water. Alcohols.

## Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen halides. Chlorine. Magnesium oxides. Bromine. Benzene. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

No acute toxicity information is available for this product

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

### Toxicology data for the components

| Component       | LD50 Oral            | LD50 Dermal                   | LC50 Inhalation                               |
|-----------------|----------------------|-------------------------------|-----------------------------------------------|
| Tetrahydrofuran | 1650 mg/kg ( Rat )   | > 2000 mg/kg (Rabbit)         | 180 mg/L ( Rat ) 1 h<br>53.9 mg/L ( Rat ) 4 h |
| Toluene         | > 5000 mg/kg ( Rat ) | LD50 = 12000 mg/kg ( Rabbit ) | 26700 ppm ( Rat ) 1 h                         |

#### (b) skin corrosion/irritation;

Category 1 B

#### (c) serious eye damage/irritation;

Category 1

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

| Component                          | Test method                                       | Test species | Study result    |
|------------------------------------|---------------------------------------------------|--------------|-----------------|
| Tetrahydrofuran<br>109-99-9 ( 40 ) | Local Lymph Node Assay<br>OECD Test Guideline 429 | mouse        | non-sensitising |

#### (e) germ cell mutagenicity;

No data available

| Component                          | Test method                                   | Test species         | Study result |
|------------------------------------|-----------------------------------------------|----------------------|--------------|
| Tetrahydrofuran<br>109-99-9 ( 40 ) | OECD Test Guideline 476<br>Gene cell mutation | in vivo<br>Mammalian | negative     |

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

|  |                                                         |                       |          |
|--|---------------------------------------------------------|-----------------------|----------|
|  | OECD Test Guideline 473<br>Chromosomal aberration assay | in vitro<br>Mammalian | negative |
|--|---------------------------------------------------------|-----------------------|----------|

**(f) carcinogenicity;**

Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component       | EU | UK | Germany | IARC     |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran |    |    |         | Group 2B |

**(g) reproductive toxicity;**

Category 2

| Component                          | Test method             | Test species / Duration | Study result      |
|------------------------------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran<br>109-99-9 ( 40 ) | OECD Test Guideline 416 | Rat<br>2 Generation     | NOAEL = 3,000 ppm |

**Reproductive Effects**

SUSPECT REPRODUCTIVE HAZARD - CONTAINS MATERIAL WHICH MAY INJURE UNBORN CHILD (CAUSE BIRTH DEFECTS) (BASED ON ANIMAL DATA).

**Teratogenicity**

Teratogenic effects have occurred in experimental animals.

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**

Respiratory system, Central nervous system (CNS).

**(i) STOT-repeated exposure;**

Category 2

**Target Organs**

Central nervous system (CNS), Eyes, Respiratory system, Kidney, Liver, Skin, Neuropsychological effects, Ears.

**(j) aspiration hazard;**

Category 1

**Other Adverse Effects**

The toxicological properties have not been fully investigated.

**Symptoms / effects,both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression.

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects**

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Toxic to aquatic organisms. Reacts with water so no ecotoxicity data for the substance is available.

| Component       | Freshwater Fish                                                                        | Water Flea                                   | Freshwater Algae       | Microtox            |
|-----------------|----------------------------------------------------------------------------------------|----------------------------------------------|------------------------|---------------------|
| Tetrahydrofuran | 2160 mg/l LC50 = 96 h<br>Pimephales promelas<br>Leuciscus idus: LC50:<br>2820 mg/L/48h | EC50 48 h 3485 mg/l<br>EC50: >10000 mg/L/24h |                        |                     |
| Toluene         | 50-70 mg/L LC50 96 h                                                                   | EC50: = 11.5 mg/L, 48h                       | EC50: = 12.5 mg/L, 72h | EC50 = 19.7 mg/L 30 |

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

|  |                                                                                      |                                                                          |                                                                                                           |     |
|--|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----|
|  | 5-7 mg/L LC50 96 h<br>15-19 mg/L LC50 96 h<br>28 mg/L LC50 96 h<br>12 mg/L LC50 96 h | (Daphnia magna)<br>EC50: 5.46 - 9.83 mg/L,<br>48h Static (Daphnia magna) | static<br>(Pseudokirchneriella subcapitata)<br>EC50: > 433 mg/L, 96h<br>(Pseudokirchneriella subcapitata) | min |
|--|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----|

## Persistence and degradability

### Persistence

Soluble in water, Persistence is unlikely, based on information available.

### Degradability

Reacts with water.

| Component                  | Degradability |
|----------------------------|---------------|
| Toluene<br>108-88-3 ( 40 ) | 86% (20d)     |

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. Reacts violently with water.

## Bioaccumulative potential

Bioaccumulation is unlikely; Product does not bioaccumulate due to reaction with water

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Tetrahydrofuran | 0.45    | No data available             |
| Toluene         | 2.73    | 90                            |

## Mobility in soil

The product is water soluble, and may spread in water systems. Reacts violently with water. . Will likely be mobile in the environment due to its water solubility. Is not likely mobile in the environment. Highly mobile in soils.

## Endocrine Disruptor Information

| Component       | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances |
|-----------------|------------------------------------------|--------------------------------------------------|
| Tetrahydrofuran | Group III Chemical                       |                                                  |

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

### Waste from Residues/Unused Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

### Other Information

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic organisms

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No

UN3399

Hazard Class

4.3

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

**Subsidiary Hazard Class** 3  
**Packing Group** I  
**Proper Shipping Name** ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
4-Chlorophenylmagnesium bromide, Tetrahydrofuran, Toluene

## Road and Rail Transport

**UN-No** UN3399  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** I  
**Proper Shipping Name** ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
4-Chlorophenylmagnesium bromide, Tetrahydrofuran, Toluene

## IATA

**UN-No** UN3399  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** I  
**Proper Shipping Name** Organometallic substance, liquid, water-reactive, flammable 4-Chlorophenylmagnesium bromide, Tetrahydrofuran, Toluene

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component                      | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|--------------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Tetrahydrofuran                | 203-726-8 | X    | X   | X     | X    | X    | X     | X    | KE-33454 |
| Toluene                        | 203-625-9 | X    | X   | X     | X    | X    | X     | X    | KE-33936 |
| Bromo(p-chlorophenyl)magnesium | 212-853-8 | -    | -   | -     | -    | X    | -     | -    | -        |

| Component | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Toluene   |                                                                                           |                                                                                          |                            | Annex I - Y42                      |

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# SAFETY DATA SHEET

4-Chlorophenylmagnesium bromide, 1M solution in THF/toluene

Revision Date 22-Mar-2025

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**RPE** - Respiratory Protective Equipment  
**LC50** - Lethal Concentration 50%  
**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025  
**Revision Summary** Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**