

Creation Date 12-Oct-2010

Revision Date 08-Feb-2024

Revision Number 3

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                        |
|---------------------------|------------------------|
| Product Description:      | <u>Aluminum target</u> |
| Cat No. :                 | <b>96022</b>           |
| CAS No                    | 7429-90-5              |
| EC No                     | 231-072-3              |
| Molecular Formula         | Al                     |
| REACH registration number | -                      |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended Use      | Laboratory chemicals.    |
| Uses advised against | No Information available |

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

## CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Based on available data, the classification criteria are not met

### Health hazards

Based on available data, the classification criteria are not met

### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements

None required

## 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component | CAS No    | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|-----------|-----------|-------------------|----------|---------------------------------------------------|
| Aluminum  | 7429-90-5 | EEC No. 231-072-3 | 99       | -                                                 |

REACH registration number

-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                     |                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.         |
| <b>Skin Contact</b> | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. |
| <b>Ingestion</b>    | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.                   |
| <b>Inhalation</b>   | Remove to fresh air. Get medical attention immediately if symptoms occur.                                               |

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

**Self-Protection of the First Aider** No special precautions required.

## **4.2. Most important symptoms and effects, both acute and delayed**

None reasonably foreseeable.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Fumes of aluminum or aluminum oxide.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **6.2. Environmental precautions**

Should not be released into the environment.

### **6.3. Methods and material for containment and cleaning up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

## Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 13

## Switzerland - Storage of hazardous substances

Storage class - SC 11/13

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom                                                                                                                        | France                                                                                                | Belgium                         | Spain                                          |
|-----------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------|------------------------------------------------|
| Aluminum  |                | STEL: 30 mg/m <sup>3</sup> 15 min<br>STEL: 12 mg/m <sup>3</sup> 15 min<br>TWA: 10 mg/m <sup>3</sup> 8 hr<br>TWA: 4 mg/m <sup>3</sup> 8 hr | TWA / VME: 10 mg/m <sup>3</sup><br>(8 heures). metal<br>TWA / VME: 5 mg/m <sup>3</sup> (8<br>heures). | TWA: 1 mg/m <sup>3</sup> 8 uren | TWA / VLA-ED: 1 mg/m <sup>3</sup><br>(8 horas) |

| Component | Italy | Germany                                                                                                                                                                                                                                          | Portugal                         | The Netherlands | Finland |
|-----------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------|---------|
| Aluminum  |       | TWA: 1.25 mg/m <sup>3</sup> (8<br>Stunden). AGW -<br>exposure factor 2<br>TWA: 10 mg/m <sup>3</sup> (8<br>Stunden). AGW -<br>exposure factor 2<br>TWA: 4 mg/m <sup>3</sup> (8<br>Stunden). MAK<br>TWA: 1.5 mg/m <sup>3</sup> (8<br>Stunden). MAK | TWA: 1 mg/m <sup>3</sup> 8 horas |                 |         |

| Component | Austria                                                                                    | Denmark                                                                                                                                                       | Switzerland                                                                     | Poland                                                                                 | Norway                                                                                                                      |
|-----------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Aluminum  | MAK-KZGW: 20 mg/m <sup>3</sup><br>15 Minuten<br>MAK-TMW: 10 mg/m <sup>3</sup> 8<br>Stunden | TWA: 5 mg/m <sup>3</sup> 8 timer<br>TWA: 2 mg/m <sup>3</sup> 8 timer<br>STEL: 10 mg/m <sup>3</sup> 15<br>minutter<br>STEL: 4 mg/m <sup>3</sup> 15<br>minutter | TWA: 3 mg/m <sup>3</sup> 8<br>Stunden<br>TWA: 10 mg/m <sup>3</sup> 8<br>Stunden | TWA: 2.5 mg/m <sup>3</sup> 8<br>godzinach<br>TWA: 1.2 mg/m <sup>3</sup> 8<br>godzinach | TWA: 5 mg/m <sup>3</sup> 8 timer<br>STEL: 10 mg/m <sup>3</sup> 15<br>minutter.<br>pyrotechnical; value<br>calculated powder |

| Component | Bulgaria                                                  | Croatia                                                                                                                                    | Ireland                                                                                   | Cyprus | Czech Republic                                  |
|-----------|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------|-------------------------------------------------|
| Aluminum  | TWA: 10.0 mg/m <sup>3</sup><br>TWA: 1.5 mg/m <sup>3</sup> | TWA-GVI: 10 mg/m <sup>3</sup> 8<br>satima. total dust,<br>inhalable particles<br>TWA-GVI: 4 mg/m <sup>3</sup> 8<br>satima. respirable dust | TWA: 1 mg/m <sup>3</sup> 8 hr.<br>respirable fraction<br>STEL: 3 mg/m <sup>3</sup> 15 min |        | TWA: 10.0 mg/m <sup>3</sup> 8<br>hodinách. dust |

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|-----------|---------|-----------|--------|---------|---------|
|-----------|---------|-----------|--------|---------|---------|

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

|          |                                                                                                          |  |                                                       |                                       |                                                                                                         |
|----------|----------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------|
| Aluminum | TWA: 10 mg/m <sup>3</sup> 8 tundides. total dust<br>TWA: 4 mg/m <sup>3</sup> 8 tundides. respirable dust |  | TWA: 10 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> 8 óraban. AK | STEL: 10 mg/m <sup>3</sup> dust and powder<br>TWA: 5 mg/m <sup>3</sup> 8 klukkustundum. dust and powder |
|----------|----------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------|

| Component | Latvia                   | Lithuania                                                                                                                              | Luxembourg | Malta | Romania                                                                                                                                         |
|-----------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Aluminum  | TWA: 2 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup> inhalable fraction IPRD<br>TWA: 2 mg/m <sup>3</sup> respirable fraction IPRD<br>TWA: 1 mg/m <sup>3</sup> IPRD |            |       | TWA: 3 mg/m <sup>3</sup> 8 ore<br>TWA: 1 mg/m <sup>3</sup> 8 ore<br>STEL: 10 mg/m <sup>3</sup> 15 minute<br>STEL: 3 mg/m <sup>3</sup> 15 minute |

| Component | Russia                                                    | Slovak Republic                                                                       | Slovenia | Sweden                                                                           | Turkey |
|-----------|-----------------------------------------------------------|---------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------|--------|
| Aluminum  | TWA: 2 mg/m <sup>3</sup> 0036<br>MAC: 6 mg/m <sup>3</sup> | TWA: 4 mg/m <sup>3</sup> inhalable dust<br>TWA: 1.5 mg/m <sup>3</sup> respirable dust |          | TLV: 5 mg/m <sup>3</sup> 8 timmar. NGV<br>TLV: 2 mg/m <sup>3</sup> 8 timmar. NGV |        |

## Biological limit values

List source(s):

| Component | European Union | United Kingdom | France | Spain | Germany                                                                                                        |
|-----------|----------------|----------------|--------|-------|----------------------------------------------------------------------------------------------------------------|
| Aluminum  |                |                |        |       | Aluminum: 50 µg/g<br>Creatinine urine (for long-term exposures: at the end of the shift after several shifts ) |

| Component | Italy | Finland | Denmark | Bulgaria | Romania                                  |
|-----------|-------|---------|---------|----------|------------------------------------------|
| Aluminum  |       |         |         |          | Aluminum: 200 µg/L<br>urine end of shift |

| Component | Gibraltar | Latvia | Slovak Republic                                 | Luxembourg | Turkey |
|-----------|-----------|--------|-------------------------------------------------|------------|--------|
| Aluminum  |           |        | Aluminum: 60 µg/g creatinine urine not critical |            |        |

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                    | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|------------------------------|-------------|----------------------|--------------------|------------------------------------|--------------------|
| Aluminum<br>7429-90-5 ( 99 ) |             |                      |                    | PNEC = 20mg/L                      |                    |

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

## Personal protective equipment

### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

### Hand Protection

Protective gloves

| Glove material                                      | Breakthrough time                    | Glove thickness | EU standard | Glove comments        |
|-----------------------------------------------------|--------------------------------------|-----------------|-------------|-----------------------|
| Natural rubber<br>Nitrile rubber<br>Neoprene<br>PVC | See manufacturers<br>recommendations | -               | EN 374      | (minimum requirement) |

### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

No protective equipment is needed under normal use conditions.

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particle filter

### Small scale/Laboratory use

Maintain adequate ventilation

### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Physical State                          | Solid; Various Form      |                                   |
| Appearance                              | Silver / Grey            |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | 660 °C / 1220 °F         |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 2327 °C / 4220.6 °F      | @ 760 mmHg                        |
| Flammability (liquid)                   | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | Not applicable           | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | Not applicable           |                                   |
| Viscosity                               | Not applicable           | Solid                             |
| Water Solubility                        | Insoluble                |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | 2.700                    |                                   |
| Bulk Density                            | No data available        |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Particle characteristics                | No data available        |                                   |

### 9.2. Other information

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

Molecular Formula Al  
Molecular Weight 26.97  
Evaporation Rate Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity**  
None known, based on information available

**10.2. Chemical stability**  
Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions  
Hazardous polymerization does not occur.  
None under normal processing.

**10.4. Conditions to avoid**  
Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water.

**10.5. Incompatible materials**  
Strong oxidizing agents.

**10.6. Hazardous decomposition products**  
Fumes of aluminum or aluminum oxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity;  
Oral No data available  
Dermal No data available  
Inhalation No data available

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation               |
|-----------|-----------|-------------|-------------------------------|
| Aluminum  | -         | -           | LC50 > 0.888 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;  
Respiratory No data available  
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available  
There are no known carcinogenic chemicals in this product

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

|                                            |                           |
|--------------------------------------------|---------------------------|
| (g) reproductive toxicity;                 | No data available         |
| (h) STOT-single exposure;                  | No data available         |
| (i) STOT-repeated exposure;                | No data available         |
| Target Organs                              | No information available. |
| (j) aspiration hazard;                     | Not applicable<br>Solid   |
| Symptoms / effects, both acute and delayed | No information available. |

## 11.2. Information on other hazards

|                                 |                                                                                                                                     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors. |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

|                     |                                                                                                                             |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Ecotoxicity effects | Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------|

### 12.2. Persistence and degradability

|               |                                        |
|---------------|----------------------------------------|
| Persistence   | Insoluble in water.                    |
| Degradability | Not relevant for inorganic substances. |

|                                 |                                          |
|---------------------------------|------------------------------------------|
| 12.3. Bioaccumulative potential | May have some potential to bioaccumulate |
|---------------------------------|------------------------------------------|

|                        |                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| 12.4. Mobility in soil | Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility. |
|------------------------|-----------------------------------------------------------------------------------------------------------|

|                                          |                                                                                                        |
|------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 12.5. Results of PBT and vPvB assessment | In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment. |
|------------------------------------------|--------------------------------------------------------------------------------------------------------|

### 12.6. Endocrine disrupting properties

|                                 |                                                                           |
|---------------------------------|---------------------------------------------------------------------------|
| Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
|---------------------------------|---------------------------------------------------------------------------|

### 12.7. Other adverse effects

|                              |                                                                |
|------------------------------|----------------------------------------------------------------|
| Persistent Organic Pollutant | This product does not contain any known or suspected substance |
| Ozone Depletion Potential    | This product does not contain any known or suspected substance |

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| Waste from Residues/Unused | Chemical waste generators must determine whether a discarded chemical is classified as a |
|----------------------------|------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

|                                       |                                                                                                                                                                                                                                                                                                            |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Products</b>                       | hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.                                                                                                                                                                         |
| <b>Contaminated Packaging</b>         | Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.                                                                                                                                                                                                 |
| <b>European Waste Catalogue (EWC)</b> | According to the European Waste Catalog, Waste Codes are not product specific, but application specific.                                                                                                                                                                                                   |
| <b>Other Information</b>              | Waste codes should be assigned by the user based on the application for which the product was used.                                                                                                                                                                                                        |
| <b>Switzerland - Waste Ordinance</b>  | Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600<br><a href="https://www.fedlex.admin.ch/eli/cc/2015/891/en">https://www.fedlex.admin.ch/eli/cc/2015/891/en</a> |

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

**ADR** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

**IATA** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Aluminum  | 7429-90-5 | 231-072-3 | -      | -   | X     | X    | KE-00881 | X    | -    |

| Component | CAS No | TSCA | TSCA Inventory notification - | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|--------|------|-------------------------------|-----|------|------|-------|-------|
|-----------|--------|------|-------------------------------|-----|------|------|-------|-------|

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

|          |           |   |                 |   |   |   |   |   |
|----------|-----------|---|-----------------|---|---|---|---|---|
|          |           |   | Active-Inactive |   |   |   |   |   |
| Aluminum | 7429-90-5 | X | ACTIVE          | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Aluminum  | 7429-90-5 | -                                                                   | Use restricted. See item 75.<br>(see link for restriction details)            | -                                                                                                     |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Aluminum  | 7429-90-5 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------|---------------------------------------|-------------------------|
| Aluminum  | nwg                                   |                         |

| Component | France - INRS (Tables of occupational diseases)                                                                       |
|-----------|-----------------------------------------------------------------------------------------------------------------------|
| Aluminum  | Tableaux des maladies professionnelles (TMP) - RG 32<br>Tableaux des maladies professionnelles (TMP) - RG 16,RG 16bis |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# SAFETY DATA SHEET

Aluminum target

Revision Date 08-Feb-2024

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

#### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vpvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

#### Prepared By

Health, Safety and Environmental Department

#### Creation Date

12-Oct-2010

#### Revision Date

08-Feb-2024

#### Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**