

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Isopropanol,70%, Bio Grade, Sterile

|                                |                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>S60473</b>                                                                                        |
| <b>Address</b>                 | ThermoFisher Scientific Australia Pty Ltd<br>5 Caribbean Drive, Scoresby<br>VICTORIA 3179, Australia |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>03 9757 4559 or +613 9757 4559</b>                                            |
| <b>Telephone / Fax Numbers</b> | Tel: 1300 735 292<br>Fax: 1800 067 639                                                               |
| <b>E-mail address</b>          | ANZinfo@thermofisher.com                                                                             |

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids

Category 2

#### Health hazards

Serious Eye Damage/Eye Irritation  
Specific target organ toxicity - (single exposure)

Category 2  
Category 3

#### Environmental hazards

No hazards identified

### Label Elements



Flame



Exclamation Mark

## Signal Word

## Danger

## Hazard Statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

## Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other information

This product does not contain any known or suspected endocrine disruptors

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component         | CAS No    | Weight % |
|-------------------|-----------|----------|
| Isopropyl alcohol | 67-63-0   | 70       |
| Water             | 7732-18-5 | 30       |

## Section 4 - First Aid Measures

## Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

## Ingestion

Clean mouth with water and drink afterwards plenty of water.

## Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

## Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

## General Advice

If symptoms persist, call a physician.

## Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## First Aid Facilities

Eyewash, safety shower and washroom.

## Most important symptoms and effects

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

## Section 5 - Fire Fighting Measures

**Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Hazardous Decomposition Products**

Carbon oxides.

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

**Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up****Clean-up methods - small spillage**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Clean-up methods - large spillage**

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Conditions for Safe Storage, Including any Incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals  
AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]  
Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]  
updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component         | Australia                                                                                   | New Zealand WEL                                                                             | ACGIH TLV                     | The United Kingdom                                                                                                  | Germany                                                                                                                                                                                                                                                         |
|-------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl alcohol | STEL: 500 ppm<br>STEL: 1230 mg/m <sup>3</sup><br>TWA: 400 ppm<br>TWA: 983 mg/m <sup>3</sup> | TWA: 400 ppm<br>TWA: 983 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1230 mg/m <sup>3</sup> | TWA: 200 ppm<br>STEL: 400 ppm | STEL: 500 ppm 15 min<br>STEL: 1250 mg/m <sup>3</sup> 15 min<br>TWA: 400 ppm 8 hr<br>TWA: 999 mg/m <sup>3</sup> 8 hr | TWA: 200 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 500 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 200 ppm (8 Stunden). MAK<br>TWA: 500 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 400 ppm<br>Höhepunkt: 1000 mg/m <sup>3</sup> |

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

| Component         | Australia | New Zealand | European Union | United Kingdom | Germany                                                                              |
|-------------------|-----------|-------------|----------------|----------------|--------------------------------------------------------------------------------------|
| Isopropyl alcohol |           |             |                |                | Acetone: 25 mg/L whole blood (end of shift)<br>Acetone: 25 mg/L urine (end of shift) |

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Viton (R)      | See manufacturers recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-** Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                                                |                          |                                             |
|------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Appearance</b>                              |                          |                                             |
| <b>Physical State</b>                          | Liquid                   |                                             |
| <b>Odor</b>                                    | No information available |                                             |
| <b>Odor Threshold</b>                          | No data available        |                                             |
| <b>pH</b>                                      | Not applicable           |                                             |
| <b>Melting Point/Range</b>                     | -90 °C / -130 °F         |                                             |
| <b>Softening Point</b>                         | No data available        |                                             |
| <b>Boiling Point/Range</b>                     | 83 °C / 181.4 °F         |                                             |
| <b>Flash Point</b>                             | 11.7 °C / 53.1 °F        | <b>Method -</b> No information available    |
| <b>Evaporation Rate</b>                        | No data available        |                                             |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                      |
| <b>Explosion Limits</b>                        | No data available        |                                             |
| <b>Vapor Pressure</b>                          | No data available        |                                             |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                                 |
| <b>Specific Gravity / Density</b>              | 0.79                     |                                             |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                      |
| <b>Water Solubility</b>                        | No information available |                                             |
| <b>Solubility in other solvents</b>            | No information available |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                             |
| <b>Component</b>                               | <b>log Pow</b>           |                                             |
| Isopropyl alcohol                              | 0.05                     |                                             |
| <b>Autoignition Temperature</b>                | No data available        |                                             |
| <b>Decomposition Temperature</b>               | No data available        |                                             |
| <b>Viscosity</b>                               | No data available        |                                             |
| <b>Explosive Properties</b>                    |                          | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available |                                             |

### Other information

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | None known.                                                       |
| <b>Hazardous Decomposition Products</b> | Carbon oxides.                                                    |
| <b>Hazardous Polymerization</b>         | No information available.                                         |

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| <b>(a) acute toxicity;</b> |                                                                  |
| <b>Oral</b>                | Based on available data, the classification criteria are not met |
| <b>Dermal</b>              | Based on available data, the classification criteria are not met |
| <b>Inhalation</b>          | Based on available data, the classification criteria are not met |

#### Toxicology data for the components

| Component         | LD50 Oral                                  | LD50 Dermal         | LC50 Inhalation       |
|-------------------|--------------------------------------------|---------------------|-----------------------|
| Isopropyl alcohol | 5045 mg/kg ( Rat )<br>3600 mg/kg ( Mouse ) | 12800 mg/kg ( Rat ) | 72.6 mg/L ( Rat ) 4 h |
| Water             | -                                          | -                   | -                     |

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** Category 2

**(d) respiratory or skin sensitization;**  
    **Respiratory** No data available  
    **Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** Category 3  
    **Results / Target organs** Central nervous system (CNS)

**(i) STOT-repeated exposure;** No data available  
    **Target Organs** None known.

**(j) aspiration hazard;** No data available

**Symptoms / effects,both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

**Ecotoxicity effects**

| Component         | Freshwater Fish                                                                                                                                                                                              | Water Flea                                      | Freshwater Algae                                                                                     | Microtox                                           |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Isopropyl alcohol | LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas)<br>LC50: > 1400000 µg/L, 96h (Lepomis macrochirus)<br>LC50: = 11130 mg/L, 96h static (Pimephales promelas)<br>LC50: = 10000000 µg/L, 96h (Daphnia) | 13299 mg/L EC50 = 48 h<br>9714 mg/L EC50 = 24 h | EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus)<br>EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus) | = 35390 mg/L EC50 Photobacterium phosphoreum 5 min |

**Persistence and Degradability**

No information available

**Persistence**

Persistence is unlikely, based on information available.

**Bioaccumulative Potential**

Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Isopropyl alcohol | 0.05    | No data available             |

**Mobility**

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in air

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues/Unused Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information**

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

## Section 14 - Transport Information

**IMDG/IMO**

|                      |                      |
|----------------------|----------------------|
| UN-No                | UN1219               |
| Proper Shipping Name | ISOPROPANOL SOLUTION |
| Hazard Class         | 3                    |
| Packing Group        | II                   |

**ADG**

|                      |                      |
|----------------------|----------------------|
| UN-No                | UN1219               |
| Proper Shipping Name | ISOPROPANOL SOLUTION |
| Hazard Class         | 3                    |
| Packing Group        | II                   |

| Component                           | Hazchem Code |
|-------------------------------------|--------------|
| Isopropyl alcohol<br>67-63-0 ( 70 ) | 1Z           |

IATA

UN-No UN1219  
Proper Shipping Name ISOPROPANOL SOLUTION  
Hazard Class 3  
Packing Group II

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations Australia

See section 8 for national exposure control parameters.

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

No poison schedule number allocated.

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                   | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|-----------------------------|-------------------------------------------------------------|------------------------|
| Isopropyl alcohol - 67-63-0 | Present                                                     | -                      |
| Water - 7732-18-5           | Present                                                     | -                      |

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### **Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

| Component         | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|-------------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Isopropyl alcohol | X    | X     | 200-661-7 | -      | X    | X   | -    | X     | X    | X    | X     | KE-29363 |
| Water             | X    | X     | 231-791-2 | -      | X    | X   | -    | X     | X    |      | X     | KE-35400 |

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

### Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component                   | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|-----------------------------|------------------------------------|------------------------------------------------------------------------|
| Isopropyl alcohol - 67-63-0 | Annex I - Y42                      | Y42 except Halogenated solvents                                        |

| Component         | CAS No    | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|-----------|----------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Isopropyl alcohol | 67-63-0   | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |
| Water             | 7732-18-5 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

### Authorisation/Restrictions according to EU REACH

| Component         | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Isopropyl alcohol | -                                                                   | Use restricted. See entry 75. (see link for restriction details)              | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**NZS 5433:2020** - Transport of Dangerous Goods on Land  
**LD50** - Lethal Dose 50%

**NZIoC** - New Zealand Inventory of Chemicals  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**PNEC** - Predicted No Effect Concentration (PNEC)  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**LC50** - Lethal Concentration 50%

**EC50** - Effective Concentration 50%  
**WEL** - Workplace Exposure Limit  
**DNEL** - Derived No Effect Level  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative  
**VOC** - (Volatile Organic Compound)

**ATE** - Acute Toxicity Estimate  
**RPE** - Respiratory Protective Equipment  
**NOEC** - No Observed Effect Concentration  
**BCF** - Bioconcentration factor  
**PBT** - Persistent, Bioaccumulative, Toxic

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

|                         |                  |
|-------------------------|------------------|
| <b>Revision Date</b>    | 14-Feb-2025      |
| <b>Revision Summary</b> | Initial Release. |

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet