

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

|                             |                                               |
|-----------------------------|-----------------------------------------------|
| <b>Product Name</b>         | <u>Phenyl isocyanate</u>                      |
| <b>CAS No</b>               | 103-71-9                                      |
| <b>Synonyms</b>             | Isocyanic acid, phenyl ester; Phenylcarbimide |
| <b>Molecular Formula</b>    | C7 H5 N O                                     |
| <b>Molecular Weight</b>     | 119.12                                        |
| <b>Recommended Use</b>      | Laboratory chemicals.                         |
| <b>Uses advised against</b> | No Information available                      |

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>L06169</b>                                                                               |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**HSNO Approval Number**      **HSR004628**

### GHS Classification

#### Physical hazards

Flammable liquids

Category 3

#### Health hazards

Acute Oral Toxicity  
Acute Inhalation Toxicity - Vapors  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Respiratory Sensitization  
Skin Sensitization

Category 4  
Category 1  
Category 1 C  
Category 1  
Category 1  
Category 1

#### Environmental hazards

Acute aquatic toxicity

Category 1

Chronic aquatic toxicity

Category 2

**Label Elements****Signal Word****Danger****Hazard Statements**

H226 - Flammable liquid and vapor  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H330 - Fatal if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P284 - In case of inadequate ventilation wear respiratory protection  
P273 - Avoid release to the environment

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P363 - Wash contaminated clothing before reuse  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P391 - Collect spillage

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component         | CAS No   | Weight % |
|-------------------|----------|----------|
| Phenyl isocyanate | 103-71-9 | >95      |

## Section 4 - First Aid Measures

### Description of first aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Inhalation</b>                          | If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Notes to Physician</b>                  | Treat symptomatically.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen cyanide (hydrocyanic acid), Thermal

decomposition can lead to release of irritating gases and vapors.

**Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **Section 6 - Accidental Release Measures**

**Personal Precautions, Protective Equipment and Emergency Procedures****Emergency procedures**

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

**Methods for Containment and Clean Up**

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **Section 7 - Handling and Storage**

**Precautions for Safe Handling****Advice on safe handling**

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Conditions for Safe Storage, Including any Incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Flammables area.

**Incompatible Materials**

Acids. Bases. Strong oxidizing agents. Alcohols. Amines.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## **Section 8 - Exposure Controls and Personal Protection**

**Control parameters****Exposure limits**

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation

of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]  
 Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]  
 updated in August, 2005. Safe Work Australia

| Component         | New Zealand WEL | Australia                                                   | ACGIH TLV                                 | The United Kingdom                                                                     |
|-------------------|-----------------|-------------------------------------------------------------|-------------------------------------------|----------------------------------------------------------------------------------------|
| Phenyl isocyanate |                 | STEL: 0.07 mg/m <sup>3</sup><br>TWA: 0.02 mg/m <sup>3</sup> | TWA: 0.005 ppm<br>STEL: 0.015 ppm<br>Skin | STEL: 0.07 mg/m <sup>3</sup> 15 min<br>TWA: 0.02 mg/m <sup>3</sup> 8 hr<br>Resp. Sens. |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

##### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection** Protective gloves

| Glove material                                    | Breakthrough time                    | Glove thickness | AUS/NZ Standard | Glove comments        |
|---------------------------------------------------|--------------------------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber, Neoprene,<br>Natural rubber, PVC. | See manufacturers<br>recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-** Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)  
 When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Physical State** Liquid  
**Appearance** Light yellow

|                                         |                                        |                          |
|-----------------------------------------|----------------------------------------|--------------------------|
| Odor                                    | pungent                                |                          |
| Odor Threshold                          | No data available                      |                          |
| pH                                      | Not applicable                         |                          |
| Melting Point/Range                     | -31.3 °C / -24.3 °F                    |                          |
| Softening Point                         | No data available                      |                          |
| Boiling Point/Range                     | 162 - 163 °C / 323.6 - 325.4 °F        | @ 760 mmHg               |
| Flammability (liquid)                   | Flammable                              | On basis of test data    |
| Flammability (solid,gas)                | Not applicable                         | Liquid                   |
| Explosion Limits                        | No data available                      |                          |
| Flash Point                             | 51 °C / 123.8 °F                       | Method - CC (closed cup) |
| Autoignition Temperature                | 645 °C / 1193 °F                       |                          |
| Decomposition Temperature               | No data available                      |                          |
| Viscosity                               | No data available                      |                          |
| Water Solubility                        | Decomposes                             |                          |
| Solubility in other solvents            | No information available               |                          |
| Partition Coefficient (n-octanol/water) |                                        |                          |
| Vapor Pressure                          | 2.5 mbar @ 20 °C                       |                          |
| Density / Specific Gravity              | 1.095                                  |                          |
| Bulk Density                            | Not applicable                         | Liquid                   |
| Vapor Density                           | No information available               | (Air = 1.0)              |
| Particle characteristics                | Not applicable (liquid)                |                          |
| <b>Other information</b>                |                                        |                          |
| Molecular Formula                       | C7 H5 N O                              |                          |
| Molecular Weight                        | 119.12                                 |                          |
| Explosive Properties                    | explosive air/vapour mixtures possible |                          |

## Section 10 - Stability and Reactivity

|                                  |                                                                                                                                                                                                |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                       | None known, based on information available                                                                                                                                                     |
| Stability                        | Moisture sensitive.                                                                                                                                                                            |
| Sensitivity to Mechanical Impact | No information available                                                                                                                                                                       |
| Sensitivity to Static Discharge  | No information available                                                                                                                                                                       |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                                                                                                                       |
| Hazardous Reactions              | None under normal processing.                                                                                                                                                                  |
| Conditions to Avoid              | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition, Exposure to moisture.                                                                    |
| Incompatible Materials           | Acids, Bases, Strong oxidizing agents, Alcohols, Amines.                                                                                                                                       |
| Hazardous Decomposition Products | Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrogen cyanide (hydrocyanic acid). Thermal decomposition can lead to release of irritating gases and vapors. |

## Section 11 - Toxicological Information

### Acute Effects

### Information on likely routes of exposure

### Product Information

Inhalation Harmful by inhalation.

|                  |                                                                                                                                               |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eyes</b>      | Causes burns. Corrosive to the eyes and may cause severe damage including blindness.                                                          |
| <b>Skin</b>      | Risk of serious damage to eyes.<br>Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.<br>Causes burns. |
| <b>Ingestion</b> | Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth, throat, and stomach. Harmful if swallowed.              |

**Numerical measures of toxicity****(a) acute toxicity;**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| <b>Oral</b>       | Category 4                                                       |
| <b>Dermal</b>     | Based on available data, the classification criteria are not met |
| <b>Inhalation</b> | Category 1                                                       |

| Component         | LD50 Oral                | LD50 Dermal           | LC50 Inhalation               |
|-------------------|--------------------------|-----------------------|-------------------------------|
| Phenyl isocyanate | LD50 = 172 mg/kg ( Rat ) | 7127 mg/kg ( Rabbit ) | LC50 = 0.022 mg/L ( Rat ) 4 h |

**(b) skin corrosion/irritation;** Category 1 C

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**

|                    |            |
|--------------------|------------|
| <b>Respiratory</b> | Category 1 |
| <b>Skin</b>        | Category 1 |

**Sensitization** May cause sensitization by skin contact

**(e) germ cell mutagenicity;** Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

**(f) carcinogenicity;** Based on available data, the classification criteria are not met  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** Based on available data, the classification criteria are not met

**(h) STOT-single exposure;** Category 3

**Results / Target organs** Respiratory system

**(i) STOT-repeated exposure;** Based on available data, the classification criteria are not met

**Target Organs** None known.

**(j) aspiration hazard;** Based on available data, the classification criteria are not met

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information

**Symptoms / effects, both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## Section 12 - Ecological Information

### Ecotoxicity

#### Aquatic ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.

| Component         | Freshwater Fish | Water Flea | Freshwater Algae | Microtox                 |
|-------------------|-----------------|------------|------------------|--------------------------|
| Phenyl isocyanate |                 |            |                  | EC50 = 20.21 mg/L 30 min |

#### Terrestrial ecotoxicity

There is no data for this product

#### Persistence and Degradability

Readily biodegradable

#### Persistence

Persistence is unlikely, based on information available.

#### Degradability

Decomposes in contact with water.

#### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. No information available. Decomposes in contact with water.

#### Bioaccumulative Potential

Product does not bioaccumulate due to reaction with water

#### Mobility

Decomposes in contact with water. Is not likely mobile in the environment.

### Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

#### Persistent Organic Pollutant

This product does not contain any known or suspected substance

#### Ozone Depletion Potential

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

### Waste treatment methods

#### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## Section 14 - Transport Information



| Component                           | Hazchem Code |
|-------------------------------------|--------------|
| Phenyl isocyanate<br>103-71-9 (>95) | 3W           |

**NZS 5433:2020**

**UN-No** UN2487  
**Proper Shipping Name** PHENYL ISOCYANATE  
**Hazard Class** 6.1  
**Subsidiary Hazard Class** 3  
**Packing Group** I

**IATA** FORBIDDEN FOR IATA TRANSPORT

**UN-No** UN2487  
**Proper Shipping Name** PHENYL ISOCYANATE FORBIDDEN FOR IATA TRANSPORT  
**Hazard Class** 6.1  
**Subsidiary Hazard Class** 3  
**Packing Group** I

**IMDG/IMO**

**UN-No** UN2487  
**Proper Shipping Name** PHENYL ISOCYANATE  
**Hazard Class** 6.1  
**Subsidiary Hazard Class** 3  
**Packing Group** I

**Environmental hazards** Dangerous for the environment  
 Product is a marine pollutant according to the criteria set by IMDG/IMO

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable, packaged goods

**Special Precautions** No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.

**Additional information** None known

## **Section 15 - Regulatory Information**

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                             |           |
|-----------------------------|-----------|
| <b>HSNO Approval Number</b> | HSR004628 |
|-----------------------------|-----------|

**National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

**International Regulations**

|                                                         |                                                                |
|---------------------------------------------------------|----------------------------------------------------------------|
| <b>Ozone Depletion Potential</b>                        | This product does not contain any known or suspected substance |
| <b>Persistent Organic Pollutant</b>                     | This product does not contain any known or suspected substance |
| <b>Rotterdam Convention (PIC)</b>                       | Not applicable                                                 |
| <b>Authorisation/Restrictions according to EU REACH</b> | Not applicable                                                 |

**International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component         | CAS No   | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|-------------------|----------|-------|------|-----------|--------|-----|----------|-------|------|
| Phenyl isocyanate | 103-71-9 | X     | X    | 203-137-6 | -      | -   | KE-21463 | X     | X    |

| Component         | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|-------------------|----------|------|-----------------------------------------------|-----|------|-------|------|------|
| Phenyl isocyanate | 103-71-9 | X    | ACTIVE                                        | X   | -    | X     | X    | X    |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**Section 16 - Other Information**

**This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations**

**Legend**

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

**Key literature references and sources for data**

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

---

**Training Advice**

Chemical incident response training.

**Revision Date**

16-Mar-2023

**Revision Summary**

Not applicable

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**