

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

**Product Name** Diethylmethoxyborane, 1M solution in THF

**Molecular Formula** C5 H13 BO  
**Molecular Weight** 99.97

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>L15107</b>                                                                               |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

### GHS Classification

#### Physical hazards

Flammable liquids Category 2

Pyrophoric liquids Category 1

#### Health hazards

|                                                      |              |
|------------------------------------------------------|--------------|
| Acute Oral Toxicity                                  | Category 4   |
| Skin Corrosion/Irritation                            | Category 1 B |
| Serious Eye Damage/Eye Irritation                    | Category 1   |
| Skin Sensitization                                   | Category 1   |
| Carcinogenicity                                      | Category 2   |
| Specific target organ toxicity - (single exposure)   | Category 3   |
| Specific target organ toxicity - (repeated exposure) | Category 2   |

#### Environmental hazards

Based on available data, the classification criteria are not met

Label Elements



Signal Word

Danger

**Hazard Statements**

H225 - Highly flammable liquid and vapor  
H250 - Catches fire spontaneously if exposed to air  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements**

**Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P222 - Do not allow contact with air  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves

**Response**

P302 + P334 - IF ON SKIN: Immerse in cool water or wrap in wet bandages  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P363 - Wash contaminated clothing before reuse  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P422 - Store contents under inert gas

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to terrestrial vertebrates  
May form explosive peroxides

## Section 3 - Composition and Information on Ingredients

| Component                            | CAS No    | Weight % |
|--------------------------------------|-----------|----------|
| Tetrahydrofuran                      | 109-99-9  | 88.75    |
| Borinic acid, diethyl-, methyl ester | 7397-46-8 | 11.25    |

## Section 4 - First Aid Measures

### Description of first aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.                                                                                                                                                                                                                                                                                                                                         |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Difficulty in breathing. May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Foam. Water may be ineffective. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Oxides of boron.

**Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **Section 6 - Accidental Release Measures**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **Section 7 - Handling and Storage**

### **Precautions for Safe Handling**

**Advice on safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions**

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

**Incompatible Materials**

Oxidizing agent.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## **Section 8 - Exposure Controls and Personal Protection**

### **Control parameters**

**Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

| Component       | New Zealand WEL                                                                                   | Australia                                  | ACGIH TLV                            | The United Kingdom                                                                                                        |
|-----------------|---------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Tetrahydrofuran | TWA: 50 ppm<br>TWA: 150 mg/m <sup>3</sup><br>STEL: 100 ppm<br>STEL: 300 mg/m <sup>3</sup><br>Skin | TWA: 100 ppm<br>TWA: 295 mg/m <sup>3</sup> | TWA: 50 ppm<br>STEL: 100 ppm<br>Skin | STEL: 100 ppm 15 min<br>STEL: 300 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 150 mg/m <sup>3</sup> 8 hr<br>Skin |

**Biological limit values**

**NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

| Component       | New Zealand                                                                                | Australia | ACGIH - Biological Exposure Indices                                           | United Kingdom |
|-----------------|--------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------|----------------|
| Tetrahydrofuran | 2 mg/g creatinine (urine) end of exposure or shift, within 1 hour of end of exposure (THF) |           | 2 mg/L<br>Medium: urine<br>Time: end of shift<br>Determinant: Tetrahydrofuran |                |

**Appropriate engineering controls****Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Individual protection measures, such as personal protective equipment****Eye Protection**

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection**

Protective gloves

| Glove material                                                 | Breakthrough time                    | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------------------------------------------------------|--------------------------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber, Viton (R),<br>Butyl rubber.<br>Neoprene gloves | See manufacturers<br>recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Long sleeved clothing

**Respiratory Protection**

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:**

Multi-purpose/ABEK conforming to EN14387 low boiling organic solvent Type AX Brown

|                                        |                                                                                                                                                                                                                                                    |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Recommended half mask:-</b>         | conforming to EN371 or Organic gases and vapours filter Type A Brown (or AUS/NZ equivalent)<br>Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted |
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                             |
| <b>Environmental exposure controls</b> | No information available.                                                                                                                                                                                                                          |

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                                                |                          |                                          |
|------------------------------------------------|--------------------------|------------------------------------------|
| <b>Physical State</b>                          | Liquid                   |                                          |
| <b>Appearance</b>                              |                          |                                          |
| <b>Odor</b>                                    | No information available |                                          |
| <b>Odor Threshold</b>                          | No data available        |                                          |
| <b>pH</b>                                      | No information available |                                          |
| <b>Melting Point/Range</b>                     | No data available        |                                          |
| <b>Softening Point</b>                         | No data available        |                                          |
| <b>Boiling Point/Range</b>                     | No information available |                                          |
| <b>Flammability (liquid)</b>                   | Highly flammable         | On basis of test data                    |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available        |                                          |
| <b>Flash Point</b>                             | -6 °C / 21.2 °F          | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |                                          |
| <b>Decomposition Temperature</b>               | No data available        |                                          |
| <b>Viscosity</b>                               | No data available        |                                          |
| <b>Water Solubility</b>                        | Immiscible               |                                          |
| <b>Solubility in other solvents</b>            | No information available |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                          |
| <b>Component</b>                               | <b>log Pow</b>           |                                          |
| Tetrahydrofuran                                | 0.45                     |                                          |
| Borinic acid, diethyl-, methyl ester           | >5                       |                                          |
| <b>Vapor Pressure</b>                          | 23 hPa @ 20 °C           |                                          |
| <b>Density / Specific Gravity</b>              | 0.868 g/cm3              | @ 20 °C                                  |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                   |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                              |
| <b>Particle characteristics</b>                | Not applicable (liquid)  |                                          |

### Other information

|                             |                                             |
|-----------------------------|---------------------------------------------|
| <b>Molecular Formula</b>    | C5 H13 BO                                   |
| <b>Molecular Weight</b>     | 99.97                                       |
| <b>Explosive Properties</b> | Vapors may form explosive mixtures with air |

## Section 10 - Stability and Reactivity

|                                         |                                    |
|-----------------------------------------|------------------------------------|
| <b>Reactivity</b>                       | Yes                                |
| <b>Stability</b>                        | Air sensitive. Moisture sensitive. |
| <b>Sensitivity to Mechanical Impact</b> | No information available           |
| <b>Sensitivity to Static Discharge</b>  | No information available           |
| <b>Hazardous Polymerization</b>         | No information available.          |

|                                         |                                                                           |
|-----------------------------------------|---------------------------------------------------------------------------|
| <b>Hazardous Reactions</b>              | None under normal processing.                                             |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition.         |
| <b>Incompatible Materials</b>           | Oxidizing agent.                                                          |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Oxides of boron. |

## Section 11 - Toxicological Information

### Acute Effects

### Information on likely routes of exposure

#### Product Information

|                   |                                                                                                                                                             |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | May produce an allergic reaction.                                                                                                                           |
| <b>Eyes</b>       | Sensitization. Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.                                              |
| <b>Skin</b>       | Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. |
| <b>Ingestion</b>  | May cause allergic reaction. May be harmful if swallowed.                                                                                                   |

### Numerical measures of toxicity

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| <b>(a) acute toxicity;</b> |                                                                  |
| <b>Oral</b>                | Category 4                                                       |
| <b>Dermal</b>              | Based on available data, the classification criteria are not met |
| <b>Inhalation</b>          | Based on available data, the classification criteria are not met |

### Toxicology data for the components

| Component       | LD50 Oral          | LD50 Dermal           | LC50 Inhalation                               |
|-----------------|--------------------|-----------------------|-----------------------------------------------|
| Tetrahydrofuran | 1650 mg/kg ( Rat ) | > 2000 mg/kg (Rabbit) | 180 mg/L ( Rat ) 1 h<br>53.9 mg/L ( Rat ) 4 h |

|                                       |              |
|---------------------------------------|--------------|
| <b>(b) skin corrosion/irritation;</b> | Category 1 B |
|---------------------------------------|--------------|

|                                           |            |
|-------------------------------------------|------------|
| <b>(c) serious eye damage/irritation;</b> | Category 1 |
|-------------------------------------------|------------|

|                                               |                   |
|-----------------------------------------------|-------------------|
| <b>(d) respiratory or skin sensitization;</b> |                   |
| <b>Respiratory</b>                            | No data available |
| <b>Skin</b>                                   | Category 1        |

| Component                             | Test method                                       | Test species | Study result    |
|---------------------------------------|---------------------------------------------------|--------------|-----------------|
| Tetrahydrofuran<br>109-99-9 ( 88.75 ) | Local Lymph Node Assay OECD<br>Test Guideline 429 | mouse        | non-sensitising |

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>Sensitization</b> | May cause sensitization by skin contact |
|----------------------|-----------------------------------------|

|                                    |                   |
|------------------------------------|-------------------|
| <b>(e) germ cell mutagenicity;</b> | No data available |
|------------------------------------|-------------------|

| Component                             | Test method                                             | Test species          | Study result |
|---------------------------------------|---------------------------------------------------------|-----------------------|--------------|
| Tetrahydrofuran<br>109-99-9 ( 88.75 ) | OECD Test Guideline 476<br>Gene cell mutation           | in vivo<br>Mammalian  | negative     |
|                                       | OECD Test Guideline 473<br>Chromosomal aberration assay | in vitro<br>Mammalian | negative     |

|                             |            |
|-----------------------------|------------|
| <b>(f) carcinogenicity;</b> | Category 2 |
|-----------------------------|------------|

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component       | New Zealand          | Australia | New South Wales | Western Australia | IARC     | EU | UK | Germany |
|-----------------|----------------------|-----------|-----------------|-------------------|----------|----|----|---------|
| Tetrahydrofuran | Suspected carcinogen |           |                 |                   | Group 2B |    |    |         |

**(g) reproductive toxicity;**

No data available

| Component                             | Test method             | Test species / Duration | Study result      |
|---------------------------------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran<br>109-99-9 ( 88.75 ) | OECD Test Guideline 416 | Rat 2 Generation        | NOAEL = 3,000 ppm |

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**Respiratory system  
Central nervous system (CNS)**(i) STOT-repeated exposure;**

Category 2

**Route of exposure  
Target Organs**Oral  
Stomach, Liver, spleen, Adrenal gland, Adrenal cortex.**(j) aspiration hazard;**

No data available

**Symptoms / effects, both acute and delayed**

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## Section 12 - Ecological Information

**Ecotoxicity****Aquatic ecotoxicity**

| Component                            | Freshwater Fish                                                                        | Water Flea                                   | Freshwater Algae | Microtox |
|--------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------|------------------|----------|
| Tetrahydrofuran                      | 2160 mg/l LC50 = 96 h<br>Pimephales promelas<br>Leuciscus idus: LC50:<br>2820 mg/L/48h | EC50 48 h 3485 mg/l<br>EC50: >10000 mg/L/24h |                  |          |
| Borinic acid, diethyl-, methyl ester | LC50 > 100 mg/L<br>Cyprinus carpio 96h                                                 | EC50 > 100 mg/L 48H                          |                  |          |

**Terrestrial ecotoxicity**

There is no data for this product

**Persistence and Degradability****Persistence**

Persistence is unlikely.

**Bioaccumulative Potential**

Bioaccumulation is unlikely

| Component                            | log Pow | Bioconcentration factor (BCF) |
|--------------------------------------|---------|-------------------------------|
| Tetrahydrofuran                      | 0.45    | No data available             |
| Borinic acid, diethyl-, methyl ester | >5      | No data available             |

**Mobility**

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. Is not likely



mobile in the environment due its low water solubility.

#### Other adverse effects

#### Endocrine Disruptor Information

| Component       | EU - Endocrine Disruptors<br>Candidate List | EU - Endocrine Disruptors -<br>Evaluated Substances | Japan - Endocrine Disruptor<br>Information |
|-----------------|---------------------------------------------|-----------------------------------------------------|--------------------------------------------|
| Tetrahydrofuran | Group III Chemical                          |                                                     |                                            |

#### Persistent Organic Pollutant

This product does not contain any known or suspected substance

#### Ozone Depletion Potential

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

#### Waste treatment methods

#### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## Section 14 - Transport Information

| Component                             | Hazchem Code |
|---------------------------------------|--------------|
| Tetrahydrofuran<br>109-99-9 ( 88.75 ) | 2YE          |

#### NZS 5433:2020

|                         |                                         |
|-------------------------|-----------------------------------------|
| UN-No                   | UN2924                                  |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s.     |
| Technical Shipping Name | (diethylmethoxyborane, TETRAHYDROFURAN) |
| Hazard Class            | 3                                       |
| Subsidiary Hazard Class | 8                                       |
| Packing Group           | II                                      |

#### IATA

|                         |                                         |
|-------------------------|-----------------------------------------|
| UN-No                   | UN2924                                  |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s.     |
| Technical Shipping Name | (diethylmethoxyborane, TETRAHYDROFURAN) |
| Hazard Class            | 3                                       |
| Subsidiary Hazard Class | 8                                       |
| Packing Group           | II                                      |

#### IMDG/IMO

|                      |                                     |
|----------------------|-------------------------------------|
| UN-No                | UN2924                              |
| Proper Shipping Name | Flammable liquid, corrosive, n.o.s. |

|                                                                          |                                                                                                                         |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Technical Shipping Name                                                  | (diethylmethoxyborane, TETRAHYDROFURAN)                                                                                 |
| Hazard Class                                                             | 3                                                                                                                       |
| Subsidiary Hazard Class                                                  | 8                                                                                                                       |
| Packing Group                                                            | II                                                                                                                      |
| Environmental hazards                                                    | No hazards identified                                                                                                   |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable, packaged goods                                                                                          |
| Special Precautions                                                      | No special precautions required. Please refer to the applicable dangerous goods regulations for additional information. |
| Additional information                                                   | None known                                                                                                              |

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

| Component       | New Zealand          |
|-----------------|----------------------|
| Tetrahydrofuran | Suspected carcinogen |

### International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

#### Authorisation/Restrictions according to EU REACH

| Component                            | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Tetrahydrofuran                      | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |
| Borinic acid, diethyl-, methyl ester | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                            | CAS No    | NZIoC | AICS | EINECS    | ELINCS    | NLP | KECL     | IECSC | TCSI |
|--------------------------------------|-----------|-------|------|-----------|-----------|-----|----------|-------|------|
| Tetrahydrofuran                      | 109-99-9  | X     | X    | 203-726-8 | -         | -   | KE-33454 | X     | X    |
| Borinic acid, diethyl-, methyl ester | 7397-46-8 | -     | -    | -         | 425-380-9 | -   | -        | X     | X    |

| Component                            | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|--------------------------------------|-----------|------|-----------------------------------------------|-----|------|-------|------|------|
| Tetrahydrofuran                      | 109-99-9  | X    | ACTIVE                                        | X   | -    | X     | X    | X    |
| Borinic acid, diethyl-, methyl ester | 7397-46-8 | X    | ACTIVE                                        | -   | X    | -     | X    | -    |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

**This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations**

### Legend

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

---

Chemical incident response training.

|                         |                |
|-------------------------|----------------|
| <b>Revision Date</b>    | 22-Mar-2023    |
| <b>Revision Summary</b> | Not applicable |

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**