

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: **Barium oxide, AR**  
 Product Description: **Barium oxide, AR**  
 Cat No. : W00181  
 Synonyms Barium monoxide; Barium protoxide; calcined baryta.  
 CAS No 1304-28-5  
 Molecular Formula BaO

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company** Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

**E-mail address** Enquiry.my@thermofisher.com

**Emergency Telephone Number** Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                             |                     |
|---------------------------------------------|---------------------|
| Acute oral toxicity                         | Category 3 (H301)   |
| Acute Inhalation Toxicity - Dusts and Mists | Category 4 (H332)   |
| Skin Corrosion/Irritation                   | Category 1 B (H314) |
| Serious Eye Damage/Eye Irritation           | Category 1 (H318)   |

**Label Elements**


Signal Word

Danger

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

## Hazard Statements

H301 - Toxic if swallowed  
H332 - Harmful if inhaled  
H314 - Causes severe skin burns and eye damage

## Precautionary Statements

### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component    | CAS No    | Weight % |
|--------------|-----------|----------|
| Barium oxide | 1304-28-5 | <= 100   |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Self-Protection of the First Aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

## Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

### Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors, Barium oxides.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep out of the reach of children. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

## Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component    | Malaysia | ACGIH TLV                  | OSHA PEL                             |
|--------------|----------|----------------------------|--------------------------------------|
| Barium oxide |          | TWA: 0.5 mg/m <sup>3</sup> | (Vacated) TWA: 0.5 mg/m <sup>3</sup> |

| Component    | European Union                   | The United Kingdom                                                    | Germany                                                                                                                                             |
|--------------|----------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Barium oxide | TWA: 0.5 mg/m <sup>3</sup> (8hr) | STEL: 1.5 mg/m <sup>3</sup> 15 min<br>TWA: 0.5 mg/m <sup>3</sup> 8 hr | TWA: 0.5 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 1<br>TWA: 0.5 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 4 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

|                                 |                       |
|---------------------------------|-----------------------|
| <b>Eye Protection</b>           | Goggles               |
| <b>Hand Protection</b>          | Protective gloves     |
| <b>Skin and body protection</b> | Long sleeved clothing |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

When using do not eat, drink or smoke Remove and wash contaminated clothing and gloves, including the inside, before re-use

### Environmental exposure controls

No information available

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Appearance                              | Grey                     |                                   |
| Physical State                          | Solid                    |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| pH                                      | 12.0                     | Alkaline                          |
| Melting Point/Range                     | 1920 °C / 3488 °F        |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 2000 °C / 3632 °F        | @ 760 mmHg                        |
| Flash Point                             | Not applicable           | Method - No information available |
| Evaporation Rate                        | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Vapor Pressure                          | No information available |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Specific Gravity / Density              | 5.7200                   |                                   |
| Bulk Density                            | No data available        |                                   |
| Water Solubility                        | No information available |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| Viscosity                               | Not applicable           | Solid                             |
| Explosive Properties                    | No information available |                                   |
| Oxidizing Properties                    | No information available |                                   |
| Molecular Formula                       | BaO                      |                                   |
| Molecular Weight                        | 153.34                   |                                   |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

|                          |                               |
|--------------------------|-------------------------------|
| Hazardous Polymerization | No information available.     |
| Hazardous Reactions      | None under normal processing. |

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

## Conditions to Avoid

Exposure to air or moisture over prolonged periods. Excess heat.

## Incompatible Materials

Reducing Agent. Carbon dioxide (CO<sub>2</sub>). Acids. Acid chlorides. Water. Hydrogen sulfide.

## Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Barium oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

|            |                   |
|------------|-------------------|
| Oral       | Category 3        |
| Dermal     | No data available |
| Inhalation | Category 4        |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

##### (d) respiratory or skin sensitization;

|             |                   |
|-------------|-------------------|
| Respiratory | No data available |
| Skin        | No data available |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

|               |                           |
|---------------|---------------------------|
| Target Organs | No information available. |
|---------------|---------------------------|

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

delayed perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

.

Persistence and degradability No information available

Bioaccumulative potential No information available

Mobility in soil No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Do not reuse empty containers Dispose of this container to hazardous or special waste collection point.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and harm aquatic organisms Solutions with high pH-value must be neutralized before discharge

## SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

|                      |              |
|----------------------|--------------|
| UN-No                | UN1884       |
| Hazard Class         | 6.1          |
| Packing Group        | III          |
| Proper Shipping Name | BARIUM OXIDE |

Road and Rail Transport

|                      |              |
|----------------------|--------------|
| UN-No                | UN1884       |
| Hazard Class         | 6.1          |
| Packing Group        | III          |
| Proper Shipping Name | BARIUM OXIDE |

IATA

|       |        |
|-------|--------|
| UN-No | UN1884 |
|-------|--------|

ALFAAW00181

# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

**Hazard Class** 6.1  
**Packing Group** III  
**Proper Shipping Name** BARIUM OXIDE

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component    | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|--------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Barium oxide | 215-127-9 | X    | X   | X     | X    | X    | X     | X    | KE-02072 |

**Note** Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS



# SAFETY DATA SHEET

Barium oxide, AR

Revision Date 01-Apr-2025

---

|                  |                                             |
|------------------|---------------------------------------------|
| Prepared By      | Health, Safety and Environmental Department |
| Revision Date    | 01-Apr-2025                                 |
| Revision Summary | Initial Release.                            |

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**