

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier**

**Product Description:** 2-Amino-3,3-dimethylbutane  
**Cat No. :** A11530  
**CAS No** 3850-30-4  
**Molecular Formula** C6 H15 N

**Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

**Details of the supplier of the safety data sheet**
**Importer**

Fisher Scientific Korea  
 D5,D6, Incheon Airport Logistics Complex  
 150, Gonghangdong-Ro 296 Beon-Gil  
 Jung-Gu, Incheon  
 Tel: +82-1661-9555  
 Fax: +82-2-2023-0603

**Supplier**

Thermo Fisher Scientific Chemicals, Inc.  
 30 Bond Street  
 Ward Hill, MA 01835-8099

**E-mail address** Chem.KR@thermofisher.com

**Emergency Telephone Number**

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970  
 CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887  
 Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

## SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**
**Physical hazards**

Flammable liquids

Category 2

**Health hazards**

Acute Oral Toxicity  
 Acute Dermal Toxicity  
 Acute Inhalation Toxicity - Vapors  
 Skin Corrosion/Irritation  
 Serious Eye Damage/Eye Irritation

Category 4  
 Category 4  
 Category 4  
 Category 1 B  
 Category 1

**Environmental hazards**

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

## Label Elements



Signal Word

**Danger**

## **Hazard Statements**

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

H318 - Causes serious eye damage

## **Precautionary Statements**

### **Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands and face thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

### **Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P312 - Call a POISON CENTER or doctor if you feel unwell

P321 - Specific treatment (see supplemental first aid instructions on this label)

P322 - Specific measures (see supplemental first aid instructions on this label)

P362 + P364 - Take off contaminated clothing and wash it before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P310 - Immediately call a POISON CENTER or doctor

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### **Storage**

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## NFPA

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

Health  
3

Flammability  
3

Instability  
0

Physical hazards  
N/A

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component                   | Common Name              | CAS No    | Index No | Weight % |
|-----------------------------|--------------------------|-----------|----------|----------|
| 2-Butanamine, 3,3-dimethyl- | No information available | 3850-30-4 | KE-34675 | 99 - 100 |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician immediately.

#### Inhalation

Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Water may be ineffective.

### Special hazards arising from the substance or mixture

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

### Hazardous Combustion Products

ALFAAA11530

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride gas.

## **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental precautions**

See Section 12 for additional Ecological Information.

### **Methods and Material for Containment and Cleaning Up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### **Conditions for Safe Storage, Including any Incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### **Specific End Uses**

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

| Component                   | CAS No    | Korea      | ACGIH TLV  | OSHA PEL   |
|-----------------------------|-----------|------------|------------|------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed | Not listed | Not listed |

| Component                   | CAS No    | European Union | The United Kingdom | Germany    |
|-----------------------------|-----------|----------------|--------------------|------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed     | Not listed         | Not listed |

### **ACGIH - Biological Exposure Indices**

| Component                   | CAS No    | ACGIH - Biological Exposure Indices |
|-----------------------------|-----------|-------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed                          |

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

## Exposure Controls

### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

### **Eye Protection**

Goggles

### **Hand Protection**

Protective gloves

### **Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### **Personal protective equipment**

#### **Respiratory Protection**

Use only those certified by the Korea Occupational Safety and Health Administration.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### **Recommended Filter type:**

Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Appearance (Physical State, Color, etc.)** Light yellow Liquid

**Odor**

No information available

**Odor Threshold**

No data available

**pH**

No information available

**Melting Point/Range**

-20 °C / -4 °F

**Softening Point**

No data available

**Boiling Point/Range**

102 - 103 °C / 215.6 - 217.4 °F

**Flash Point**

1 °C / 33.8 °F

**Method -** No information available

**Evaporation Rate**

No data available

**Flammability (solid,gas)**

Not applicable

Liquid

**Explosion Limits**

No data available

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

|                              |                          |             |
|------------------------------|--------------------------|-------------|
| Vapor Pressure               | No data available        |             |
| Vapor Density                | No data available        | (Air = 1.0) |
| Specific Gravity / Density   | 0.755                    |             |
| Bulk Density                 | Not applicable           | Liquid      |
| Water Solubility             | No information available |             |
| Solubility in other solvents | No information available |             |

## Partition Coefficient (n-octanol/water)

| Component                   | CAS No    | log Pow           |
|-----------------------------|-----------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available |

|                           |                          |                                             |
|---------------------------|--------------------------|---------------------------------------------|
| Autoignition Temperature  | No data available        |                                             |
| Decomposition Temperature | No data available        |                                             |
| Viscosity                 | No data available        |                                             |
| Explosive Properties      |                          | Vapors may form explosive mixtures with air |
| Oxidizing Properties      | No information available |                                             |

|                   |          |
|-------------------|----------|
| Molecular Formula | C6 H15 N |
| Molecular Weight  | 101.19   |

## SECTION 10: STABILITY AND REACTIVITY

|                   |                                            |
|-------------------|--------------------------------------------|
| <u>Reactivity</u> | None known, based on information available |
|-------------------|--------------------------------------------|

|                           |                                 |
|---------------------------|---------------------------------|
| <u>Chemical Stability</u> | Stable under normal conditions. |
|---------------------------|---------------------------------|

### Possibility of Hazardous Reactions

|                          |                           |
|--------------------------|---------------------------|
| Hazardous Polymerization | No information available. |
| Hazardous Reactions      | No information available. |

|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| <u>Conditions to Avoid</u> | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. |
|----------------------------|------------------------------------------------------------------------------------------|

|                               |                                                                                                                   |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <u>Incompatible Materials</u> | Acids. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides. Carbon dioxide (CO <sub>2</sub> ). |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------|

|                                         |                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <u>Hazardous Decomposition Products</u> | Nitrogen oxides (NO <sub>x</sub> ). Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrogen chloride gas. |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------|

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

Information on expected route of exposure

ALFAAA11530

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

|                   |                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | Not an expected route of exposure.                                                              |
| <b>Ingestion</b>  | May be harmful if swallowed.                                                                    |
| <b>Eyes</b>       | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |
| <b>Skin</b>       | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Harmful in contact with skin. |

## Information on Health Hazards

### (a) acute toxicity;

|                   |            |
|-------------------|------------|
| <b>Oral</b>       | Category 4 |
| <b>Dermal</b>     | Category 4 |
| <b>Inhalation</b> | Category 4 |

| Component                   | CAS No    | LD50 Oral         | LD50 Dermal       | LC50 Inhalation   |
|-----------------------------|-----------|-------------------|-------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available | No data available |

(b) skin corrosion/irritation; Category 1

(c) serious eye damage/irritation; Category 1

### (d) respiratory or skin sensitization;

|                    |                   |
|--------------------|-------------------|
| <b>Respiratory</b> | No data available |
| <b>Skin</b>        | No data available |

| Component                   | CAS No    | Test method       | Test species      | Study result      |
|-----------------------------|-----------|-------------------|-------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available | No data available |

(e) germ cell mutagenicity; No data available

| Component                   | CAS No    | Test method       | Test species      | Study result      |
|-----------------------------|-----------|-------------------|-------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available | No data available |

(f) carcinogenicity; No data available

| Component                   | CAS No    | Test method       | Test species / Duration | Study result      |
|-----------------------------|-----------|-------------------|-------------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available       | No data available |

There are no known carcinogenic chemicals in this product

| Component                   | CAS No    | IARC       | NTP        | ACGIH      | OSHA       | UK         |
|-----------------------------|-----------|------------|------------|------------|------------|------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

(g) reproductive toxicity; No data available

| Component                   | CAS No    | Test method       | Test species / Duration | Study result      |
|-----------------------------|-----------|-------------------|-------------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available       | No data available |

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

## Other Adverse Effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

| Component                   | CAS No    | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Japan - Endocrine Disruptor Information |
|-----------------------------|-----------|------------------------------------------|--------------------------------------------------|-----------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                           | Not applicable                                   | Not applicable                          |

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Do not empty into drains.

| Component                   | CAS No    | Freshwater Fish   | Water Flea        | Freshwater Algae  | Microtox          |
|-----------------------------|-----------|-------------------|-------------------|-------------------|-------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | No data available | No data available | No data available | No data available |

### Persistence and degradability

No information available

### Bioaccumulative potential

No information available

### Mobility in soil

No information available

### Ozone Depletion Potential

| Component                   | CAS No    | Ozone Depletion Potential |
|-----------------------------|-----------|---------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed                |

### Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

## SECTION 14: TRANSPORT INFORMATION

### Road and Rail Transport

|                         |                                            |
|-------------------------|--------------------------------------------|
| UN-No                   | UN3286                                     |
| Proper Shipping Name    | FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. |
| Technical Shipping Name | 2-Amino-3,3-dimethylbutane                 |
| Hazard Class            | 3                                          |
| Subsidiary Hazard Class | 6.1, 8                                     |
| Packing Group           | II                                         |

### IATA

|       |        |
|-------|--------|
| UN-No | UN3286 |
|-------|--------|

ALFAAA11530



# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

**Proper Shipping Name** FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.  
**Technical Shipping Name** 2-Amino-3,3-dimethylbutane  
**Hazard Class** 3  
**Subsidiary Hazard Class** 6.1, 8  
**Packing Group** II

## IMDG/IMO

**UN-No** UN3286  
**Proper Shipping Name** FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.  
**Technical Shipping Name** 2-Amino-3,3-dimethylbutane  
**Hazard Class** 3  
**Subsidiary Hazard Class** 6.1, 8  
**Packing Group** II  
**Marine Pollutant** No hazards identified

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Legend:** X - Listed '-' - Not Listed

### International Inventories

| Component                   | CAS No    | KECL     | TSCA | EINECS    | IECSC | DSL | NDSL | PICCS | ENCS | ISHL | AICS |
|-----------------------------|-----------|----------|------|-----------|-------|-----|------|-------|------|------|------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | KE-34675 | X    | 223-353-4 | -     | -   | X    | -     | X    | X    | -    |

| Component                   | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

| Component                   | CAS No    | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential |
|-----------------------------|-----------|----------------|------------------------------|---------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable | Not applicable               | Not applicable            |

### Korean National Regulations

| Component                   | CAS No    | Act on Registration and Evaluation of Chemical Substances (K-REACH) | Authorised Chemicals | Existing Substances Subject to Registration |
|-----------------------------|-----------|---------------------------------------------------------------------|----------------------|---------------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Annex 1 - KE-34675                                                  | Not applicable       | Not applicable                              |

| Component                   | CAS No    | Chemical Control Act - Toxic Chemicals | Chemical Control Act - Prohibited Chemicals | Chemical Control Act - Use Restricted Chemicals |
|-----------------------------|-----------|----------------------------------------|---------------------------------------------|-------------------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                         | Not applicable                              | Not applicable                                  |

| Component                   | CAS No    | Chemical Control Act - Accident Precaution Chemicals (% in mixtures) | Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures) | Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures) |
|-----------------------------|-----------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                                                       | Not applicable                                                                                 | Not applicable                                                                                         |

| Component | CAS No | Waste Control Law | Ministry of Environment - CMR risk | Ministry of Environment - Critically Controlled Substance |
|-----------|--------|-------------------|------------------------------------|-----------------------------------------------------------|
|           |        |                   |                                    |                                                           |

ALFAAA11530

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

|                             |           |                |                |                |
|-----------------------------|-----------|----------------|----------------|----------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable | Not applicable | Not applicable |
|-----------------------------|-----------|----------------|----------------|----------------|

| Component                   | CAS No    | ISHA - Harmful Agents Subject to Work Environment Monitoring | ISHA - Prohibited substances | ISHA - Substances requiring permission |
|-----------------------------|-----------|--------------------------------------------------------------|------------------------------|----------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                                               | Not applicable               | Not applicable                         |

| Component                   | CAS No    | ISHA - Substances subject to control | ISHA - Harmful Agents Requiring Health Examination | ISHA - Permissible Exposure Limits |
|-----------------------------|-----------|--------------------------------------|----------------------------------------------------|------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                       | Not applicable                                     | Not applicable                     |

| Component                   | CAS No    | ISHA - Subject to Process Safety Reports (minimum quantity) | ISHA - Threshold Limit Values (TLVs) Chemicals | ISHA - Special management materials |
|-----------------------------|-----------|-------------------------------------------------------------|------------------------------------------------|-------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | 5000 kg                                                     | Not applicable                                 | Not applicable                      |

**National Fire Association - Dangerous Substances** Minimum quantity requiring a permit

| Component                   | CAS No    | Class 1 - Oxidising solids | Class 2 - Flammable solid | Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet | Class 4 - Flammable liquids            | Class 5 - Self-reactive substances | Class 6 - Oxidising liquids |
|-----------------------------|-----------|----------------------------|---------------------------|----------------------------------------------------------------------------------|----------------------------------------|------------------------------------|-----------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable             | Not applicable            | Not applicable                                                                   | 2. Group 1 Petroleum (Insoluble) 200 L | Not applicable                     | Not applicable              |

**NFA Dangerous Substances Classification**

Class 4.2 (Group 1 petroleum, insoluble) - 200 L

## Control Parameters

| Component                   | CAS No    | Korea      | ACGIH - Biological Exposure Indices |
|-----------------------------|-----------|------------|-------------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not listed | Not listed                          |

## US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

| Component                   | CAS No    | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|-----------------------------|-----------|----------------------------------|----------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                   | Not applicable             |

## CERCLA

Not applicable

| Component                   | CAS No    | CERCLA Extremely Hazardous Substances RQs | Hazardous Substances RQs | SARA 313 - Threshold Values % |
|-----------------------------|-----------|-------------------------------------------|--------------------------|-------------------------------|
| 2-Butanamine, 3,3-dimethyl- | 3850-30-4 | Not applicable                            | Not applicable           | Not applicable                |

## GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H225 - Highly flammable liquid and vapor. H314 - Causes severe skin burns and eye damage. H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P280 - Wear eye protection/ face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

POISON CENTER or doctor/physician. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P240 - Ground and bond container and receiving equipment. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

### Prepared By

Health, Safety and Environmental Department

### Creation Date

15-Apr-2015

### Revision Date

09-Jun-2024

### Revision Number

6

### Revision Summary

New emergency telephone response service provider.

## MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# SAFETY DATA SHEET

2-Amino-3,3-dimethylbutane

Revision Date 09-Jun-2024

---

**End of Safety Data Sheet**