

Creation Date 04-Nov-2010

Revision Date 31-May-2024

Revision Number 4

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                      |
|---------------------------|----------------------|
| Product Description:      | <b>Copper powder</b> |
| Cat No. :                 | <b>97842</b>         |
| Synonyms                  | Bronze Powder        |
| Index No                  | 029-024-00-X         |
| CAS No                    | 7440-50-8            |
| Molecular Formula         | Cu                   |
| REACH registration number | -                    |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended Use      | Laboratory chemicals.    |
| Uses advised against | No Information available |

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

## CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Flammable solids

Category 2 (H228)

### Health hazards

Based on available data, the classification criteria are not met

### Environmental hazards

Acute aquatic toxicity

Category 1 (H400)

Chronic aquatic toxicity

Category 2 (H411)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Warning

### **Hazard Statements**

H228 - Flammable solid

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

May form combustible dust concentrations in air

### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use fire-fighting equipment on basis class D for extinction

P391 - Collect spillage

P501 - Dispose of contents/container in accordance with local, regional, national and international regulations.

## 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

May form explosible dust-air mixture if dispersed

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

## 3.1. Substances

| Component | CAS No    | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008                         |
|-----------|-----------|-------------------|----------|---------------------------------------------------------------------------|
| Copper    | 7440-50-8 | EEC No. 231-159-6 | <=100    | Flam. Sol. 2 (H228)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 2 (H411) |

| Component | Specific concentration limits (SCL's) | M-Factor  | Component notes |
|-----------|---------------------------------------|-----------|-----------------|
| Copper    | -                                     | 1 (Acute) | -               |

|                           |   |
|---------------------------|---|
| REACH registration number | - |
|---------------------------|---|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                    |                                                                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| General Advice                     | If symptoms persist, call a physician.                                                                                                           |
| Eye Contact                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| Skin Contact                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| Ingestion                          | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.                                            |
| Inhalation                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|--------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**  
Dry sand, approved class D extinguishers.

**Extinguishing media which must not be used for safety reasons**  
Water may be ineffective.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Dust can form an explosive mixture with air. Fine dust dispersed in air may ignite. Keep product and empty container

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

## Hazardous Combustion Products

Copper oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Avoid dust formation. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Prevent product from entering drains.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Ensure adequate ventilation.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 4.1B

**Switzerland - Storage of hazardous substances**

Storage class - SC 4.1  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom                                                                                                                         | France                                                                                                                           | Belgium                                                              | Spain                                          |
|-----------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------|
| Copper    |                | STEL: 0.6 mg/m <sup>3</sup> 15 min<br>STEL: 2 mg/m <sup>3</sup> 15 min<br>TWA: 1 mg/m <sup>3</sup> 8 hr<br>TWA: 0.2 mg/m <sup>3</sup> 8 hr | TWA / VME: 0.2 mg/m <sup>3</sup> (8 heures).<br>TWA / VME: 1 mg/m <sup>3</sup> (8 heures).<br>STEL / VLCT: 2 mg/m <sup>3</sup> . | TWA: 0.2 mg/m <sup>3</sup> 8 uren<br>TWA: 1 mg/m <sup>3</sup> 8 uren | TWA / VLA-ED: 0.01 mg/m <sup>3</sup> (8 horas) |

| Component | Italy | Germany                                                                           | Portugal                                                               | The Netherlands                   | Finland                                |
|-----------|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------|----------------------------------------|
| Copper    |       | TWA: 0.01 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 0.02 mg/m <sup>3</sup> | TWA: 0.2 mg/m <sup>3</sup> 8 horas<br>TWA: 1 mg/m <sup>3</sup> 8 horas | TWA: 0.1 mg/m <sup>3</sup> 8 uren | TWA: 0.02 mg/m <sup>3</sup> 8 tunteina |

| Component | Austria                                                                                                                                                                      | Denmark                                                                                                                                                      | Switzerland                                                                    | Poland                                 | Norway                                                                                                                                                                                                   |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copper    | MAK-KZGW: 4 mg/m <sup>3</sup> 15 Minuten<br>MAK-KZGW: 0.4 mg/m <sup>3</sup> 15 Minuten<br>MAK-TMW: 1 mg/m <sup>3</sup> 8 Stunden<br>MAK-TMW: 0.1 mg/m <sup>3</sup> 8 Stunden | TWA: 1.0 mg/m <sup>3</sup> 8 timer<br>TWA: 0.1 mg/m <sup>3</sup> 8 timer<br>STEL: 2 mg/m <sup>3</sup> 15 minutter<br>STEL: 0.2 mg/m <sup>3</sup> 15 minutter | STEL: 0.2 mg/m <sup>3</sup> 15 Minuten<br>TWA: 0.1 mg/m <sup>3</sup> 8 Stunden | TWA: 0.2 mg/m <sup>3</sup> 8 godzinach | TWA: 0.1 mg/m <sup>3</sup> 8 timer<br>TWA: 1 mg/m <sup>3</sup> 8 timer<br>STEL: 3 mg/m <sup>3</sup> 15 minutter. value calculated dust<br>STEL: 0.3 mg/m <sup>3</sup> 15 minutter. value calculated fume |

| Component | Bulgaria                   | Croatia                                                                                                                                                   | Ireland                                                                                                                                                                 | Cyprus | Czech Republic                                                                                                                                                       |
|-----------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copper    | TWA: 0.1 mg/m <sup>3</sup> | TWA-GVI: 0.2 mg/m <sup>3</sup> 8 satima. Cu fume<br>TWA-GVI: 1 mg/m <sup>3</sup> 8 satima. Cu dust<br>STEL-KGVI: 2 mg/m <sup>3</sup> 15 minutama. dust Cu | TWA: 0.2 mg/m <sup>3</sup> 8 hr. Cu fume<br>TWA: 1 mg/m <sup>3</sup> 8 hr. Cu dusts and mists<br>STEL: 2 mg/m <sup>3</sup> 15 min<br>STEL: 0.6 mg/m <sup>3</sup> 15 min |        | TWA: 1 mg/m <sup>3</sup> 8 hodinách. dust<br>TWA: 0.1 mg/m <sup>3</sup> 8 hodinách. fume<br>Ceiling: 2 mg/m <sup>3</sup> dust<br>Ceiling: 0.2 mg/m <sup>3</sup> fume |

| Component | Estonia                                                                                                   | Gibraltar | Greece                                                                              | Hungary                                                                                                                             | Iceland                                                                                                                                                                                                                                                             |
|-----------|-----------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copper    | TWA: 1 mg/m <sup>3</sup> 8 tundides. total dust<br>TWA: 0.2 mg/m <sup>3</sup> 8 tundides. respirable dust |           | STEL: 2 mg/m <sup>3</sup><br>TWA: 0.2 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> | STEL: 0.2 mg/m <sup>3</sup> 15 percekben. CK<br>TWA: 0.1 mg/m <sup>3</sup> 8 órában. AK<br>TWA: 0.01 mg/m <sup>3</sup> 8 órában. AK | TWA: 1.0 mg/m <sup>3</sup> 8 klukkustundum. total dust and powder<br>TWA: 0.1 mg/m <sup>3</sup> 8 klukkustundum. Cu respirable fraction, fume<br>Ceiling: 2 mg/m <sup>3</sup> total dust dust and powder<br>Ceiling: 0.2 mg/m <sup>3</sup> Cu respirable dust, fume |

| Component | Latvia                                                  | Lithuania                                                                                               | Luxembourg | Malta | Romania                                                                                                            |
|-----------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------|------------|-------|--------------------------------------------------------------------------------------------------------------------|
| Copper    | STEL: 1 mg/m <sup>3</sup><br>TWA: 0.5 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> inhalable fraction IPRD<br>TWA: 0.2 mg/m <sup>3</sup> respirable fraction IPRD |            |       | TWA: 0.5 mg/m <sup>3</sup> 8 ore<br>STEL: 0.2 mg/m <sup>3</sup> 15 minute<br>STEL: 1.5 mg/m <sup>3</sup> 15 minute |

| Component | Russia                                                      | Slovak Republic                                                           | Slovenia | Sweden                                    | Turkey |
|-----------|-------------------------------------------------------------|---------------------------------------------------------------------------|----------|-------------------------------------------|--------|
| Copper    | TWA: 0.5 mg/m <sup>3</sup> 1234<br>MAC: 1 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> inhalable fraction<br>TWA: 0.2 mg/m <sup>3</sup> |          | TLV: 0.01 mg/m <sup>3</sup> 8 timmar. NGV |        |

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

|  |  |                     |  |  |  |
|--|--|---------------------|--|--|--|
|  |  | respirable fraction |  |  |  |
|--|--|---------------------|--|--|--|

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 99 Metals in air by ICP-AES

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                    | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Copper<br>7440-50-8 ( ≤100 ) |                              | DNEL = 273mg/kg<br>bw/day       |                                | DNEL = 137mg/kg<br>bw/day         |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                    | Fresh water    | Fresh water sediment          | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)        |
|------------------------------|----------------|-------------------------------|--------------------|------------------------------------|---------------------------|
| Copper<br>7440-50-8 ( ≤100 ) | PNEC = 7.8µg/L | PNEC = 87mg/kg<br>sediment dw |                    | PNEC = 230µg/L                     | PNEC = 65mg/kg<br>soil dw |

| Component                    | Marine water   | Marine water sediment          | Marine water Intermittent | Food chain | Air |
|------------------------------|----------------|--------------------------------|---------------------------|------------|-----|
| Copper<br>7440-50-8 ( ≤100 ) | PNEC = 5.2µg/L | PNEC = 676mg/kg<br>sediment dw |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers |                 | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

|     |   |
|-----|---|
| PVC | - |
|-----|---|

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Small scale/Laboratory use** Maintain adequate ventilation

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                                |                          |                                          |
|------------------------------------------------|--------------------------|------------------------------------------|
| <b>Physical State</b>                          | Solid                    |                                          |
| <b>Appearance</b>                              | Red brown                |                                          |
| <b>Odor</b>                                    | No information available |                                          |
| <b>Odor Threshold</b>                          | No data available        |                                          |
| <b>Melting Point/Range</b>                     | 1083 °C / 1981.4 °F      |                                          |
| <b>Softening Point</b>                         | No data available        |                                          |
| <b>Boiling Point/Range</b>                     | 2580 °C / 4676 °F        | @ 760 mmHg                               |
| <b>Flammability (liquid)</b>                   | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | No information available |                                          |
| <b>Explosion Limits</b>                        | No data available        |                                          |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |                                          |
| <b>Decomposition Temperature</b>               | No data available        |                                          |
| <b>pH</b>                                      | No information available |                                          |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Water Solubility</b>                        | Insoluble                |                                          |
| <b>Solubility in other solvents</b>            | No information available |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                          |
| <b>Vapor Pressure</b>                          | 1 mmHg @ 1628 °C         |                                          |
| <b>Density / Specific Gravity</b>              | 8.9200                   |                                          |
| <b>Bulk Density</b>                            | No data available        |                                          |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Particle characteristics</b>                | No data available        |                                          |

### 9.2. Other information

|                          |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| <b>Molecular Formula</b> | Cu                                                                                   |
| <b>Molecular Weight</b>  | 63.54                                                                                |
| <b>Flammable solids</b>  | Burning rate or burning time = > 5 minutes and <= 10 minutes > 2.2 mm/s or < 45 secs |
|                          | Wetted zone passed - No                                                              |
| <b>Evaporation Rate</b>  | Not applicable - Solid                                                               |

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Moisture sensitive. Air sensitive.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Exposure to moist air or water.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Copper oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met  
Data from closely analogous substances

Dermal

Based on available data, the classification criteria are not met  
Data from closely analogous substances

Inhalation

Based on available data, the classification criteria are not met

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation              |
|-----------|-----------|-------------|------------------------------|
| Copper    | -         | -           | LC50 > 5.11 mg/L ( Rat ) 4 h |

#### (b) skin corrosion/irritation;

Based on available data, the classification criteria are not met

#### (c) serious eye damage/irritation;

Based on available data, the classification criteria are not met

#### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

#### (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

#### (f) carcinogenicity;

Based on available data, the classification criteria are not met  
There are no known carcinogenic chemicals in this product



# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish                                                                   | Water Flea                                       | Freshwater Algae                                           |
|-----------|-----------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------------|
| Copper    | Onchorhynchys mykiss:<br>LC50=0.15 mg/L 96h<br>Cuprinus carpio: LC50=0.8 mg/L 96h | EC50: = 0.03 mg/L, 48h Static<br>(Daphnia magna) | 0.0426-0.0535 mg/L EC50 72 h<br>0.031-0.054 mg/L EC50 96 h |

| Component | Microtox | M-Factor  |
|-----------|----------|-----------|
| Copper    |          | 1 (Acute) |

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
**Persistence** Insoluble in water, May persist.  
**Degradability** Not relevant for inorganic substances.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

**12.4. Mobility in soil** Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

### 12.6. Endocrine disrupting

ALFAA97842

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

## properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** Copper  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** III

### ADR

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** Copper  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** III

### IATA

**14.1. UN number** UN3089  
**14.2. UN proper shipping name** Metal powder, flammable, n.o.s.  
**Technical Shipping Name** Copper  
**14.3. Transport hazard class(es)** 4.1  
**14.4. Packing group** III

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

**14.5. Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Copper    | 7440-50-8 | 231-159-6 | -      | -   | X     | X    | KE-08896 | X    | -    |

| Component | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Copper    | 7440-50-8 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

| Component | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Copper    | 7440-50-8 | -                                                                   | Use restricted. See item 75.<br>(see link for restriction details)            | -                                                                                                     |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

| Component | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Copper    | 7440-50-8 | Not applicable                                                                            | Not applicable                                                                           |

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                               |
|-----------|---------------------------------------|-------------------------------------------------------|
| Copper    | WGK2                                  | Class III : 1 mg/m <sup>3</sup> (Massenkonzentration) |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

| Component                    | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Copper<br>7440-50-8 ( ≤100 ) | Prohibited and Restricted Substances                                                                           |                                                                                 |                                                                                             |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

# SAFETY DATA SHEET

Copper powder

Revision Date 31-May-2024

---

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

## Prepared By

Health, Safety and Environmental Department

## Creation Date

04-Nov-2010

## Revision Date

31-May-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**