

## SAFETY DATA SHEET

Creation Date 19-November-2009

Revision Date 24-December-2021

Revision Number 5

### 1. Identification

**Product Name** Potassium methoxide

**Cat No. :** AC240600000; AC240600025; AC240600050; AC240605000

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Manufacturer**  
Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                                                |                       |
|--------------------------------------------------------------------------------|-----------------------|
| Flammable liquids                                                              | Category 2            |
| Acute oral toxicity                                                            | Category 3            |
| Acute dermal toxicity                                                          | Category 3            |
| Acute Inhalation Toxicity                                                      | Category 3            |
| Skin Corrosion/Irritation                                                      | Category 2            |
| Serious Eye Damage/Eye Irritation                                              | Category 2            |
| Reproductive Toxicity                                                          | Category 2            |
| Specific target organ toxicity (single exposure)                               | Category 1 Category 3 |
| Target Organs - Optic nerve, Respiratory system, Central nervous system (CNS). |                       |
| Specific target organ toxicity - (repeated exposure)                           | Category 2            |
| Target Organs - Neurological effects, Eyes, Ears.                              |                       |
| Aspiration Toxicity                                                            | Category 1            |

#### Label Elements

**Signal Word**

Danger

**Hazard Statements**

Highly flammable liquid and vapor  
Toxic if swallowed, in contact with skin or if inhaled  
May be fatal if swallowed and enters airways  
Causes skin irritation  
Causes serious eye irritation  
May cause drowsiness and dizziness  
Suspected of damaging the unborn child  
Causes damage to organs  
May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements****Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use only non-sparking tools  
Take precautionary measures against static discharges  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection

**Response**

IF SWALLOWED: Immediately call a POISON CENTER/doctor  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Call a POISON CENTER/ doctor  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects  
Poison, may be fatal or cause blindness if swallowed

### 3. Composition/Information on Ingredients

| Component                | CAS-No   | Weight % |
|--------------------------|----------|----------|
| Toluene                  | 108-88-3 | 70 - 80  |
| Methanol                 | 67-56-1  | 20-30    |
| Methanol, potassium salt | 865-33-8 | 0.8      |

#### 4. First-aid measures

|                                        |                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                  | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                   |
| <b>Eye Contact</b>                     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                                                                          |
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                         |
| <b>Inhalation</b>                      | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Risk of serious damage to the lungs (by aspiration). |
| <b>Ingestion</b>                       | Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.                                                                                                                                                                                                                                              |
| <b>Most important symptoms/effects</b> | None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting                                                                                                                                                                                                                                    |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                               |

#### 5. Fire-fighting measures

|                                         |                                                                 |
|-----------------------------------------|-----------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Dry chemical. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                        |
| <b>Flash Point</b>                      | 7 °C / 44.6 °F                                                  |
| <b>Method -</b>                         | No information available                                        |
| <b>Autoignition Temperature</b>         | No information available                                        |
| <b>Explosion Limits</b>                 |                                                                 |
| <b>Upper</b>                            | No data available                                               |
| <b>Lower</b>                            | No data available                                               |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                        |
| <b>Sensitivity to Static Discharge</b>  | No information available                                        |

#### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Potassium oxides.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### NFPA

Health  
3Flammability  
4Instability  
0Physical hazards  
N/A

## 6. Accidental release measures

### Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Keep under nitrogen. Incompatible Materials. Strong oxidizing agents. Acids.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component | Alberta                                                                                            | British Columbia                      | Ontario TWAEV                         | Quebec                                                                                             | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH IDLH                                                                                                   |
|-----------|----------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Toluene   | TWA: 50 ppm<br>TWA: 188 mg/m <sup>3</sup><br>Skin                                                  | TWA: 20 ppm                           | TWA: 20 ppm                           | TWA: 50 ppm<br>TWA: 188 mg/m <sup>3</sup><br>Skin                                                  | TWA: 20 ppm                           | (Vacated) TWA: 100 ppm<br>(Vacated) TWA: 375 mg/m <sup>3</sup><br>Ceiling: 300 ppm<br>(Vacated) STEL: 150 ppm<br>(Vacated) STEL: 560 mg/m <sup>3</sup><br>TWA: 200 ppm                   | IDLH: 500 ppm<br>TWA: 100 ppm<br>TWA: 375 mg/m <sup>3</sup><br>STEL: 150 ppm<br>STEL: 560 mg/m <sup>3</sup>  |
| Methanol  | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

|                        |                                                                                                                                                                             |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Protection</b>  | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| <b>Hand Protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.                                                                                                   |

| Glove material | Breakthrough time                 | Glove thickness | Glove comments         |
|----------------|-----------------------------------|-----------------|------------------------|
| Viton (R)      | See manufacturers recommendations | -               | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                               |                                  |
|-----------------------------------------------|----------------------------------|
| <b>Physical State</b>                         | Liquid                           |
| <b>Appearance</b>                             | Colorless                        |
| <b>Odor</b>                                   | No information available         |
| <b>Odor Threshold</b>                         | No information available         |
| <b>pH</b>                                     | Not applicable                   |
| <b>Melting Point/Range</b>                    | No data available                |
| <b>Boiling Point/Range</b>                    | No information available         |
| <b>Flash Point</b>                            | 7 °C / 44.6 °F                   |
| <b>Evaporation Rate</b>                       | No information available         |
| <b>Flammability (solid,gas)</b>               | Not applicable                   |
| <b>Flammability or explosive limits</b>       |                                  |
| Upper                                         | No data available                |
| Lower                                         | No data available                |
| <b>Vapor Pressure</b>                         | No information available         |
| <b>Vapor Density</b>                          | No information available         |
| <b>Specific Gravity</b>                       | 0.850                            |
| <b>Solubility</b>                             | Decomposes in contact with water |
| <b>Partition coefficient; n-octanol/water</b> | No data available                |
| <b>Autoignition Temperature</b>               | No information available         |
| <b>Decomposition Temperature</b>              | No information available         |
| <b>Viscosity</b>                              | No information available         |

Molecular Formula  
Molecular Weight

C H<sub>3</sub> K O  
70.13

## 10. Stability and reactivity

|                                         |                                                                                                                                       |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                                                                                            |
| <b>Stability</b>                        | Moisture sensitive.                                                                                                                   |
| <b>Conditions to Avoid</b>              | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Acids                                                                                                        |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Potassium oxides                                                             |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                                                              |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                                         |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

Oral LD50

Dermal LD50

Vapor LC50

Category 3. ATE = 50 - 300 mg/kg.

Category 4. ATE = 1000 - 2000 mg/kg. Category 3. ATE = 200 - 1000 mg/kg.

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Category 3. ATE = 2 - 10 mg/l.

#### Component Information

| Component | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation               |
|-----------|--------------------------------|-------------------------------|-------------------------------|
| Toluene   | > 5000 mg/kg ( Rat )           | 12000 mg/kg ( Rabbit )        | 26700 ppm ( Rat ) 1 h         |
| Methanol  | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                        |                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------|
| <b>Irritation</b>      | Irritating to eyes, respiratory system and skin Vapors may cause drowsiness and dizziness |
| <b>Sensitization</b>   | No information available                                                                  |
| <b>Carcinogenicity</b> | The table below indicates whether each agency has listed any ingredient as a carcinogen.  |

| Component                | CAS-No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------------|----------|------------|------------|------------|------------|------------|
| Toluene                  | 108-88-3 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Methanol                 | 67-56-1  | Not listed | Not listed | Not listed | Not listed | Not listed |
| Methanol, potassium salt | 865-33-8 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** Component substance is listed on California Proposition 65 as a developmental hazard.

**Teratogenicity** Possible risk of harm to the unborn child.

**STOT - single exposure** Optic nerve Respiratory system Central nervous system (CNS)  
**STOT - repeated exposure** Neurological effects Eyes Ears

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is: Toxic to aquatic organisms. Reacts with water so no ecotoxicity data for the substance is available.

| Component | Freshwater Algae                                                                                                           | Freshwater Fish                                                                                              | Microtox                                                                        | Water Flea                                                                                   |
|-----------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Toluene   | EC50: = 12.5 mg/L, 72h static (Pseudokirchneriella subcapitata)<br>EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata) | 50-70 mg/L LC50 96 h<br>5-7 mg/L LC50 96 h<br>15-19 mg/L LC50 96 h<br>28 mg/L LC50 96 h<br>12 mg/L LC50 96 h | EC50 = 19.7 mg/L 30 min                                                         | EC50: = 11.5 mg/L, 48h (Daphnia magna)<br>EC50: 5.46 - 9.83 mg/L, 48h Static (Daphnia magna) |
| Methanol  | Not listed                                                                                                                 | Pimephales promelas: LC50 > 10000 mg/L 96h                                                                   | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h                                                                        |

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility. Is not likely mobile in the environment.

| Component | log Pow |
|-----------|---------|
| Toluene   | 2.7     |
| Methanol  | -0.74   |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component          | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------|------------------------|------------------------|
| Toluene - 108-88-3 | U220                   | -                      |
| Methanol - 67-56-1 | U154                   | -                      |

## 14. Transport information

### DOT

UN-No UN1992  
 Proper Shipping Name FLAMMABLE LIQUIDS, TOXIC, N.O.S.  
 Hazard Class 3  
 Subsidiary Hazard Class 6.1  
 Packing Group II

### TDG

UN-No UN1992  
 Proper Shipping Name FLAMMABLE LIQUIDS, TOXIC, N.O.S.  
 Hazard Class 3  
 Subsidiary Hazard Class 6.1  
 Packing Group II

### IATA

UN-No UN1992  
 Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.\*

|                                |                                 |
|--------------------------------|---------------------------------|
| <b>Hazard Class</b>            | 3                               |
| <b>Subsidiary Hazard Class</b> | 6.1                             |
| <b>Packing Group</b>           | II                              |
| <b>IMDG/IMO</b>                |                                 |
| <b>UN-No</b>                   | UN1992                          |
| <b>Proper Shipping Name</b>    | Flammable liquid, toxic, n.o.s. |
| <b>Hazard Class</b>            | 3                               |
| <b>Subsidiary Hazard Class</b> | 6.1                             |
| <b>Packing Group</b>           | II                              |

## 15. Regulatory information

### International Inventories

| Component                | CAS-No   | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|--------------------------|----------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| Toluene                  | 108-88-3 | X   | -    | X    | ACTIVE                                        | 203-625-9 | -      | -   |
| Methanol                 | 67-56-1  | X   | -    | X    | ACTIVE                                        | 200-659-6 | -      | -   |
| Methanol, potassium salt | 865-33-8 | X   | -    | X    | ACTIVE                                        | 212-736-1 | -      | -   |

| Component                | CAS-No   | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|--------------------------|----------|-------|----------|------|------|------|------|-------|-------|
| Toluene                  | 108-88-3 | X     | KE-33936 | X    | X    | X    | X    | X     | X     |
| Methanol                 | 67-56-1  | X     | KE-23193 | X    | X    | X    | X    | X     | X     |
| Methanol, potassium salt | 865-33-8 | X     | KE-23195 | X    | X    | X    | X    | X     | X     |

#### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component | Canada - National Pollutant Release Inventory (NPRI)                        | Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances | Canada's Chemicals Management Plan (CEPA) |
|-----------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------|
| Toluene   | Part 1, Group A Substance<br>Part 5, Individual Substances Part 4 Substance |                                                                            |                                           |
| Methanol  | Part 1, Group A Substance<br>Part 5, Individual Substances Part 4 Substance |                                                                            |                                           |

#### Legend

NPRI - National Pollutant Release Inventory

### Other International Regulations

#### Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Toluene   | -                                                                   | Use restricted. See item 48. (see link for restriction details)               | -                                                                                                     |

|                          |   |                                                                    |   |
|--------------------------|---|--------------------------------------------------------------------|---|
|                          |   | Use restricted. See item 75.<br>(see link for restriction details) |   |
| Methanol                 | - | Use restricted. See item 69.<br>(see link for restriction details) | - |
| Methanol, potassium salt | - | Use restricted. See item 75.<br>(see link for restriction details) | - |

<https://echa.europa.eu/substances-restricted-under-reach>

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                | CAS-No   | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------------------|----------|----------|------------------------------|---------------------------|--------------------------------------------|
| Toluene                  | 108-88-3 | Listed   | Not applicable               | Not applicable            | Not applicable                             |
| Methanol                 | 67-56-1  | Listed   | Not applicable               | Not applicable            | Not applicable                             |
| Methanol, potassium salt | 865-33-8 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component                | CAS-No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------|----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Toluene                  | 108-88-3 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Annex I - Y42                      |
| Methanol                 | 67-56-1  | 500 tonne                                                                                 | 5000 tonne                                                                               | Not applicable             | Not applicable                     |
| Methanol, potassium salt | 865-33-8 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

#### Prepared By

Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

#### Creation Date

19-November-2009

#### Revision Date

24-December-2021

#### Print Date

24-December-2021

#### Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**