

## SAFETY DATA SHEET

Creation Date 16-Mar-2010

Revision Date 29-Mar-2024

Revision Number 6

### 1. Identification

**Product Name** Aniline

**Cat No. :** S36942

**CAS No** 62-53-3  
**Synonyms** Aminobenzene; Phenylamine

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                                                      |            |
|----------------------------------------------------------------------|------------|
| Flammable liquids                                                    | Category 4 |
| Acute oral toxicity                                                  | Category 3 |
| Acute dermal toxicity                                                | Category 3 |
| Acute Inhalation Toxicity - Vapors                                   | Category 3 |
| Serious Eye Damage/Eye Irritation                                    | Category 1 |
| Skin Sensitization                                                   | Category 1 |
| Germ Cell Mutagenicity                                               | Category 2 |
| Carcinogenicity                                                      | Category 2 |
| Specific target organ toxicity (single exposure)                     | Category 3 |
| Target Organs - Central nervous system (CNS).                        |            |
| Specific target organ toxicity - (repeated exposure)                 | Category 1 |
| Target Organs - Kidney, Liver, spleen, Blood, Cardiovascular system. |            |

#### Label Elements

**Signal Word**

Danger

**Hazard Statements**

Combustible liquid

May cause an allergic skin reaction

Causes serious eye damage

May cause drowsiness or dizziness

Suspected of causing genetic defects

Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

Toxic if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

**Response**

IF exposed or concerned: Get medical attention/advice

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

**Skin**

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

**Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

**Fire**In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction**Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Very toxic to aquatic life with long lasting effects

WARNING. Cancer - <https://www.p65warnings.ca.gov/>.

### 3. Composition/Information on Ingredients

| Component | CAS No  | Weight % |
|-----------|---------|----------|
| Aniline   | 62-53-3 | >95      |

### 4. First-aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                      |
| <b>Eye Contact</b>                         | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Immediate medical attention is required.                                                                                                                                                                          |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                            |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.         |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                         |
| <b>Most important symptoms and effects</b> | Causes severe eye damage. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                                                                                                                                                                                                                                                  |

### 5. Fire-fighting measures

|                                         |                                                                                                                                         |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                                                                                |
| <b>Flash Point</b>                      | 76 °C / 168.8 °F                                                                                                                        |
| <b>Method -</b>                         | No information available                                                                                                                |
| <b>Autoignition Temperature</b>         | 540 °C / 1004 °F                                                                                                                        |
| <b>Explosion Limits</b>                 |                                                                                                                                         |
| <b>Upper</b>                            | 11 vol %                                                                                                                                |
| <b>Lower</b>                            | 1.3 vol %                                                                                                                               |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                                                |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                                                |

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. Combustible material. Do not allow run-off from fire-fighting to enter drains or water courses.

#### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA**

**Health**  
3

**Flammability**  
2

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

|                                             |                                                                                                                                                                                                                                                      |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b>            | Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.          |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.                                                                                                                             |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Storage.</b> | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from sunlight. Incompatible Materials. Acids. Alkali metals. Oxidizing agent.                                                                                                         |

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component | ACGIH TLV          | OSHA PEL                                                                                                      | NIOSH         | Mexico OEL (TWA) |
|-----------|--------------------|---------------------------------------------------------------------------------------------------------------|---------------|------------------|
| Aniline   | TWA: 2 ppm<br>Skin | (Vacated) TWA: 2 ppm<br>(Vacated) TWA: 8 mg/m <sup>3</sup><br>Skin<br>TWA: 5 ppm<br>TWA: 19 mg/m <sup>3</sup> | IDLH: 100 ppm | TWA: 2 ppm       |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

|                             |                                                                                                                                                                                        |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Engineering Measures</b> | Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Personal Protective Equipment**

|                                 |                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye/face Protection</b>      | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| <b>Skin and body protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.                                                                                                   |
| <b>Respiratory Protection</b>   | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if            |

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143. or. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|                                               |                                          |
|-----------------------------------------------|------------------------------------------|
| <b>Physical State</b>                         | Liquid                                   |
| <b>Appearance</b>                             | Light yellow                             |
| <b>Odor</b>                                   | aromatic Amine compounds                 |
| <b>Odor Threshold</b>                         | No information available                 |
| <b>pH</b>                                     | 8.8 36 g/L aq.sol                        |
| <b>Melting Point/Range</b>                    | -6.2 °C / 20.8 °F                        |
| <b>Boiling Point/Range</b>                    | 181 - 185 °C / 357.8 - 365 °F @ 760 mmHg |
| <b>Flash Point</b>                            | 76 °C / 168.8 °F                         |
| <b>Evaporation Rate</b>                       | 1 (Butyl acetate = 1.0)                  |
| <b>Flammability (solid,gas)</b>               | Not applicable                           |
| <b>Flammability or explosive limits</b>       |                                          |
| <b>Upper</b>                                  | 11 vol %                                 |
| <b>Lower</b>                                  | 1.3 vol %                                |
| <b>Vapor Pressure</b>                         | 0.5 mmHg @ 20 °C                         |
| <b>Vapor Density</b>                          | 3.3 (Air = 1.0)                          |
| <b>Specific Gravity</b>                       | 1.021                                    |
| <b>Solubility</b>                             | Soluble in water                         |
| <b>Partition coefficient; n-octanol/water</b> | No data available                        |
| <b>Autoignition Temperature</b>               | 540 °C / 1004 °F                         |
| <b>Decomposition Temperature</b>              | 190 °C                                   |
| <b>Viscosity</b>                              | 4.4 mPa.s at 20 °C                       |
| <b>Molecular Formula</b>                      | C6 H7 N                                  |
| <b>Molecular Weight</b>                       | 93.13                                    |

## 10. Stability and reactivity

|                                         |                                                                                                                                      |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                                                                                           |
| <b>Stability</b>                        | Stable under normal conditions. Light sensitive.                                                                                     |
| <b>Conditions to Avoid</b>              | Incompatible products. Heat, flames and sparks. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | Acids, Alkali metals, Oxidizing agent                                                                                                |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Nitrogen oxides (NO <sub>x</sub> )                                          |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                                                             |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                                        |

## 11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

| Component | LD50 Oral                | LD50 Dermal              | LC50 Inhalation                             |
|-----------|--------------------------|--------------------------|---------------------------------------------|
| Aniline   | LD50 = 440 mg/kg ( Rat ) | LD50 = 442 mg/kg ( Rat ) | 1 mg/L ( Rat ) 4 h<br>1.82 mg/L ( Rat ) 4 h |

**Toxicologically Synergistic Products** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

|                        |                                            |
|------------------------|--------------------------------------------|
| <b>Irritation</b>      | Severe eye irritant                        |
| <b>Sensitization</b>   | May cause sensitization by skin contact    |
| <b>Carcinogenicity</b> | Limited evidence of a carcinogenic effect. |

| Component | CAS No  | IARC     | NTP        | ACGIH | OSHA | Mexico |
|-----------|---------|----------|------------|-------|------|--------|
| Aniline   | 62-53-3 | Group 2A | Not listed | A3    | X    | A3     |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen  
 A2 - Suspected Human Carcinogen  
 A3 - Animal Carcinogen  
 ACGIH: (American Conference of Governmental Industrial Hygienists)  
 Mexico - Occupational Exposure Limits - Carcinogens  
 A1 - Confirmed Human Carcinogen  
 A2 - Suspected Human Carcinogen  
 A3 - Confirmed Animal Carcinogen  
 A4 - Not Classifiable as a Human Carcinogen  
 A5 - Not Suspected as a Human Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

|                                                   |                                                                                                                                                                                                                                                                               |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mutagenic Effects</b>                          | Category 2                                                                                                                                                                                                                                                                    |
| <b>Reproductive Effects</b>                       | No information available.                                                                                                                                                                                                                                                     |
| <b>Developmental Effects</b>                      | No information available.                                                                                                                                                                                                                                                     |
| <b>Teratogenicity</b>                             | No information available.                                                                                                                                                                                                                                                     |
| <b>STOT - single exposure</b>                     | Central nervous system (CNS)                                                                                                                                                                                                                                                  |
| <b>STOT - repeated exposure</b>                   | Kidney Liver spleen Blood Cardiovascular system                                                                                                                                                                                                                               |
| <b>Aspiration hazard</b>                          | No information available                                                                                                                                                                                                                                                      |
| <b>Symptoms / effects, both acute and delayed</b> | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:<br>Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Endocrine Disruptor Information</b>            | No information available                                                                                                                                                                                                                                                      |
| <b>Other Adverse Effects</b>                      | The toxicological properties have not been fully investigated.                                                                                                                                                                                                                |

## 12. Ecological information

**Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component | Freshwater Algae | Freshwater Fish                            | Microtox                                        | Water Flea           |
|-----------|------------------|--------------------------------------------|-------------------------------------------------|----------------------|
| Aniline   | Not listed       | Oncorhynchus mykiss: LC50 = 10.96 mg/L 96h | EC50 = 425 mg/L 5 min<br>EC50 = 488 mg/L 15 min | EC50 = 0.16 mg/L 48h |

|                                      |                                                                       |
|--------------------------------------|-----------------------------------------------------------------------|
| <b>Persistence and Degradability</b> | Persistence is unlikely                                               |
| <b>Bioaccumulation/ Accumulation</b> | No information available.                                             |
| <b>Mobility</b>                      | Will likely be mobile in the environment due to its water solubility. |

| Component | log Pow |
|-----------|---------|
| Aniline   | 0.91    |

## 13. Disposal considerations

|                               |                                                                                                                                                                            |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste Disposal Methods</b> | Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

national hazardous waste regulations to ensure complete and accurate classification.

| Component         | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-------------------|------------------------|------------------------|
| Aniline - 62-53-3 | U012                   | -                      |

## 14. Transport information

### DOT

UN-No UN1547  
 Proper Shipping Name ANILINE  
 Hazard Class 6.1  
 Packing Group II

### TDG

UN-No UN1547  
 Proper Shipping Name ANILINE  
 Hazard Class 6.1  
 Packing Group II

### IATA

UN-No UN1547  
 Proper Shipping Name Aniline  
 Hazard Class 6.1  
 Packing Group II

### IMDG/IMO

UN-No UN1547  
 Proper Shipping Name Aniline  
 Hazard Class 6.1  
 Packing Group II

## 15. Regulatory information

### United States of America Inventory

| Component | CAS No  | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-----------|---------|------|-----------------------------------------------|-----------------------------|
| Aniline   | 62-53-3 | X    | ACTIVE                                        | -                           |

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)**

Not applicable

**TSCA 12(b)** - Notices of Export

Not applicable

### International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No  | DSL | NDL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-----------|---------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Aniline   | 62-53-3 | X   | -   | 200-539-3 | X     | X    | X    | X    | X     | KE-01180 |

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No  | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|-----------|---------|----------|-------------------------------|---------------------------------|
| Aniline   | 62-53-3 | >95      | 0.1 %                         | -                               |

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-----------|----------------------------|-----------------------------|------------------------|---------------------------|
| Aniline   | X                          | 5000 lb                     | -                      | -                         |

**Clean Air Act**

| Component | HAPS Data | Class 1 Ozone Depleters | Class 2 Ozone Depleters |
|-----------|-----------|-------------------------|-------------------------|
| Aniline   | X         |                         | -                       |

**OSHA** - Occupational Safety and Health Administration Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-----------|--------------------------|-------------------------------------------|-------------------------------|
| Aniline   | 5000 lb                  | 5000 lb                                   | 5000 lb<br>2270 kg            |

**California Proposition 65** This product contains the following Proposition 65 chemicals.

| Component | CAS No  | California Prop. 65 | Prop 65 NSRL | Category   |
|-----------|---------|---------------------|--------------|------------|
| Aniline   | 62-53-3 | Carcinogen          | 100 µg/day   | Carcinogen |

**U.S. State Right-to-Know Regulations**

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
| Aniline   | X             | X          | X            | X        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
DOT Marine Pollutant Y  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security** This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** Moderate risk, Grade 2

**Authorisation/Restrictions according to EU REACH**

| Component | CAS No  | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High |
|-----------|---------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Aniline   | 62-53-3 |                                                                     |                                                                               |                                                                                        |



|         |         |   |                                                                    | Concern (SVHC) |
|---------|---------|---|--------------------------------------------------------------------|----------------|
| Aniline | 62-53-3 | - | Use restricted. See item 75.<br>(see link for restriction details) | -              |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No  | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------|---------|----------|------------------------------|---------------------------|--------------------------------------------|
| Aniline   | 62-53-3 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

## Contains component(s) that meet a 'definition' of per &amp; poly fluoroalkyl substance (PFAS)?

Not applicable

## Other International Regulations

| Component | CAS No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Aniline   | 62-53-3 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

## Prepared By

Health, Safety and Environmental Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

## Creation Date

16-Mar-2010

## Revision Date

29-Mar-2024

## Print Date

29-Mar-2024

## Revision Summary

New emergency telephone response service provider.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**