

FSUP4680

## Potassium dichromate

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

|                                             |                                                                                                                                                                                                                                                               |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>产品说明:</b><br><b>Product Description:</b> | <b>重铬酸钾</b><br><b>Potassium dichromate</b>                                                                                                                                                                                                                    |
| <b>Cat No. :</b>                            | <b>P/4680/65, P/4680/60, P/4680/53, P/4680/50</b>                                                                                                                                                                                                             |
| <b>Synonyms</b>                             | Potassium bichromate.; Dipotassium dichromate; Dichromic acid, dipotassium salt                                                                                                                                                                               |
| <b>CAS No</b>                               | 7778-50-9                                                                                                                                                                                                                                                     |
| <b>Molecular Formula</b>                    | Cr <sub>2</sub> K <sub>2</sub> O <sub>7</sub>                                                                                                                                                                                                                 |
| <b>Supplier</b>                             | <b>UK entity/business name</b><br>Fisher Scientific UK<br>Bishop Meadow Road, Loughborough,<br>Leicestershire LE11 5RG, United Kingdom<br><br><b>EU entity/business name</b><br>Thermo Fisher Scientific<br>Janssen Pharmaceuticaaan 3a<br>2440 Geel, Belgium |
| <b>Emergency Telephone Number</b>           | Tel: 01509 231166<br>Chemtrec US: (800) 424-9300<br>Chemtrec EU: 001-703-527-3887                                                                                                                                                                             |
| <b>E-mail address</b>                       | begel.sdsdesk@thermofisher.com                                                                                                                                                                                                                                |
| <b>Recommended Use</b>                      | Laboratory chemicals.                                                                                                                                                                                                                                         |
| <b>Uses advised against</b>                 | No Information available                                                                                                                                                                                                                                      |

### SECTION 2. HAZARD IDENTIFICATION

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                             |                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------|
| <b>Physical State</b><br>Solid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Appearance</b><br>Orange | <b>Odor</b><br>Odorless |
| <b>Emergency Overview</b><br>May intensify fire; oxidizer. Toxic if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. Fatal if inhaled. Harmful in contact with skin. |                             |                         |

#### Classification of the substance or mixture

|                                             |              |
|---------------------------------------------|--------------|
| Oxidizing solids                            | Category 2   |
| Acute Oral Toxicity                         | Category 3   |
| Acute Dermal Toxicity                       | Category 4   |
| Acute Inhalation Toxicity - Dusts and Mists | Category 2   |
| Skin Corrosion/Irritation                   | Category 1 B |
| Serious Eye Damage/Eye Irritation           | Category 1   |
| Respiratory Sensitization                   | Category 1   |
| Skin Sensitization                          | Category 1   |
| Germ Cell Mutagenicity                      | Category 1B  |
| Carcinogenicity                             | Category 1A  |

**SAFETY DATA SHEET****Potassium dichromate**

|                                                      |             |
|------------------------------------------------------|-------------|
| Reproductive Toxicity                                | Category 1B |
| Specific target organ toxicity - (single exposure)   | Category 3  |
| Specific target organ toxicity - (repeated exposure) | Category 1  |
| Acute aquatic toxicity                               | Category 1  |
| Chronic aquatic toxicity                             | Category 1  |

**Label Elements****Signal Word****Danger****Hazard Statements**

H272 - May intensify fire; oxidizer  
 H301 - Toxic if swallowed  
 H312 - Harmful in contact with skin  
 H330 - Fatal if inhaled  
 H314 - Causes severe skin burns and eye damage  
 H317 - May cause an allergic skin reaction  
 H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
 H340 - May cause genetic defects  
 H350 - May cause cancer  
 H335 - May cause respiratory irritation  
 H372 - Causes damage to organs through prolonged or repeated exposure  
 H410 - Very toxic to aquatic life with long lasting effects  
 H360 - May damage fertility or the unborn child

**Precautionary Statements****Prevention**

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
 P220 - Keep away from clothing and other combustible materials  
 P221 - Take any precaution to avoid mixing with combustibles  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P262 - Do not get in eyes, on skin, or on clothing  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P271 - Use only outdoors or in a well-ventilated area  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P280 - Wear protective gloves  
 P284 - In case of inadequate ventilation wear respiratory protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor  
 P330 - Rinse mouth  
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P331 - Do NOT induce vomiting  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
 P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards**

Oxidizing. Contact with combustible material may cause fire.

**Health Hazards**

Toxic if swallowed. Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure. Fatal if inhaled. Harmful in contact with skin.

**Environmental hazards**

Very toxic to aquatic life with long lasting effects. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Toxicity to Soil Dwelling Organisms. Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component            | CAS No    | Weight % |
|----------------------|-----------|----------|
| Potassium dichromate | 7778-50-9 | >95      |

**SECTION 4. FIRST AID MEASURES****General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Most important symptoms and effects**

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Self-Protection of the First Aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

**Notes to Physician**

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

**Methods for Containment and Clean Up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation. Keep away from clothing and other combustible materials.

**Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

| Component            | China | Taiwan                      | Thailand | Hong Kong                   |
|----------------------|-------|-----------------------------|----------|-----------------------------|
| Potassium dichromate | -     | TWA: 0.05 mg/m <sup>3</sup> |          | TWA: 0.05 mg/m <sup>3</sup> |

| Component            | ACGIH TLV                                                               | OSHA PEL                                                                   | NIOSH                                                       | The United Kingdom                                                                                                                                                                 | European Union |
|----------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Potassium dichromate | TWA: 0.0002 mg/m <sup>3</sup><br>STEL: 0.0005 mg/m <sup>3</sup><br>Skin | (Vacated) Ceiling: 0.1 mg/m <sup>3</sup><br>Ceiling: 0.1 mg/m <sup>3</sup> | IDLH: 15 mg/m <sup>3</sup><br>TWA: 0.0002 mg/m <sup>3</sup> | STEL: 0.03 mg/m <sup>3</sup> 15 min<br>STEL: 0.065 mg/m <sup>3</sup> 15 min<br>TWA: 0.01 mg/m <sup>3</sup> 8 hr<br>TWA: 0.025 mg/m <sup>3</sup> 8 hr<br>Carc. as Cr<br>Resp. Sens. |                |

## Potassium dichromate

Legend

ACGIH - American Conference of Governmental Industrial Hygienists  
OSHA - Occupational Safety and Health Administration  
NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS12/2 Chromium and inorganic compounds of chromium in air Laboratory method using flame atomic absorption spectrometry

**Exposure Controls****Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

**Personal protective equipment**

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material                                      | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|-----------------------------------------------------|-----------------------------------|-----------------|-------------|-----------------------|
| Natural rubber<br>Nitrile rubber<br>Neoprene<br>PVC | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## SAFETY DATA SHEET

## Potassium dichromate

|                                                |                          |                                          |
|------------------------------------------------|--------------------------|------------------------------------------|
| <b>Appearance</b>                              | Orange                   |                                          |
| <b>Physical State</b>                          | Solid                    |                                          |
| <b>Odor</b>                                    | Odorless                 |                                          |
| <b>Odor Threshold</b>                          | No data available        |                                          |
| <b>pH</b>                                      | 4                        | (5 %)                                    |
| <b>Melting Point/Range</b>                     | 398 °C / 748.4 °F        |                                          |
| <b>Softening Point</b>                         | No data available        |                                          |
| <b>Boiling Point/Range</b>                     | 500 °C / 932 °F          |                                          |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | No information available |                                          |
| <b>Explosion Limits</b>                        | No data available        |                                          |
| <b>Vapor Pressure</b>                          | No information available |                                          |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Specific Gravity / Density</b>              | 2.676                    |                                          |
| <b>Bulk Density</b>                            | No data available        |                                          |
| <b>Water Solubility</b>                        | Soluble                  |                                          |
| <b>Solubility in other solvents</b>            | No information available |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                          |
| <b>Autoignition Temperature</b>                | No data available        |                                          |
| <b>Decomposition Temperature</b>               | > 500°C                  |                                          |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Explosive Properties</b>                    | No information available |                                          |
| <b>Oxidizing Properties</b>                    | Oxidizer                 |                                          |
| <b>Molecular Formula</b>                       | Cr2 K2 O7                |                                          |
| <b>Molecular Weight</b>                        | 294.19                   |                                          |

## SECTION 10. STABILITY AND REACTIVITY

|                                 |                                                                                                                              |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Stability</b>                | Oxidizer: Contact with combustible/organic material may cause fire.                                                          |
| <b>Hazardous Reactions</b>      | None under normal processing.                                                                                                |
| <b>Hazardous Polymerization</b> | Hazardous polymerization does not occur.                                                                                     |
| <b>Conditions to Avoid</b>      | Incompatible products. Excess heat. Combustible material. Avoid dust formation.                                              |
| <b>Materials to avoid</b>       | Strong oxidizing agents. Reducing Agent. Acids. Strong bases. Acid anhydrides. Strong reducing agents. Combustible material. |

**Hazardous Decomposition Products** Chromium oxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Product Information

## (a) acute toxicity;

| Component            | LD50 Oral         | LD50 Dermal           | LC50 Inhalation    |
|----------------------|-------------------|-----------------------|--------------------|
| Potassium dichromate | 130 mg/kg ( Rat ) | 1150 mg/kg ( Rabbit ) | 0.09 mg/L/4h (Rat) |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**SAFETY DATA SHEET****Potassium dichromate****Respiratory  
Skin**Category 1  
Category 1

May cause sensitization by skin contact

**(e) germ cell mutagenicity;**

Category 1B

May cause heritable genetic damage

**(f) carcinogenicity;**

Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component            | EU           | UK | Germany | IARC    |
|----------------------|--------------|----|---------|---------|
| Potassium dichromate | Carc Cat. 1B |    |         | Group 1 |

**(g) reproductive toxicity;  
Reproductive Effects  
Developmental Effects  
Teratogenicity**

Category 1B

May impair fertility.

Component substance is listed on California Proposition 65 as a developmental hazard.

May cause harm to the unborn child.

**(h) STOT-single exposure;**

No data available

**(i) STOT-repeated exposure;**

Category 1

**Target Organs**

Eyes, Skin, Respiratory system, Reproductive System, Liver, Kidney, Blood.

**(j) aspiration hazard;**Not applicable  
Solid**Symptoms / effects, both acute and delayed**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity effects**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

| Component            | Freshwater Fish                                                                                                                                                                                                                                                                                                                                                                                        | Water Flea         | Freshwater Algae | Microtox |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------|----------|
| Potassium dichromate | LC50: 14 - 20.9 mg/L, 96h static (Pimephales promelas)<br>LC50: 24.81 - 34.55 mg/L, 96h semi-static (Poecilia reticulata)<br>LC50: 23 - 41.2 mg/L, 96h static (Poecilia reticulata)<br>LC50: 15.41 - 30.36 mg/L, 96h flow-through (Pimephales promelas)<br>LC50: > 139 mg/L, 96h static (Cyprinus carpio)<br>LC50: 113.6 - 155.7 mg/L, 96h flow-through (Lepomis macrochirus)<br>LC50: = 320 mg/L, 96h | EC50: 1.4 mg/L 24h |                  |          |

## SAFETY DATA SHEET

## Potassium dichromate

|  |                                                                                                                                                                                                                                   |  |  |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
|  | (Lepomis macrochirus)<br>LC50: 65.6 - 137.6<br>mg/L, 96h static<br>(Lepomis macrochirus)<br>LC50: = 12.3 mg/L, 96h<br>semi-static<br>(Oncorhynchus mykiss)<br>LC50: 21.209 - 30.046<br>mg/L, 96h semi-static<br>(Oryzias latipes) |  |  |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|

## Persistence and Degradability

Persistence  
Degradability  
Degradation in sewage  
treatment plant

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
May persist, based on information available.  
Not relevant for inorganic substances.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative Potential

May have some potential to bioaccumulate

## Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information  
Persistent Organic Pollutant  
Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors  
This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13. DISPOSAL CONSIDERATIONS

## Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with federal, state and local regulations. Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

## Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with local regulations. Dispose of this container to hazardous or special waste collection point.

## Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## SECTION 14. TRANSPORT INFORMATION

## Road and Rail Transport

UN-No  
Proper Shipping Name  
Technical Shipping Name  
Hazard Class  
Subsidiary Hazard Class  
Packing Group

UN3087  
Oxidizing solid, toxic, n.o.s.  
Potassium dichromate  
5.1  
6.1  
II

## IMDG/IMO

UN-No  
Proper Shipping Name  
Technical Shipping Name

UN3087  
Oxidizing solid, toxic, n.o.s.  
Potassium dichromate



## SAFETY DATA SHEET

## Potassium dichromate

Hazard Class 5.1  
Subsidiary Hazard Class 6.1  
Packing Group II

IATA

UN-No UN3087  
Proper Shipping Name Oxidizing solid, toxic, n.o.s.  
Technical Shipping Name Potassium dichromate  
Hazard Class 5.1  
Subsidiary Hazard Class 6.1  
Packing Group II

Special Precautions for User No special precautions required

## SECTION 15. REGULATORY INFORMATION

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component            | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|----------------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Potassium dichromate | X                                                   | -                                       | X    | X     | 231-906-6 | X    | X   | X     | X    | X    | X    | KE-29094 |

## National Regulations

| Component                                 | Toxic Chemical Substances Control Act |
|-------------------------------------------|---------------------------------------|
| Potassium dichromate<br>7778-50-9 ( >95 ) | Class II (1 wt%)<br>TRQ = 500 kg      |

## SECTION 16. OTHER INFORMATION

Creation Date 08-Jul-2009  
Revision Date 04-Apr-2024  
Revision Summary Not applicable.

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

## Potassium dichromate

**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**DNEL** - Derived No Effect Level  
**RPE** - Respiratory Protective Equipment  
**LC50** - Lethal Concentration 50%  
**NOEC** - No Observed Effect Concentration  
**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**PNEC** - Predicted No Effect Concentration  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**