

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g
Cat No. : 36769

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

EUH210 - Safety data sheet available on request

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
White mineral oil, petroleum	8042-47-5	EEC No. 232-455-8	98.11	-
Zinc	7440-66-6	231-175-3	0.09	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Pyr. Sol. 1 (H250) Water-react. 1 (H260)
Vanadium	7440-62-2	EEC No. 231-171-1	0.09	-
Titanium	7440-32-6	EEC No. 231-142-3	0.09	-
Tin	7440-31-5	EEC No. 231-141-8	0.09	-
Sodium	7440-23-5	EEC No. 231-132-9	0.09	Water-react. 1 (H260) Skin Corr. 1B (H314) Eye Dam. 1 (H318) EUH014
Silver	7440-22-4	EEC No. 231-131-3	0.09	-
Silicon	7440-21-3	EEC No. 231-130-8	0.09	-
Phosphorus elemental	7723-14-0	EEC No. 231-768-7	0.09	Flam. Sol. 1 (H228) Aquatic Chronic 3 (H412)
Nickel	7440-02-0	EEC No. 231-111-4	0.09	Skin Sens. 1 (H317) Carc. 2 (H351) STOT RE 1 (H372)
Molybdenum	7439-98-7	EEC No. 231-107-2	0.09	Flam. Sol. 2 (H228)
Manganese	7439-96-5	EEC No. 231-105-1	0.09	Flam. Sol. 2 (H228)
Magnesium	7439-95-4	EEC No. 231-104-6	0.09	Flam. Sol. 1 (H228) Water-react. 2 (H261) Self-heat. 2 (H252)
Lead	7439-92-1	EEC No. 231-100-4	0.09	Acute Tox. 4 (H332) Acute Tox. 4 (H302) Repr. 1A (H360Df) STOT RE 2 (H373)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

				Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Iron	7439-89-6	EEC No. 231-096-4	0.09	-
Copper	7440-50-8	EEC No. 231-159-6	0.09	Flam. Sol. 2 (H228) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
Chromium	7440-47-3	EEC No. 231-157-5	0.09	-
Calcium	7440-70-2	EEC No. 231-179-5	0.09	Water-react. 2 (H261)
Cadmium	7440-43-9	EEC No. 231-152-8	0.09	Acute Tox. 2 (H330) Muta. 2 (H341) Carc. 1B (H350) Repr. 2 (H361fd) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Boron	7440-42-8	EEC No. 231-151-2	0.09	-
Barium	7440-39-3	EEC No. 231-149-1	0.09	Flam. Sol. 2 (H228) Water-react. 1 (H260) Acute Tox. 3 (H301) Skin Corr. 1B (H314) Eye Dam. 1 (H318)
Aluminum	7429-90-5	EEC No. 231-072-3	0.09	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Zinc	-	1	-
Lead	Repr. 1A : C ≥ 0.03 % STOT RE 1 : C ≥ 0.5 %	1 (acute) 10 (Chronic)	-
Cadmium	-	10	-

Note

Elements and concentrations in ug/ml are as follows:

Ag 900, Al 900, B 900, Ba 900, Ca 900, Cd 900, Cr 900, Cu 900, Fe 900, Mg 900, Mn 900, Mo 900, Na 900, Ni 900, P 900, Pb 900, Si 900, Sn 900, Ti 900, V 900, Zn 900

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Metal oxides, Heavy metal oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Storage Class (LGK) (Germany)

Switzerland - Storage of hazardous substances

Storage class - SC 10/12

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Tin		STEL: 4 mg/m ³ 15 min TWA: 2 mg/m ³ 8 hr		TWA: 2 mg/m ³ 8 uren Huid	TWA / VLA-ED: 2 mg/m ³ (8 horas)
Silver	TWA: 0.1 mg/m ³ (8h)	STEL: 0.3 mg/m ³ 15 min TWA: 0.1 mg/m ³ 8 hr	TWA / VME: 0.1 mg/m ³ (8 heures). indicative limit	TWA: 0.1 mg/m ³ 8 uren	TWA / VLA-ED: 0.1 mg/m ³ (8 horas)
Silicon		STEL: 30 ppm 15 min STEL: 12 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr TWA: 4 mg/m ³ 8 hr	TWA / VME: 10 mg/m ³ (8 heures).	TWA: 10 mg/m ³ 8 uren	
Phosphorus elemental				TWA: 0.02 ppm 8 uren TWA: 0.1 mg/m ³ 8 uren	
Nickel		STEL: 1.5 mg/m ³ 15 min TWA: 0.5 mg/m ³ 8 hr Skin	TWA / VME: 1 mg/m ³ (8 heures). TWA / VME: 1 mg/m ³ (8 heures). metal gratings	TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 1 mg/m ³ (8 horas)
Molybdenum		STEL: 20 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr			TWA / VLA-ED: 10 mg/m ³ (8 horas) TWA / VLA-ED: 3 mg/m ³ (8 horas)
Manganese	TWA: 0.2 mg/m ³ (8h) TWA: 0.05 mg/m ³ (8h)	STEL: 0.6 mg/m ³ 15 min STEL: 0.15 mg/m ³ 15 min TWA: 0.2 mg/m ³ 8 hr TWA: 0.05 mg/m ³ 8 hr	TWA / VME: 1 mg/m ³ (8 heures).	TWA: 0.05 mg/m ³ 8 uren	TWA / VLA-ED: 0.2 mg/m ³ (8 horas) TWA / VLA-ED: 0.05 mg/m ³ (8 horas)
Lead	TWA: 0.15 mg/m ³ (8h)	STEL: 0.45 mg/m ³ 15 min TWA: 0.15 mg/m ³ 8 hr	TWA / VME: 0.1 mg/m ³ (8 heures). restrictive limit		TWA / VLA-ED: 0.15 mg/m ³ (8 horas)
Copper		STEL: 0.6 mg/m ³ 15 min STEL: 2 mg/m ³ 15 min TWA: 1 mg/m ³ 8 hr TWA: 0.2 mg/m ³ 8 hr	TWA / VME: 0.2 mg/m ³ (8 heures). TWA / VME: 1 mg/m ³ (8 heures). STEL / VLCT: 2 mg/m ³ .	TWA: 0.2 mg/m ³ 8 uren TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 0.01 mg/m ³ (8 horas)
Chromium	TWA: 2 mg/m ³ (8hr)	STEL: 1.5 mg/m ³ 15 min TWA: 0.5 mg/m ³ 8 hr	TWA / VME: 2 mg/m ³ (8 heures). indicative limit	TWA: 0.5 mg/m ³ 8 uren	TWA / VLA-ED: 2 mg/m ³ (8 horas)
Cadmium	TWA: 0.001 mg/m ³ (8h)	STEL: 0.075 mg/m ³ 15 min TWA: 0.025 mg/m ³ 8 hr Carc. metal	TWA / VME: 0.004 mg/m ³ (8 heures). restrictive limit	TWA: 0.01 mg/m ³ 8 uren TWA: 0.004 mg/m ³ 8 uren	TWA / VLA-ED: 0.01 mg/m ³ (8 horas) TWA / VLA-ED: 0.002 mg/m ³ (8 horas)
Barium				TWA: 0.5 mg/m ³ 8 uren	TWA / VLA-ED: 0.5 mg/m ³ (8 horas)
Aluminum		STEL: 30 mg/m ³ 15 min STEL: 12 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr	TWA / VME: 10 mg/m ³ (8 heures). metal TWA / VME: 5 mg/m ³ (8	TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 1 mg/m ³ (8 horas)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

		TWA: 4 mg/m ³ 8 hr	heures).		
Component	Italy	Germany	Portugal	The Netherlands	Finland
White mineral oil, petroleum		TWA: 5 mg/m ³ (8 Stunden). AGW - exposure factor 4 TWA: 5 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 mg/m ³			
Zinc		TWA: 0.1 mg/m ³ (8 Stunden). MAK TWA: 2 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.4 mg/m ³ Höhepunkt: 4 mg/m ³			
Vanadium		TWA: 0.005 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.01 mg/m ³			
Tin			TWA: 2 mg/m ³ 8 horas		TWA: 2 mg/m ³ 8 tunteina
Silver	TWA: 0.1 mg/m ³ 8 ore. Time Weighted Average	TWA: 0.1 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.1 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.8 mg/m ³	TWA: 0.01 mg/m ³ 8 horas	TWA: 0.1 mg/m ³ 8 uren	TWA: 0.1 mg/m ³ 8 tunteina
Phosphorus elemental		TWA: 0.01 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m ³			
Nickel		TWA: 0.03 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.006 mg/m ³ (8 Stunden). AGW - exposure factor 8	TWA: 1.5 mg/m ³ 8 horas		TWA: 0.01 mg/m ³ 8 tunteina
Molybdenum			TWA: 10 mg/m ³ 8 horas TWA: 3 mg/m ³ 8 horas		TWA: 0.5 mg/m ³ 8 tunteina
Manganese	TWA: 0.2 mg/m ³ 8 ore. Time Weighted Average	TWA: 0.2 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.02 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.2 mg/m ³ (8 Stunden). MAK TWA: 0.02 mg/m ³ (8 Stunden). MAK Höhepunkt: 1.6 mg/m ³ Höhepunkt: 0.16 mg/m ³	TWA: 0.2 mg/m ³ 8 horas TWA: 0.05 mg/m ³ 8 horas	TWA: 0.2 mg/m ³ 8 uren TWA: 0.05 mg/m ³ 8 uren	TWA: 0.2 mg/m ³ 8 tunteina TWA: 0.02 mg/m ³ 8 tunteina
Lead	TWA: 0.15 mg/m ³ 8 ore. Time Weighted Average	TWA: 0.004 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.032 mg/m ³	TWA: 0.05 mg/m ³ 8 horas	TWA: 0.15 mg/m ³ 8 uren	TWA: 0.1 mg/m ³ 8 tunteina
Copper		TWA: 0.01 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m ³	TWA: 0.2 mg/m ³ 8 horas TWA: 1 mg/m ³ 8 horas	TWA: 0.1 mg/m ³ 8 uren	TWA: 0.02 mg/m ³ 8 tunteina
Chromium	TWA: 0.5 mg/m ³ 8 ore. Time Weighted Average	TWA: 2 mg/m ³ (8 Stunden). AGW - exposure factor 1	TWA: 0.5 mg/m ³ 8 horas	TWA: 0.5 mg/m ³ 8 uren	TWA: 0.5 mg/m ³ 8 tunteina
Cadmium	TWA: 0.001 mg/m ³ 8 ore. Time Weighted Average TWA: 0.004 mg/m ³ 8 ore. Time Weighted Average until July 11, 2027	TWA: 0.002 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.002 mg/m ³ (8 Stunden). AGW - Haut	TWA: 0.001 mg/m ³ 8 horas TWA: 0.004 mg/m ³ 8 horas	TWA: 0.004 mg/m ³ 8 uren	TWA: 0.004 mg/m ³ 8 tunteina
Boron		TWA: 0.75 mg/m ³ (8 Stunden). MAK			
Barium			TWA: 0.5 mg/m ³ 8 horas		
Aluminum		TWA: 1.25 mg/m ³ (8 Stunden). AGW - exposure factor 2	TWA: 1 mg/m ³ 8 horas		

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

		TWA: 10 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 4 mg/m ³ (8 Stunden). MAK TWA: 1.5 mg/m ³ (8 Stunden). MAK			
--	--	--	--	--	--

Component	Austria	Denmark	Switzerland	Poland	Norway
White mineral oil, petroleum			TWA: 5 mg/m ³ 8 Stunden		
Vanadium	MAK-KZGW: 1 mg/m ³ 15 Minuten MAK-TMW: 0.5 mg/m ³ 8 Stunden				TWA: 0.2 mg/m ³ 8 timer STEL: 0.6 mg/m ³ 15 minutter. value calculated V dust Ceiling: 0.05 mg/m ³
Titanium				STEL: 30 mg/m ³ 15 minutach TWA: 10 mg/m ³ 8 godzinach	
Tin	MAK-KZGW: 4 mg/m ³ 15 Minuten MAK-TMW: 2 mg/m ³ 8 Stunden		Haut/Peau STEL: 0.004 ppm 15 Minuten STEL: 0.02 mg/m ³ 15 Minuten STEL: 4 mg/m ³ 15 Minuten TWA: 2 mg/m ³ 8 Stunden	TWA: 2 mg/m ³ 8 godzinach	TWA: 2 mg/m ³ 8 timer
Silver	MAK-KZGW: 0.1 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden Ceiling: 0.1 mg/m ³	TWA: 0.01 mg/m ³ 8 timer STEL: 0.02 mg/m ³ 15 minutter	STEL: 0.8 mg/m ³ 15 Minuten TWA: 0.1 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³ 8 godzinach	TWA: 0.1 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter. value calculated metal dust and fume
Silicon		TWA: 10 mg/m ³ 8 timer STEL: 20 mg/m ³ 15 minutter	TWA: 3 mg/m ³ 8 Stunden		TWA: 10 mg/m ³ 8 timer STEL: 20 mg/m ³ 15 minutter. set equal to the limit value for Nuisance dust;value calculated
Phosphorus elemental	MAK-KZGW: 0.2 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden				TWA: 0.1 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter. value calculated
Nickel	TRK-KZGW: 2 mg/m ³ 15 Minuten TRK-TMW: 0.5 mg/m ³	TWA: 0.05 mg/m ³ 8 timer STEL: 0.1 mg/m ³ 15 minutter	TWA: 0.5 mg/m ³ 8 Stunden	TWA: 0.25 mg/m ³ 8 godzinach	TWA: 0.05 mg/m ³ 8 timer STEL: 0.15 mg/m ³ 15 minutter. value calculated
Molybdenum	MAK-KZGW: 20 mg/m ³ 15 Minuten MAK-TMW: 10 mg/m ³ 8 Stunden		TWA: 10 mg/m ³ 8 Stunden	STEL: 10 mg/m ³ 15 minutach TWA: 4 mg/m ³ 8 godzinach	TWA: 10 mg/m ³ 8 timer
Manganese	MAK-KZGW: 1.6 mg/m ³ 15 Minuten MAK-TMW: 0.2 mg/m ³ 8 Stunden	TWA: 0.2 mg/m ³ 8 timer TWA: 0.05 mg/m ³ 8 timer STEL: 0.4 mg/m ³ 15 minutter STEL: 0.1 mg/m ³ 15 minutter	TWA: 0.5 mg/m ³ 8 Stunden	TWA: 0.2 mg/m ³ 8 godzinach TWA: 0.05 mg/m ³ 8 godzinach	TWA: 0.2 mg/m ³ 8 timer TWA: 0.05 mg/m ³ 8 timer STEL: 0.6 mg/m ³ 15 minutter. value calculated;exceptions possible, see footnote 9 inhalable fraction STEL: 0.15 mg/m ³ 15 minutter. value calculated;exceptions possible, see footnote 9 respirable fraction
Lead	MAK-KZGW: 0.4 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³ 8 timer STEL: 0.1 mg/m ³ 15 minutter	STEL: 0.8 mg/m ³ 15 Minuten TWA: 0.1 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³ 8 godzinach	TWA: 0.05 mg/m ³ 8 timer STEL: 0.15 mg/m ³ 15 minutter. value calculated dust and fume
Copper	MAK-KZGW: 4 mg/m ³	TWA: 1.0 mg/m ³ 8 timer	STEL: 0.2 mg/m ³ 15	TWA: 0.2 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 timer

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

	15 Minuten MAK-KZGW: 0.4 mg/m³ 15 Minuten MAK-TMW: 1 mg/m³ 8 Stunden MAK-TMW: 0.1 mg/m³ 8 Stunden	TWA: 0.1 mg/m³ 8 timer STEL: 2 mg/m³ 15 minutter STEL: 0.2 mg/m³ 15 minutter	Minuten TWA: 0.1 mg/m³ 8 Stunden	godzinach	TWA: 1 mg/m³ 8 timer STEL: 3 mg/m³ 15 minutter. value calculated dust STEL: 0.3 mg/m³ 15 minutter. value calculated fume
Chromium	MAK-TMW: 2 mg/m³ 8 Stunden	TWA: 0.5 mg/m³ 8 timer STEL: 1 mg/m³ 15 minutter	TWA: 0.5 mg/m³ 8 Stunden	TWA: 0.5 mg/m³ 8 godzinach	TWA: 0.5 mg/m³ 8 timer STEL: 1.5 mg/m³ 15 minutter. value calculated
Cadmium	TRK-KZGW: 0.016 mg/m³ 15 Minuten TRK-KZGW: 0.004 mg/m³ 15 Minuten TRK-TMW: 0.004 mg/m³ TRK-TMW: 0.001 mg/m³	TWA: 0.001 mg/m³ 8 timer STEL: 0.002 mg/m³ 15 minutter	Haut/Peau TWA: 0.001 mg/m³ 8 Stunden	TWA: 0.004 mg/m³ 8 godzinach	TWA: 0.001 mg/m³ 8 timer STEL: 0.003 mg/m³ 15 minutter. value calculated inhalable fraction
Boron			STEL: 0.8 mg/m³ 15 Minuten		
Barium				TWA: 0.5 mg/m³ 8 godzinach	TWA: 0.5 mg/m³ 8 timer STEL: 1.5 mg/m³ 15 minutter. value calculated
Aluminum	MAK-KZGW: 20 mg/m³ 15 Minuten MAK-TMW: 10 mg/m³ 8 Stunden	TWA: 5 mg/m³ 8 timer TWA: 2 mg/m³ 8 timer STEL: 10 mg/m³ 15 minutter STEL: 4 mg/m³ 15 minutter	TWA: 3 mg/m³ 8 Stunden TWA: 10 mg/m³ 8 Stunden	TWA: 2.5 mg/m³ 8 godzinach TWA: 1.2 mg/m³ 8 godzinach	TWA: 5 mg/m³ 8 timer STEL: 10 mg/m³ 15 minutter. pyrotechnical;value calculated powder

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Vanadium	TWA: 0.05 mg/m³				TWA: 0.05 mg/m³ 8 hodinách. dust Ceiling: 0.15 mg/m³ dust
Titanium	TWA: 1.0 mg/m³				
Tin	TWA: 0.1 mg/m³ TWA: 2.0 mg/m³	TWA-GVI: 2 mg/m³ 8 satima.	TWA: 2 mg/m³ 8 hr. Sn STEL: 6 mg/m³ 15 min	TWA: 2 mg/m³	
Silver	TWA: 0.1 mg/m³	TWA-GVI: 0.1 mg/m³ 8 satima.	TWA: 0.1 mg/m³ 8 hr. Ag metallic STEL: 0.3 mg/m³ 15 min	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³ 8 hodinách. respirable fraction of aerosol Ceiling: 0.3 mg/m³
Silicon		TWA-GVI: 10 mg/m³ 8 satima. total dust, inhalable particles TWA-GVI: 4 mg/m³ 8 satima. respirable dust	TWA: 4 mg/m³ 8 hr. respirable dust TWA: 10 mg/m³ 8 hr. Si total inhalable dust STEL: 30 mg/m³ 15 min STEL: 12 mg/m³ 15 min		
Phosphorus elemental		TWA-GVI: 0.1 mg/m³ 8 satima. STEL-KGVI: 0.3 ppm 15 minutama.			TWA: 0.1 mg/m³ 8 hodinách. Ceiling: 0.3 mg/m³
Nickel	TWA: 0.05 mg/m³	TWA-GVI: 0.5 mg/m³ 8 satima.	TWA: 0.5 mg/m³ 8 hr. STEL: 1.5 mg/m³ 15 min		TWA: 0.5 mg/m³ 8 hodinách. respirable fraction of aerosol Ceiling: 1 mg/m³
Molybdenum	TWA: 10.0 mg/m³				TWA: 5 mg/m³ 8 hodinách. Ceiling: 25 mg/m³
Manganese	TWA: 0.2 mg/m³	TWA-GVI: 0.2 mg/m³ 8 satima. total dust, inhalable particles TWA-GVI: 0.05 mg/m³ 8 satima. respirable dust	TWA: 0.2 mg/m³ 8 hr. Mn fume; inhalable fraction TWA: 0.2 mg/m³ 8 hr. inhalable fraction TWA: 0.05 mg/m³ 8 hr. respirable fraction TWA: 0.02 mg/m³ 8 hr. Mn fume; respirable fraction STEL: 0.15 mg/m³ 15 min STEL: 0.6 mg/m³ 15 min	TWA: 0.2 mg/m³ TWA: 0.05 mg/m³	TWA: 0.2 mg/m³ 8 hodinách. inhalable fraction of aerosol TWA: 0.05 mg/m³ 8 hodinách. respirable fraction of aerosol Ceiling: 0.4 mg/m³ inhalable fraction of aerosol Ceiling: 0.1 mg/m³ respirable fraction of aerosol

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

			STEL: 3 mg/m ³ 15 min		
Lead	TWA: 0.05 mg/m ³	TWA-GVI: 0.15 mg/m ³ 8 satima.	TWA: 0.15 mg/m ³ 8 hr. STEL: 0.45 mg/m ³ 15 min	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ 8 hodinách. Ceiling: 0.2 mg/m ³ biological test, toxic for reproduction
Iron	TWA: 6.0 mg/m ³				
Copper	TWA: 0.1 mg/m ³	TWA-GVI: 0.2 mg/m ³ 8 satima. Cu fume TWA-GVI: 1 mg/m ³ 8 satima. Cu dust STEL-KGVI: 2 mg/m ³ 15 minutama. dust Cu	TWA: 0.2 mg/m ³ 8 hr. Cu fume TWA: 1 mg/m ³ 8 hr. Cu dusts and mists STEL: 2 mg/m ³ 15 min STEL: 0.6 mg/m ³ 15 min		TWA: 1 mg/m ³ 8 hodinách. dust TWA: 0.1 mg/m ³ 8 hodinách. fume Ceiling: 2 mg/m ³ dust Ceiling: 0.2 mg/m ³ fume
Chromium	TWA: 2.0 mg/m ³	TWA-GVI: 2 mg/m ³ 8 satima. Cr	TWA: 2 mg/m ³ 8 hr. STEL: 6 mg/m ³ 15 min	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³ 8 hodinách. dust Ceiling: 1.5 mg/m ³
Cadmium	TWA: 0.004 mg/m ³	TWA-GVI: 0.004 mg/m ³ 8 satima. applies during the transition period until July 11, 2027 inhalable fraction	TWA: 0.001 mg/m ³ 8 hr. inhalable fraction TWA: 0.004 mg/m ³ 8 hr. limit value 0.004 mg/m ³ until 11 July 2027 inhalable fraction STEL: 0.003 mg/m ³ 15 min STEL: 0.012 mg/m ³ 15 min	TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³ 8 hodinách. 0.002 mg Cd/g Creatinine in urine inhalable fraction of aerosol Potential for cutaneous absorption Ceiling: 0.008 mg/m ³
Boron	TWA: 5.0 mg/m ³				
Barium		TWA-GVI: 0.5 mg/m ³ 8 satima.			
Aluminum	TWA: 10.0 mg/m ³ TWA: 1.5 mg/m ³	TWA-GVI: 10 mg/m ³ 8 satima. total dust, inhalable particles TWA-GVI: 4 mg/m ³ 8 satima. respirable dust	TWA: 1 mg/m ³ 8 hr. respirable fraction STEL: 3 mg/m ³ 15 min		TWA: 10.0 mg/m ³ 8 hodinách. dust

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
White mineral oil, petroleum				TWA: 5 mg/m ³ 8 órában. AK	
Tin			TWA: 2 mg/m ³		
Silver	TWA: 0.1 mg/m ³ 8 tundides.		TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ 8 órában. AK	TWA: 0.01 mg/m ³ 8 klukkustundum. dust and powder Ceiling: 0.02 mg/m ³ dust and powder
Silicon	TWA: 10 mg/m ³ 8 tundides. TWA: 5 mg/m ³ 8 tundides. respirable dust		TWA: 10 mg/m ³ TWA: 5 mg/m ³		TWA: 10 mg/m ³ 8 klukkustundum. Ceiling: 20 mg/m ³
Phosphorus elemental	TWA: 0.1 mg/m ³ 8 tundides.		STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³	STEL: 0.1 mg/m ³ 15 percekben. CK TWA: 0.1 mg/m ³ 8 órában. AK	
Nickel	TWA: 0.5 mg/m ³ 8 tundides.		TWA: 1 mg/m ³	TWA: 0.01 mg/m ³ 8 órában. AK	TWA: 0.05 mg/m ³ 8 klukkustundum. Ni dust and powder Ceiling: 0.1 mg/m ³ Ni dust and powder
Molybdenum	TWA: 10 mg/m ³ 8 tundides. total dust TWA: 5 mg/m ³ 8 tundides. respirable dust				
Manganese	TWA: 0.2 mg/m ³ 8 tundides. total dust TWA: 0.05 mg/m ³ 8 tundides. respirable dust	TWA: 25 mg/m ³ 8 hr STEL: 50 mg/m ³ 15 min	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ 8 órában. AK TWA: 0.05 mg/m ³ 8 órában. AK	TWA: 0.2 mg/m ³ 8 klukkustundum. total dust TWA: 0.05 mg/m ³ 8 klukkustundum. respirable dust TWA: 1 mg/m ³ 8 klukkustundum. Mn

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

					fume, respirable dust Ceiling: 0.4 mg/m ³ total dust Ceiling: 0.1 mg/m ³ respirable dust Ceiling: 2 mg/m ³ fume, respirable dust
Lead	TWA: 0.1 mg/m ³ 8 tundes. total dust TWA: 0.05 mg/m ³ 8 tundes. respirable dust	TWA: 0.15 mg/m ³ 8 hr	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ 8 órában. AK TWA: 0.05 mg/m ³ 8 órában. AK	TWA: 0.05 mg/m ³ 8 klukkustundum. dust, fume, and powder Ceiling: 0.1 mg/m ³ dust, fume, and powder
Copper	TWA: 1 mg/m ³ 8 tundes. total dust TWA: 0.2 mg/m ³ 8 tundes. respirable dust		STEL: 2 mg/m ³ TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	STEL: 0.2 mg/m ³ 15 percekben. CK TWA: 0.1 mg/m ³ 8 órában. AK TWA: 0.01 mg/m ³ 8 órában. AK	TWA: 1.0 mg/m ³ 8 klukkustundum. total dust and powder TWA: 0.1 mg/m ³ 8 klukkustundum. Cu respirable fraction, fume Ceiling: 2 mg/m ³ total dust dust and powder Ceiling: 0.2 mg/m ³ Cu respirable dust, fume
Chromium	TWA: 2 mg/m ³ 8 tundes.	TWA: 2 mg/m ³ 8 hr	TWA: 1 mg/m ³	TWA: 2 mg/m ³ 8 órában. AK	TWA: 0.5 mg/m ³ 8 klukkustundum. powder Ceiling: 1 mg/m ³ powder
Cadmium	TWA: 0.004 mg/m ³ 8 tundes. valid until July 10, 2027		TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³ 8 órában. AK	TWA: 0.001 mg/m ³ 8 klukkustundum. inhalable fraction TWA: 0.004 mg/m ³ 8 klukkustundum. valid until July 11, 2027 inhalable fraction Ceiling: 0.002 mg/m ³ inhalable fraction Ceiling: 0.008 mg/m ³ valid until July 11, 2027 inhalable fraction
Aluminum	TWA: 10 mg/m ³ 8 tundes. total dust TWA: 4 mg/m ³ 8 tundes. respirable dust		TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 1 mg/m ³ 8 órában. AK	STEL: 10 mg/m ³ dust and powder TWA: 5 mg/m ³ 8 klukkustundum. dust and powder

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
White mineral oil, petroleum	TWA: 5 mg/m ³				
Vanadium	TWA: 1 mg/m ³				
Titanium	TWA: 10 mg/m ³				TWA: 10 mg/m ³ 8 ore STEL: 15 mg/m ³ 15 minute
Tin				TWA: 2 mg/m ³	
Silver	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ IPRD Ag	TWA: 0.1 mg/m ³ 8 Stunden	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ 8 ore
Phosphorus elemental	TWA: 0.03 mg/m ³				TWA: 0.05 mg/m ³ 8 ore STEL: 0.15 mg/m ³ 15 minute
Nickel	TWA: 0.05 mg/m ³	TWA: 0.5 mg/m ³ IPRD			TWA: 0.1 mg/m ³ 8 ore STEL: 0.5 mg/m ³ 15 minute
Molybdenum		TWA: 5 mg/m ³ IPRD TWA: 10 mg/m ³ inhalable fraction IPRD TWA: 5 mg/m ³ respirable fraction IPRD			
Manganese	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ inhalable fraction IPRD TWA: 0.05 mg/m ³ respirable fraction IPRD	TWA: 0.2 mg/m ³ 8 Stunden TWA: 0.05 mg/m ³ 8 Stunden	TWA: 0.2 mg/m ³ TWA: 0.5 mg/m ³	TWA: 0.2 mg/m ³ 8 ore TWA: 0.05 mg/m ³ 8 ore
Lead	STEL: 0.1 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.15 mg/m ³ inhalable fraction IPRD	TWA: 0.15 mg/m ³ 8 Stunden		TWA: 0.15 mg/m ³ 8 ore

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

		TWA: 0.07 mg/m ³ respirable fraction IPRD			
Copper	STEL: 1 mg/m ³ TWA: 0.5 mg/m ³	TWA: 1 mg/m ³ inhalable fraction IPRD TWA: 0.2 mg/m ³ respirable fraction IPRD			TWA: 0.5 mg/m ³ 8 ore STEL: 0.2 mg/m ³ 15 minute STEL: 1.5 mg/m ³ 15 minute
Chromium	TWA: 2 mg/m ³	TWA: 2 mg/m ³ IPRD	TWA: 2 mg/m ³ 8 Stunden	TWA: 2 mg/m ³	TWA: 2 mg/m ³ 8 ore
Cadmium	TWA: 0.001 mg/m ³	TWA: 0.004 mg/m ³ inhalable fraction IPRD			TWA: 0.05 mg/m ³ 8 ore
Boron		TWA: 2 mg/m ³ IPRD amorphous and crystalline			
Barium				TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³ 8 ore
Aluminum	TWA: 2 mg/m ³	TWA: 5 mg/m ³ inhalable fraction IPRD TWA: 2 mg/m ³ respirable fraction IPRD TWA: 1 mg/m ³ IPRD			TWA: 3 mg/m ³ 8 ore TWA: 1 mg/m ³ 8 ore STEL: 10 mg/m ³ 15 minute STEL: 3 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
White mineral oil, petroleum	Skin notation MAC: 5 mg/m ³		TWA: 5 mg/m ³ 8 urah respirable fraction STEL: 20 mg/m ³ 15 minutah respirable fraction		
Zinc		TWA: 0.1 mg/m ³ respirable fraction TWA: 2 mg/m ³ inhalable fraction			
Titanium	TWA: 10 mg/m ³ 1994				
Tin		Potential for cutaneous absorption	TWA: 2 mg/m ³ 8 urah applies to Tin(IV) inorganic compounds inhalable fraction TWA: 8 mg/m ³ 8 urah applies to Tin(II) inorganic compounds inhalable fraction	TLV: 2 mg/m ³ 8 timmar. NGV	TWA: 2 mg/m ³ 8 saat
Silver	MAC: 1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.01 mg/m ³ 8 urah inhalable fraction STEL: 0.02 mg/m ³ 15 minutah inhalable fraction	TLV: 0.1 mg/m ³ 8 timmar. NGV	TWA: 0.1 mg/m ³ 8 saat TWA: 0.01 mg/m ³ 8 saat
Phosphorus elemental		Ceiling: 0.1 mg/m ³ TWA: 0.05 mg/m ³ dust			
Nickel	MAC: 0.05 mg/m ³	TWA: 0.5 mg/m ³ 8 hodinách STEL: 0.05 mg/m ³ 15 minútach	TWA: 0.006 mg/m ³ 8 urah respirable fraction STEL: 0.048 mg/m ³ 15 minutah respirable fraction	TLV: 0.5 mg/m ³ 8 timmar. NGV	
Molybdenum	TWA: 0.5 mg/m ³ 1471 MAC: 3 mg/m ³	TWA: 5 mg/m ³ respirable fraction TWA: 10 mg/m ³ inhalable fraction		TLV: 10 mg/m ³ 8 timmar. NGV TLV: 5 mg/m ³ 8 timmar. NGV	
Manganese		TWA: 0.2 mg/m ³ inhalable fraction	TWA: 0.2 mg/m ³ 8 urah inhalable fraction STEL: 1.6 mg/m ³ 15 minutah inhalable fraction	TLV: 0.2 mg/m ³ 8 timmar. NGV TLV: 0.05 mg/m ³ 8 timmar. NGV	
Lead	TWA: 0.05 mg/m ³ 1826	TWA: 0.15 mg/m ³ inhalable fraction TWA: 0.5 mg/m ³ respirable fraction	TWA: 0.1 mg/m ³ 8 urah inhalable fraction STEL: 0.4 mg/m ³ 15 minutah inhalable fraction	TLV: 0.1 mg/m ³ 8 timmar. NGV TLV: 0.05 mg/m ³ 8 timmar. NGV	TWA: 0.15 mg/m ³ 8 saat
Iron	TWA: 10 mg/m ³ 1026	TWA: 6.0 mg/m ³ total aerosol			
Copper	TWA: 0.5 mg/m ³ 1234 MAC: 1 mg/m ³	TWA: 1 mg/m ³ inhalable fraction TWA: 0.2 mg/m ³		TLV: 0.01 mg/m ³ 8 timmar. NGV	

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

		respirable fraction			
Chromium			TWA: 2 mg/m³ 8 urah inhalable fraction STEL: 2 mg/m³ 15 minutah inhalable fraction	TLV: 0.5 mg/m³ 8 timmar. NGV	TWA: 2 mg/m³ 8 saat
Cadmium	TWA: 0.01 mg/m³ 1051 MAC: 0.05 mg/m³	TWA: 0.03 mg/m³ 8 hodinách manufactured TWA: 0.15 mg/m³ 8 hodinách others STEL: 0.15 mg/m³ 15 minútach manufactured STEL: 0.75 mg/m³ 15 minútach others	TWA: 0.004 mg/m³ 8 urah applies until July 11, 2027 inhalable fraction	TLV: 0.001 mg/m³ 8 timmar. NGV TLV: 0.004 mg/m³ 8 timmar. NGV	
Boron	TWA: 2 mg/m³ 0362 MAC: 5 mg/m³				
Barium		TWA: 0.5 mg/m³ respirable fraction TWA: 0.5 mg/m³	TWA: 0.5 mg/m³ 8 urah inhalable fraction STEL: 0.5 mg/m³ 15 minutah inhalable fraction		TWA: 0.5 mg/m³ 8 saat
Aluminum	TWA: 2 mg/m³ 0036 MAC: 6 mg/m³	TWA: 4 mg/m³ inhalable dust TWA: 1.5 mg/m³ respirable dust		TLV: 5 mg/m³ 8 timmar. NGV TLV: 2 mg/m³ 8 timmar. NGV	

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Lead			Lead: 400 µg/L blood Lead: 180 µg/L blood indifferent sampling time Lead: 300 µg/L blood Lead: 200 µg/L blood Lead: 100 µg/L blood	Lead: 70 µg/dL blood not critical	Lead: 150 µg/L whole blood (no restriction)
Chromium			Total Chromium: 0.01 mg/g creatinine urine augmented during shift Total Chromium: 0.03 mg/g creatinine urine end of shift at end of workweek		
Cadmium			Cadmium: 0.005 mg/g creatinine urine not critical Cadmium: 0.004 mg/L blood not critical	Cadmium: 2 µg/g Creatinine urine not critical Cadmium: 5 µg/L blood not critical	
Aluminum					Aluminum: 50 µg/g Creatinine urine (for long-term exposures: at the end of the shift after several shifts)

Component	Italy	Finland	Denmark	Bulgaria	Romania
Vanadium					Vanadium: 20 µg/L urine end of shift
Nickel		Nickel: 0.1 µmol/L urine after the shift after a working week or exposure period.		Nickel: 45 µg/L urine after several work shifts	Nickel: 3 µg/L urine end of shift
Manganese					Manganese: 10 µg/L urine end of shift
Lead	60 Pb µg/100 mL blood end of workweek	Lead: 1.4 µmol/L blood time of day does not matter.	Lead: 20 µg/100 mL blood	Lead: 300 µg/L blood not fixed for women under 45 years old Lead: 400 µg/L blood not fixed	Lead: 150 µg/L urine end of shift Lead: 70 µg/100 mL blood end of shift Lead: 3 mg/cm hair end of shift .delta.-Aminolevulinic acid: 10 mg/L urine end

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

					of shift Coproporphyrin: 300 µg/L urine end of shift free erythrocytes protoporphyrin: 100 µg/100 mL erythrocyte blood end of shift
Chromium					Chromium: 10 µg/g Creatinine urine during working hours Chromium: 30 µg/g Creatinine urine end of work week
Cadmium		Cadmium: 20 nmol/L urine at the end of a working week; time of day does not matter.			Cadmium: 2 µg/g Creatinine urine end of shift Cadmium: 5 µg/L blood end of shift Protein: 2 mg/L urine end of shift
Aluminum					Aluminum: 200 µg/L urine end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Nickel		Nickel: 3 µg/L urine	Nickel: 0.03 mg/L blood end of exposure or work shift		
Lead	70 µg/100 mL blood Lead binding biological limit value;biological monitoring must include measuring the blood-lead level using absorption spectrometry or a method giving equivalent results 0.075 mg/m³ air 40 hours per week Lead medical surveillance must be carried out;threshold measured in individual employees 40 µg/100 mL blood Lead medical surveillance must be carried out;threshold measured in individual employees	Lead: 30 µg/100 mL blood Coproporphyrin: 100 µg/g Creatinine urine Aminolevulinic acid: 5 mg/g Creatinine urine	Lead: 400 µg/L blood not critical Lead: 100 µg/L blood not critical women younger than 45 years of age .delta.-Aminolevulinic acid: 15 mg/L urine not critical .delta.-Aminolevulinic acid: 6 mg/L urine not critical women younger than 45 years of age Coproporphyrins: 0.30 mg/L urine not critical	Lead: 70 µg/100 mL blood. Lead: 0.072 mg/m³ blood. medical surveillance threshold in air measured as a time weighted average over 40 hours per week Lead: 40 µg/100 mL blood. medical surveillance threshold measured in individual workers	Lead: 70 µg/100 mL blood
Chromium		Chromium: 10 µg/g Creatinine urine end of shift; end of work week			
Cadmium		Cadmium: 2 µg/L urine	Cadmium: 3.1 µg/L urine not critical carcinogen, category 2		
Aluminum			Aluminum: 60 µg/g creatinine urine not critical		

Monitoring methods

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

MDHS 99 Metals in air by ICP-AES

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
White mineral oil, petroleum				DNEL = 217.05mg/kg

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

8042-47-5 (98.11)				bw/day
Zinc 7440-66-6 (0.09)				DNEL = 83mg/kg bw/day
Tin 7440-31-5 (0.09)				DNEL = 10mg/kg bw/day
Phosphorus elemental 7723-14-0 (0.09)				DNEL = 30mg/kg bw/day
Nickel 7440-02-0 (0.09)			DNEL = 0.035mg/cm2	
Copper 7440-50-8 (0.09)		DNEL = 273mg/kg bw/day		DNEL = 137mg/kg bw/day
Boron 7440-42-8 (0.09)				DNEL = 5555.6mg/kg bw/day
Barium 7440-39-3 (0.09)				DNEL = 28.5mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
White mineral oil, petroleum 8042-47-5 (98.11)				DNEL = 164.56mg/m ³
Zinc 7440-66-6 (0.09)				DNEL = 5mg/m ³
Tin 7440-31-5 (0.09)				DNEL = 71mg/m ³
Silver 7440-22-4 (0.09)				DNEL = 0.1mg/m ³
Phosphorus elemental 7723-14-0 (0.09)				DNEL = 4mg/m ³
Nickel 7440-02-0 (0.09)	DNEL = 11.9mg/m ³		DNEL = 0.05mg/m ³	DNEL = 0.05mg/m ³
Molybdenum 7439-98-7 (0.09)				DNEL = 11.7mg/m ³
Iron 7439-89-6 (0.09)			DNEL = 3mg/m ³	
Chromium 7440-47-3 (0.09)			DNEL = 0.5mg/m ³	
Calcium 7440-70-2 (0.09)	DNEL = 4mg/m ³		DNEL = 1mg/m ³	
Cadmium 7440-43-9 (0.09)			DNEL = 4µg/m ³	
Boron 7440-42-8 (0.09)				DNEL = 97.95mg/m ³
Barium 7440-39-3 (0.09)				DNEL = 5.8mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Zinc 7440-66-6 (0.09)	PNEC = 20.6µg/L	PNEC = 235.6mg/kg sediment dw		PNEC = 100µg/L	PNEC = 106.8mg/kg soil dw
Vanadium 7440-62-2 (0.09)	PNEC = 7.6µg/L	PNEC = 240mg/kg sediment dw	PNEC = 6.93µg/L	PNEC = 450µg/L	PNEC = 7.2mg/kg soil dw
Titanium 7440-32-6 (0.09)	PNEC = 0.076mg/L	PNEC = 600mg/kg sediment dw	PNEC = 0.37mg/L	PNEC = 60mg/L	PNEC = 60mg/kg soil dw
Silver 7440-22-4 (0.09)	PNEC = 0.04µg/L	PNEC = 438.13mg/kg sediment dw		PNEC = 0.025mg/L	PNEC = 1.41mg/kg soil dw
Phosphorus elemental 7723-14-0 (0.09)	PNEC = 10.5µg/L	PNEC = 100mg/kg sediment dw	PNEC = 105µg/L	PNEC = 10mg/L	PNEC = 12.5mg/kg soil dw

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Nickel 7440-02-0 (0.09)	PNEC = 7.1µg/L	PNEC = 109mg/kg sediment dw		PNEC = 0.33mg/L	PNEC = 29.9mg/kg soil dw
Molybdenum 7439-98-7 (0.09)	PNEC = 12.7mg/L	PNEC = 22600mg/kg sediment dw		PNEC = 21.7mg/L	PNEC = 9.9mg/kg soil dw
Lead 7439-92-1 (0.09)	PNEC = 2.4µg/L	PNEC = 186mg/kg sediment dw		PNEC = 100µg/L	PNEC = 212mg/kg soil dw
Copper 7440-50-8 (0.09)	PNEC = 7.8µg/L	PNEC = 87mg/kg sediment dw		PNEC = 230µg/L	PNEC = 65mg/kg soil dw
Chromium 7440-47-3 (0.09)	PNEC = 6.5µg/L	PNEC = 205.7mg/kg sediment dw			PNEC = 21.1mg/kg soil dw
Cadmium 7440-43-9 (0.09)	PNEC = 0.19µg/L	PNEC = 1.8mg/kg sediment dw		PNEC = 20µg/L	PNEC = 0.9mg/kg soil dw
Boron 7440-42-8 (0.09)	PNEC = 2.9mg/L		PNEC = 13.7mg/L	PNEC = 10mg/L	PNEC = 5.7mg/kg soil dw
Barium 7440-39-3 (0.09)	PNEC = 114.7µg/L	PNEC = 598.9mg/kg sediment dw		PNEC = 62.2mg/L	PNEC = 207.7mg/kg soil dw
Aluminum 7429-90-5 (0.09)				PNEC = 20mg/L	

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Zinc 7440-66-6 (0.09)	PNEC = 6.1µg/L	PNEC = 121mg/kg sediment dw			
Vanadium 7440-62-2 (0.09)	PNEC = 2.5µg/L	PNEC = 79mg/kg sediment dw		PNEC = 0.167mg/kg food	
Titanium 7440-32-6 (0.09)	PNEC = 0.6mg/L	PNEC = 60mg/kg sediment dw			
Silver 7440-22-4 (0.09)	PNEC = 0.86µg/L	PNEC = 438.13mg/kg sediment dw			
Phosphorus elemental 7723-14-0 (0.09)	PNEC = 1.05µg/L	PNEC = 10mg/kg sediment dw			
Nickel 7440-02-0 (0.09)	PNEC = 8.6µg/L	PNEC = 109mg/kg sediment dw		PNEC = 0.12mg/kg food	
Molybdenum 7439-98-7 (0.09)	PNEC = 2.28mg/L	PNEC = 2368mg/kg sediment dw			
Lead 7439-92-1 (0.09)	PNEC = 3.3µg/L	PNEC = 168mg/kg sediment dw		PNEC = 10.9mg/kg food	
Copper 7440-50-8 (0.09)	PNEC = 5.2µg/L	PNEC = 676mg/kg sediment dw			
Cadmium 7440-43-9 (0.09)	PNEC = 1.14µg/L	PNEC = 0.64mg/kg sediment dw		PNEC = 0.16mg/kg food	
Boron 7440-42-8 (0.09)	PNEC = 2.9mg/L				

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Amber	
Odor	Petroleum distillates	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	> 315 °C / 599 °F	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	> 232 °C / > 449.6 °F	Method - No information available
Autoignition Temperature	351 °C / 663.8 °F	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	No data available	
Water Solubility	Immiscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
White mineral oil, petroleum	6	
Vapor Pressure	No data available	
Density / Specific Gravity	0.75 g/cm3	@ 20 °C
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Metal oxides. Heavy metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil, petroleum	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	-
Zinc	LD50 = 630 mg/kg (Rat)	-	-
Vanadium	LD50 > 2000 mg/kg (Rat)	-	-
Tin	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	LC50 > 4.75 mg/L (Rat) 4 h
Silver	> 2000 mg/kg (Rat)	LD50 > 2000 mg/kg (rat)	LC50 > 5.16 mg/L (Rat) 4 h
Silicon	LD50 = 3160 mg/kg (Rat)	-	-
Phosphorus elemental	>15000 mg/kg (Rat Female)	-	LC50 = 4.3 mg/L (Rat) 1 h
Nickel	LD50 > 9000 mg/kg (Rat)	-	LC50 > 10.2 mg/L (Rat) 1 h
Molybdenum	-	LD50 > 2000 mg/kg (Rat)	LC50 > 5.84 mg/L (Rat) 4 h
Manganese	LD50 = 9 g/kg (Rat)	-	LC50 > 5.14 mg/L (Rat) 4 h
Magnesium	LD50 = 230 mg/kg (Rat)	-	-
Iron	7500 mg/kg (Rat)	-	-
Copper	-	-	LC50 > 5.11 mg/L (Rat) 4 h
Cadmium	LD50 = 2330 mg/kg (Rat)	-	LC50 = 25 mg/m ³ (Rat) 30 min
Boron	LD50 > 2000 mg/kg (Rat) (OCED 423)	-	LC50 > 5.08 mg/L (Rat) 4 h
Barium	LD50 = 132 mg/kg (Rat)	-	-
Aluminum	-	-	LC50 > 0.888 mg/L (Rat) 4 h

(b) skin corrosion/irritation;

No data available

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Nickel			Cat. 1	Group 2B
Lead				Group 2A
Cadmium	Carc Cat. 1B		Cat. 1	Group 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
White mineral oil, petroleum	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)		
Zinc	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

	(Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)		
Silver	LC50: = 0.064 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.0062 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.00155 - 0.00293 mg/L, 96h static (Pimephales promelas)	EC50: = 0.00024 mg/L, 48h Static (Daphnia magna)	
Phosphorus elemental	LC50: 33.2 mg/L/96h (Danio rerio)	EC50: 10.5 mg/L/48h	
Nickel	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	EC50 = 510 µg/L 96h	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h
Manganese	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)		
Lead	LC50: = 1.32 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 1.17 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 0.44 mg/L, 96h semi-static (Cyprinus carpio)	EC50: = 600 µg/L, 48h (water flea)	
Copper	Onchorhynchys mykiss: LC50=0.15 mg/L 96h Cuprinus carpio: LC50=0.8 mg/L 96h	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	0.0426-0.0535 mg/L EC50 72 h 0.031-0.054 mg/L EC50 96 h
Cadmium	LC50: 0.0004 - 0.003 mg/L, 96h (Pimephales promelas) LC50: = 0.016 mg/L, 96h (Oryzias latipes) LC50: = 21.1 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 0.24 mg/L, 96h static (Cyprinus carpio) LC50: = 4.26 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.002 mg/L, 96h (Cyprinus carpio) LC50: = 0.006 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.003 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50: = 0.0244 mg/L, 48h Static (Daphnia magna)	
Barium	LC50: > 500 mg/L/96h (Cyprinodon variegatus)		

Component	Microtox	M-Factor
Zinc		1
Lead		1 (acute)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

		10 (Chronic)
Cadmium		10

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
Persistence May persist.
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil, petroleum	6	No data available
Phosphorus elemental		<200 dimensionless
Chromium		1.03 - 1.22

12.4. Mobility in soil Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

12.5. Results of PBT and vPvB assessment Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

ADR Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

IATA Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
White mineral oil, petroleum	8042-47-5	232-455-8	-	-	X	X	KE-35412	X	X
Zinc	7440-66-6	231-175-3	-	-	X	X	KE-35518	X	-
Vanadium	7440-62-2	231-171-1	-	-	X	X	KE-35266	X	-
Titanium	7440-32-6	231-142-3	-	-	X	X	KE-33881	X	-
Tin	7440-31-5	231-141-8	-	-	X	X	KE-33838	X	-
Sodium	7440-23-5	231-132-9	-	-	X	X	KE-31338	X	X
Silver	7440-22-4	231-131-3	-	-	X	X	KE-31261	X	-
Silicon	7440-21-3	231-130-8	-	-	X	X	KE-31029	X	-
Phosphorus elemental	7723-14-0	231-768-7	-	-	X	X	KE-28713	X	-
Nickel	7440-02-0	231-111-4	-	-	X	X	KE-25818	X	-
Molybdenum	7439-98-7	231-107-2	-	-	X	X	KE-25427	X	-
Manganese	7439-96-5	231-105-1	-	-	X	X	KE-22999	X	-
Magnesium	7439-95-4	231-104-6	-	-	X	X	KE-22673	X	-
Lead	7439-92-1	231-100-4	-	-	X	X	KE-21887	X	-
Iron	7439-89-6	231-096-4	-	-	X	X	KE-21059	X	-
Copper	7440-50-8	231-159-6	-	-	X	X	KE-08896	X	-
Chromium	7440-47-3	231-157-5	-	-	X	X	KE-05970	X	-
Calcium	7440-70-2	231-179-5	-	-	X	X	KE-04462	X	-
Cadmium	7440-43-9	231-152-8	-	-	X	X	KE-04397	X	-
Boron	7440-42-8	231-151-2	-	-	X	X	KE-03518	X	-
Barium	7440-39-3	231-149-1	-	-	X	X	KE-02022	X	-
Aluminum	7429-90-5	231-072-3	-	-	X	X	KE-00881	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDL	AICS	NZIoC	PICCS
White mineral oil, petroleum	8042-47-5	X	ACTIVE	X	-	X	X	X
Zinc	7440-66-6	X	ACTIVE	X	-	X	X	X

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Vanadium	7440-62-2	X	ACTIVE	X	-	X	X	X
Titanium	7440-32-6	X	ACTIVE	X	-	X	X	X
Tin	7440-31-5	X	ACTIVE	X	-	X	X	X
Sodium	7440-23-5	X	ACTIVE	X	-	X	X	X
Silver	7440-22-4	X	ACTIVE	X	-	X	X	X
Silicon	7440-21-3	X	ACTIVE	X	-	X	X	X
Phosphorus elemental	7723-14-0	X	ACTIVE	X	-	X	X	X
Nickel	7440-02-0	X	ACTIVE	X	-	X	X	X
Molybdenum	7439-98-7	X	ACTIVE	X	-	X	X	X
Manganese	7439-96-5	X	ACTIVE	X	-	X	X	X
Magnesium	7439-95-4	X	ACTIVE	X	-	X	X	X
Lead	7439-92-1	X	ACTIVE	X	-	X	X	X
Iron	7439-89-6	X	ACTIVE	X	-	X	X	X
Copper	7440-50-8	X	ACTIVE	X	-	X	X	X
Chromium	7440-47-3	X	ACTIVE	X	-	X	X	X
Calcium	7440-70-2	X	ACTIVE	X	-	X	X	X
Cadmium	7440-43-9	X	ACTIVE	X	-	X	X	X
Boron	7440-42-8	X	ACTIVE	X	-	X	X	X
Barium	7440-39-3	X	ACTIVE	X	-	X	X	X
Aluminum	7429-90-5	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
White mineral oil, petroleum	8042-47-5	-	-	-
Zinc	7440-66-6	-	Use restricted. See item 75. (see link for restriction details)	-
Vanadium	7440-62-2	-	-	-
Titanium	7440-32-6	-	-	-
Tin	7440-31-5	-	Use restricted. See item 75. (see link for restriction details)	-
Sodium	7440-23-5	-	Use restricted. See item 75. (see link for restriction details)	-
Silver	7440-22-4	-	Use restricted. See item 75. (see link for restriction details)	-
Silicon	7440-21-3	-	-	-
Phosphorus elemental	7723-14-0	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	7440-02-0	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Molybdenum	7439-98-7	-	-	-
Manganese	7439-96-5	-	-	-
Magnesium	7439-95-4	-	-	-
Lead	7439-92-1	-	Use restricted. See item 72. (see link for restriction details)	SVHC Candidate list - 231-100-4 - Toxic for reproduction (Article 57c)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

			Use restricted. See item 30. (see link for restriction details) Use restricted. See item 63. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	
Iron	7439-89-6	-	-	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-
Chromium	7440-47-3	-	Use restricted. See item 75. (see link for restriction details)	-
Calcium	7440-70-2	-	-	-
Cadmium	7440-43-9	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 23. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 231-152-8 - Carcinogenic, Article 57a; Specific target organ toxicity after repeated exposure, Article 57(f) - human health
Boron	7440-42-8	-	-	-
Barium	7440-39-3	-	Use restricted. See item 75. (see link for restriction details)	-
Aluminum	7429-90-5	-	Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
White mineral oil, petroleum	8042-47-5	Not applicable	Not applicable
Zinc	7440-66-6	Not applicable	Not applicable
Vanadium	7440-62-2	Not applicable	Not applicable
Titanium	7440-32-6	Not applicable	Not applicable
Tin	7440-31-5	Not applicable	Not applicable
Sodium	7440-23-5	Not applicable	Not applicable
Silver	7440-22-4	Not applicable	Not applicable
Silicon	7440-21-3	Not applicable	Not applicable
Phosphorus elemental	7723-14-0	Not applicable	Not applicable

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Nickel	7440-02-0	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable
Manganese	7439-96-5	Not applicable	Not applicable
Magnesium	7439-95-4	Not applicable	Not applicable
Lead	7439-92-1	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable
Calcium	7440-70-2	Not applicable	Not applicable
Cadmium	7440-43-9	Not applicable	Not applicable
Boron	7440-42-8	Not applicable	Not applicable
Barium	7440-39-3	Not applicable	Not applicable
Aluminum	7429-90-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Lead 7439-92-1 (0.09)	sr — severe restriction i(2) — industrial chemical for public	-	-
Cadmium 7440-43-9 (0.09)	i(1) — industrial chemical for professional use sr — severe restriction i(2) — industrial chemical for public sr — severe restriction	i — industrial chemical sr — severe restriction	-

<https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303>.

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
White mineral oil, petroleum	WGK1	
Zinc	WGK2	
Vanadium	WGK3	Class III : 1 mg/m³ (Massenkonzentration)
Titanium	nwg	
Tin	nwg	Class III : 1 mg/m³ (Massenkonzentration)
Sodium	WGK1	
Silver	nwg	
Silicon	nwg	
Phosphorus elemental	WGK1	
Nickel	WGK 2	Class II : 0.5 mg/m³ (Massenkonzentration) Krebserzeugende Stoffe - Class II : 0.5 mg/m³ (Massenkonzentration)
Molybdenum	nwg	
Manganese	WGK2	Class III : 1 mg/m³ (Massenkonzentration)

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Magnesium	nwg	
Lead	nwg	Class II : 0.5 mg/m ³ (Massenkonzentration)
Iron	nwg	
Copper	WGK2	Class III : 1 mg/m ³ (Massenkonzentration)
Chromium	nwg	Class III : 1 mg/m ³ (Massenkonzentration)
Calcium	WGK1	
Cadmium	WGK3	Krebserzeugende Stoffe - Class I : 0.05 mg/m ³ (Massenkonzentration)
Boron	nwg	
Barium	WGK1	
Aluminum	nwg	

Component	France - INRS (Tables of occupational diseases)
White mineral oil, petroleum	Tableaux des maladies professionnelles (TMP) - RG 36bis
Zinc	Tableaux des maladies professionnelles (TMP) - RG 61
Vanadium	Tableaux des maladies professionnelles (TMP) - RG 66
Phosphorus elemental	Tableaux des maladies professionnelles (TMP) - RG 5
Lead	Tableaux des maladies professionnelles (TMP) - RG 1
Iron	Tableaux des maladies professionnelles (TMP) - RG 44,RG 44bis,RG 94
Chromium	Tableaux des maladies professionnelles (TMP) - RG 10
Cadmium	Tableaux des maladies professionnelles (TMP) - RG 61,RG 61bis
Aluminum	Tableaux des maladies professionnelles (TMP) - RG 32
	Tableaux des maladies professionnelles (TMP) - RG 16,RG 16bis

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Zinc 7440-66-6 (0.09)	Prohibited and Restricted Substances		
Vanadium 7440-62-2 (0.09)	Prohibited and Restricted Substances		
Phosphorus elemental 7723-14-0 (0.09)	Prohibited and Restricted Substances		
Nickel 7440-02-0 (0.09)	Prohibited and Restricted Substances		
Lead 7439-92-1 (0.09)	Prohibited and Restricted Substances		
Copper 7440-50-8 (0.09)	Prohibited and Restricted Substances		
Chromium 7440-47-3 (0.09)	Prohibited and Restricted Substances		
Cadmium 7440-43-9 (0.09)	Prohibited and Restricted Substances		Annex I - industrial chemical

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H250 - Catches fire spontaneously if exposed to air

H252 - Self-heating in large quantities; may catch fire

H260 - In contact with water releases flammable gases which may ignite spontaneously

H261 - In contact with water releases flammable gases

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H351 - Suspected of causing cancer
H360Df - May damage the unborn child. Suspected of damaging fertility
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects
EUH014 - Reacts violently with water

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By Health, Safety and Environmental Department

Revision Date 17-Mar-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and

SAFETY DATA SHEET

JM-21 Multi-element Oil Based Standard, Specpure®, 900µg/g

Revision Date 17-Mar-2024

Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet