

## SAFETY DATA SHEET

Creation Date 21-Apr-2014

Revision Date 29-Mar-2024

Revision Number 6

### 1. Identification

**Product Name** 2-Methyl-2-butanol

**Cat No. :** L10719

**CAS No** 75-85-4  
**Synonyms** tert-Amyl alcohol

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                                                   |            |
|-------------------------------------------------------------------|------------|
| Flammable liquids                                                 | Category 2 |
| Acute dermal toxicity                                             | Category 4 |
| Acute Inhalation Toxicity - Vapors                                | Category 4 |
| Skin Corrosion/Irritation                                         | Category 2 |
| Serious Eye Damage/Eye Irritation                                 | Category 1 |
| Specific target organ toxicity (single exposure)                  | Category 3 |
| Target Organs - Respiratory system, Central nervous system (CNS). |            |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

Highly flammable liquid and vapor

Causes skin irritation  
Causes serious eye damage  
May cause respiratory irritation  
May cause drowsiness or dizziness  
Harmful in contact with skin or if inhaled

**Precautionary Statements****Prevention**

Wear protective gloves/protective clothing/eye protection/face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Wash face, hands and any exposed skin thoroughly after handling  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Keep cool

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician if you feel unwell

**Skin**

Call a POISON CENTER or doctor/physician if you feel unwell  
If skin irritation occurs: Get medical advice/attention  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

### 3. Composition/Information on Ingredients

| Component          | CAS No  | Weight % |
|--------------------|---------|----------|
| 2-Methyl-2-butanol | 75-85-4 | >95      |

### 4. First-aid measures

**General Advice**

If symptoms persist, call a physician.

|                                            |                                                                                                                                               |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                               |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                             |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                  |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water.                                                                                  |
| <b>Most important symptoms and effects</b> | Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                                                         |

## 5. Fire-fighting measures

|                                         |                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | Water may be ineffective                                                                                            |
| <b>Flash Point</b>                      | 20 °C / 68 °F                                                                                                       |
| <b>Method -</b>                         | No information available                                                                                            |
| <b>Autoignition Temperature</b>         | 435 °C / 815 °F                                                                                                     |
| <b>Explosion Limits</b>                 |                                                                                                                     |
| <b>Upper</b>                            | 9.60 vol %                                                                                                          |
| <b>Lower</b>                            | 1.30 vol %                                                                                                          |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                            |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                            |

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

|               |                     |                    |                         |
|---------------|---------------------|--------------------|-------------------------|
| <b>Health</b> | <b>Flammability</b> | <b>Instability</b> | <b>Physical hazards</b> |
| 2             | 3                   | 0                  | N/A                     |

## 6. Accidental release measures

|                                             |                                                                                                                                                                               |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.            |
| <b>Environmental Precautions</b>            | Should not be released into the environment.                                                                                                                                  |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. |
| <b>Storage.</b> | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from light. Flammables area. Incompatible Materials. Strong oxidizing agents. Metals.                                                                                                                                                                                                                       |

## 8. Exposure controls / personal protection

|                                      |                                                                                                                                                                                                                                                   |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exposure Guidelines</b>           | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.                                                                                                     |
| <b>Engineering Measures</b>          | Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.                                  |
| <b>Personal Protective Equipment</b> |                                                                                                                                                                                                                                                   |
| <b>Eye/face Protection</b>           | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.                                                                       |
| <b>Skin and body protection</b>      | Wear appropriate protective gloves and clothing to prevent skin exposure.                                                                                                                                                                         |
| <b>Respiratory Protection</b>        | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| <b>Hygiene Measures</b>              | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                            |

## 9. Physical and chemical properties

|                                               |                              |
|-----------------------------------------------|------------------------------|
| <b>Physical State</b>                         | Liquid                       |
| <b>Appearance</b>                             | Colorless                    |
| <b>Odor</b>                                   | Strong                       |
| <b>Odor Threshold</b>                         | No information available     |
| <b>pH</b>                                     | 6.0 118 g/L aq.sol           |
| <b>Melting Point/Range</b>                    | -12 °C / 10.4 °F             |
| <b>Boiling Point/Range</b>                    | 102 °C / 215.6 °F @ 760 mmHg |
| <b>Flash Point</b>                            | 20 °C / 68 °F                |
| <b>Evaporation Rate</b>                       | No information available     |
| <b>Flammability (solid,gas)</b>               | Not applicable               |
| <b>Flammability or explosive limits</b>       |                              |
| Upper                                         | 9.60 vol %                   |
| Lower                                         | 1.30 vol %                   |
| <b>Vapor Pressure</b>                         | 15.5 hPa @ 20 °C             |
| <b>Vapor Density</b>                          | 3.04                         |
| <b>Specific Gravity</b>                       | 0.800                        |
| <b>Solubility</b>                             | 70 g/L water (25°C)          |
| <b>Partition coefficient; n-octanol/water</b> | No data available            |
| <b>Autoignition Temperature</b>               | 435 °C / 815 °F              |
| <b>Decomposition Temperature</b>              | No information available     |
| <b>Viscosity</b>                              | 3.7 mPa s at 25 °C           |
| <b>Molecular Formula</b>                      | C5 H12 O                     |

Molecular Weight

88.15

## 10. Stability and reactivity

|                                         |                                                                                                                          |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                                                                               |
| <b>Stability</b>                        | Light sensitive.                                                                                                         |
| <b>Conditions to Avoid</b>              | Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Exposure to light. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Metals                                                                                          |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )                                                                  |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                                                 |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                            |

## 11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

| Component          | LD50 Oral        | LD50 Dermal         | LC50 Inhalation     |
|--------------------|------------------|---------------------|---------------------|
| 2-Methyl-2-butanol | 5184 mg/kg (Rat) | 1720 mg/kg (Rabbit) | <20.6 mg/L/6h (Rat) |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                        |                                                                                          |
|------------------------|------------------------------------------------------------------------------------------|
| <b>Irritation</b>      | Irritating to respiratory system and skin Risk of serious damage to eyes                 |
| <b>Sensitization</b>   | No information available                                                                 |
| <b>Carcinogenicity</b> | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component          | CAS No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------|---------|------------|------------|------------|------------|------------|
| 2-Methyl-2-butanol | 75-85-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system Central nervous system (CNS)  
**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity**

Do not empty into drains. .

| Component          | Freshwater Algae | Freshwater Fish                                                          | Microtox   | Water Flea                             |
|--------------------|------------------|--------------------------------------------------------------------------|------------|----------------------------------------|
| 2-Methyl-2-butanol | Not listed       | LC50: 2430 mg/L/48h<br>(Leuciscus idus melanotus)<br>(DIN 38412 part 15) | Not listed | EC50: 540 mg/L/48h (DIN 38412 part 11) |

**Persistence and Degradability** Persistence is unlikely**Bioaccumulation/ Accumulation** No information available.**Mobility** . Will likely be mobile in the environment due to its water solubility.

| Component          | log Pow |
|--------------------|---------|
| 2-Methyl-2-butanol | 0.77    |

**13. Disposal considerations**

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**14. Transport information****DOT**

UN-No UN1105  
 Proper Shipping Name PENTANOLS  
 Hazard Class 3  
 Packing Group II

**TDG**

UN-No UN1105  
 Proper Shipping Name PENTANOLS  
 Hazard Class 3  
 Packing Group II

**IATA**

UN-No UN1105  
 Proper Shipping Name PENTANOLS  
 Hazard Class 3  
 Packing Group II

**IMDG/IMO**

UN-No UN1105  
 Proper Shipping Name PENTANOLS  
 Hazard Class 3  
 Packing Group II

**15. Regulatory information****United States of America Inventory**

| Component          | CAS No  | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|--------------------|---------|------|-----------------------------------------------|-----------------------------|
| 2-Methyl-2-butanol | 75-85-4 | X    | ACTIVE                                        | -                           |

**Legend:****TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'- ' - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)**

Not applicable

**TSCA 12(b)** - Notices of Export

Not applicable

**International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component          | CAS No  | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|--------------------|---------|-----|------|-----------|-------|------|------|------|-------|----------|
| 2-Methyl-2-butanol | 75-85-4 | X   | -    | 200-908-9 | X     | X    | X    | X    | X     | KE-23573 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

| Component          | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--------------------|---------------|------------|--------------|----------|--------------|
| 2-Methyl-2-butanol | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security** This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH**

| Component | CAS No | REACH (1907/2006) - | REACH (1907/2006) - | REACH Regulation (EC |
|-----------|--------|---------------------|---------------------|----------------------|
|-----------|--------|---------------------|---------------------|----------------------|

|                    |         | Annex XIV - Substances Subject to Authorization | Annex XVII - Restrictions on Certain Dangerous Substances          | 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------|---------|-------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------|
| 2-Methyl-2-butanol | 75-85-4 | -                                               | Use restricted. See item 75.<br>(see link for restriction details) | -                                                                                |

**REACH links**

<https://echa.europa.eu/substances-restricted-under-reach>

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component          | CAS No  | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------------|---------|----------|------------------------------|---------------------------|--------------------------------------------|
| 2-Methyl-2-butanol | 75-85-4 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

| Component          | CAS No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| 2-Methyl-2-butanol | 75-85-4 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

**Prepared By**

Health, Safety and Environmental Department  
Email: [chem.techinfo@thermofisher.com](mailto:chem.techinfo@thermofisher.com)  
[www.thermofisher.com](http://www.thermofisher.com)

**Creation Date**

21-Apr-2014

**Revision Date**

29-Mar-2024

**Print Date**

29-Mar-2024

**Revision Summary**

New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**