

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Lithium (metal) 98.5% in liquid paraffin  
Cat No. : L/2000/46, L/2000/45  
Index No 003-001-00-4  
CAS No 7439-93-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road, Loughborough,  
Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a  
2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

Tel: 01509 231166  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

##### Physical hazards

Substances/mixtures which, in contact with water, emit flammable gases Category 1 (H260)

##### Health hazards

Skin Corrosion/Irritation Category 1 (H314) B

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

Serious Eye Damage/Eye Irritation

Category 1 (H318)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H260 - In contact with water releases flammable gases which may ignite spontaneously

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

## **Precautionary Statements**

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

## **2.3. Other hazards**

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Lachrymator (substance which increases the flow of tears)

Toxicity to Soil Dwelling Organisms

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

| Component         | CAS No    | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------------|-----------|-------------------|----------|-----------------------------------------------------------------------------------------|
| Oil mist, mineral | 8012-95-1 | EEC No. 232-384-2 | 1.5      | Eye Irrit. 2 (H319)                                                                     |
| Lithium           | 7439-93-2 | EEC No. 231-102-5 | 98.5     | Water-react. 1 (H260)<br>Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>EUH014            |

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                            |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.                                                                                                                                                                          |
| <b>Skin Contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.                                                                                                                                                                                                          |
| <b>Ingestion</b>                          | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.                                                                                                                                                                                               |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                             |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Flooding quantities of water. Cool containers with flooding quantities of water until well after fire is out. Powder. Dry sand. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame. Do not use halon type extinguisher. alcohol foam. Water.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

#### Hazardous Combustion Products

May emit toxic fumes under fire conditions, Hydrogen.

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Do not expose spill to water.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Protect from direct sunlight.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 4.3  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Exposure limits**

List source(s): IRE - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

Authority

| Component         | The United Kingdom | European Union | Ireland                                                                             |
|-------------------|--------------------|----------------|-------------------------------------------------------------------------------------|
| Oil mist, mineral |                    |                | TWA: 5 ppm 8 hr. pure, highly and severely refined inhalable<br>STEL: 15 ppm 15 min |

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                     | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Lithium<br>7439-93-2 ( 98.5 ) |                              |                                 |                                | DNEL = 12mg/kg bw/day             |

| Component                              | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Oil mist, mineral<br>8012-95-1 ( 1.5 ) | DNEL = 5mg/m <sup>3</sup>        | DNEL = 5mg/m <sup>3</sup>           | DNEL = 5mg/m <sup>3</sup>          | DNEL = 5mg/m <sup>3</sup>             |
| Lithium<br>7439-93-2 ( 98.5 )          |                                  |                                     |                                    | DNEL = 4.2mg/m <sup>3</sup>           |

## Predicted No Effect Concentration (PNEC)

See values below.

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Physical State                          | Solid                    |                                   |
| Appearance                              | Silver                   |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | 180.6 °C / 357.1 °F      |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 1317.2 °C / 2403 °F      |                                   |
| Flammability (liquid)                   | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | 178.9 °C / 354 °F        | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | No information available |                                   |
| Viscosity                               | Not applicable           | Solid                             |
| Water Solubility                        | No information available |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | 0.534                    |                                   |
| Bulk Density                            | No data available        |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Particle characteristics                | No data available        |                                   |

### 9.2. Other information

|                                                                        |                                   |
|------------------------------------------------------------------------|-----------------------------------|
| Substances/mixtures which, in contact with water, emit flammable gases | Emitted gas ignites spontaneously |
| Evaporation Rate                                                       | Not applicable - Solid            |

## SECTION 10: STABILITY AND REACTIVITY

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

## 10.1. Reactivity

Yes

## 10.2. Chemical stability

Reacts violently with water, liberating extremely flammable gases. Sensitivity to light. Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing. Reacts violently with water.

## 10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture. Avoid dust formation. Exposure to light.

## 10.5. Incompatible materials

Strong oxidizing agents. Water.

## 10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions. Hydrogen.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

See actual entry in RTECS for complete information.

#### **(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

No data available

**Inhalation**

No data available

#### Toxicology data for the components

| Component         | LD50 Oral       | LD50 Dermal | LC50 Inhalation             |
|-------------------|-----------------|-------------|-----------------------------|
| Oil mist, mineral | 22 g/kg (Mouse) | -           | LC50 = 2062 ppm ( Rat ) 4 h |

#### **(b) skin corrosion/irritation;**

Category 1 B

#### **(c) serious eye damage/irritation;**

Category 1

#### **(d) respiratory or skin sensitization;**

**Respiratory**

No data available

**Skin**

No data available

#### **(e) germ cell mutagenicity;**

No data available

#### **(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

#### **(g) reproductive toxicity;**

No data available

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable  
Solid

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity Ecotoxicity effects

.

**12.2. Persistence and degradability** No information available  
**Degradability** Not relevant for inorganic substances.

**12.3. Bioaccumulative potential** No information available

**12.4. Mobility in soil** No information available

**12.5. Results of PBT and vPvB assessment** In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused** Waste is classified as hazardous. Dispose of in accordance with the European Directives



# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

|                                       |                                                                                                                                                                                                                                                                                            |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Products</b>                       | on waste and hazardous waste. Dispose of in accordance with local regulations.                                                                                                                                                                                                             |
| <b>Contaminated Packaging</b>         | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                   |
| <b>European Waste Catalogue (EWC)</b> | According to the European Waste Catalog, Waste Codes are not product specific, but application specific.                                                                                                                                                                                   |
| <b>Other Information</b>              | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. |

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                                         |         |
|-----------------------------------------|---------|
| <b>14.1. UN number</b>                  | UN1415  |
| <b>14.2. UN proper shipping name</b>    | LITHIUM |
| <b>14.3. Transport hazard class(es)</b> | 4.3     |
| <b>14.4. Packing group</b>              | I       |

### ADR

|                                         |         |
|-----------------------------------------|---------|
| <b>14.1. UN number</b>                  | UN1415  |
| <b>14.2. UN proper shipping name</b>    | LITHIUM |
| <b>14.3. Transport hazard class(es)</b> | 4.3     |
| <b>14.4. Packing group</b>              | I       |

### IATA

|                                         |         |
|-----------------------------------------|---------|
| <b>14.1. UN number</b>                  | UN1415  |
| <b>14.2. UN proper shipping name</b>    | LITHIUM |
| <b>14.3. Transport hazard class(es)</b> | 4.3     |
| <b>14.4. Packing group</b>              | I       |

|                                                                      |                                  |
|----------------------------------------------------------------------|----------------------------------|
| <b>14.5. Environmental hazards</b>                                   | No hazards identified            |
| <b>14.6. Special precautions for user</b>                            | No special precautions required. |
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods   |

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component         | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Oil mist, mineral | 8012-95-1 | 232-384-2 | -      | -   | X     | X    | KE-27767 | -    | -    |

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

| Lithium           | 7439-93-2 | 231-102-5 | -                                             | -   | X    | X    | KE-22543 | X     | - |
|-------------------|-----------|-----------|-----------------------------------------------|-----|------|------|----------|-------|---|
| Component         | CAS No    | TSCA      | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC    | PICCS |   |
| Oil mist, mineral | 8012-95-1 | X         | ACTIVE                                        | X   | -    | X    | X        | X     |   |
| Lithium           | 7439-93-2 | X         | ACTIVE                                        | X   | -    | X    | X        | X     |   |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component         | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Oil mist, mineral | 8012-95-1 | -                                                                   | -                                                                             | -                                                                                                     |
| Lithium           | 7439-93-2 | -                                                                   | Use restricted. See item 75.<br>(see link for restriction details)            | -                                                                                                     |

### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component         | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Oil mist, mineral | 8012-95-1 | Not applicable                                                                            | Not applicable                                                                           |
| Lithium           | 7439-93-2 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

### WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------|---------------------------------------|-------------------------|
| Lithium   | WGK1                                  |                         |

| Component         | France - INRS (Tables of occupational diseases)               |
|-------------------|---------------------------------------------------------------|
| Oil mist, mineral | Tableaux des maladies professionnelles (TMP) - RG 36,RG 36bis |

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H260 - In contact with water releases flammable gases which may ignite spontaneously

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH014 - Reacts violently with water

H319 - Causes serious eye irritation

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date** 20-Oct-2023

**Revision Summary** SDS sections updated.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

# SAFETY DATA SHEET

Lithium (metal) 98.5% in liquid paraffin

Revision Date 20-Oct-2023

---

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**