

**SAFETY DATA SHEET**

Creation Date 16-Jul-2020

Revision Date 16-Jul-2020

Revision Number 1

**1. Identification****Product Name** 10% of 1 Molar NaOH in Methanol cleaning solution**Cat No. :** NAOHMETRG1LI; NC1857275; XXNAOHMETRG1LI**Synonyms** No information available**Recommended Use** Laboratory chemicals.**Uses advised against** Food, drug, pesticide or biocidal product use.**Details of the supplier of the safety data sheet****Company**Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410**Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887 For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887**2. Hazard(s) identification****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                                            |            |
|------------------------------------------------------------|------------|
| Flammable liquids                                          | Category 2 |
| Acute oral toxicity                                        | Category 3 |
| Acute dermal toxicity                                      | Category 3 |
| Acute Inhalation Toxicity - Vapors                         | Category 3 |
| Specific target organ toxicity (single exposure)           | Category 1 |
| Target Organs - Optic nerve, Central nervous system (CNS). |            |

**Label Elements****Signal Word**

Danger

**Hazard Statements**

Highly flammable liquid and vapor

Causes damage to organs

Toxic if swallowed, in contact with skin or if inhaled



### Precautionary Statements

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves/protective clothing/eye protection/face protection  
Use only outdoors or in a well-ventilated area  
Do not breathe dust/fume/gas/mist/vapors/spray  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Keep cool

#### Response

IF exposed: Call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician

#### Skin

Call a POISON CENTER or doctor/physician if you feel unwell  
Wash contaminated clothing before reuse  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Rinse mouth

#### Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

#### Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS.  
WARNING. Reproductive Harm - <https://www.p65warnings.ca.gov/>.

### 3. Composition/Information on Ingredients

| Component        | CAS-No    | Weight % |
|------------------|-----------|----------|
| Methyl alcohol   | 67-56-1   | 99       |
| Water            | 7732-18-5 | 0.5      |
| Sodium hydroxide | 1310-73-2 | 0.5      |

### 4. First-aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                              |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                     |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                    |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                 |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting                                                                                                                                                                                   |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                                                                                                                                                                                                                                          |

## 5. Fire-fighting measures

|                                         |                                                   |
|-----------------------------------------|---------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                          |
| <b>Flash Point</b>                      | 12 °C / 53.6 °F                                   |
| <b>Method -</b>                         | No information available                          |
| <b>Autoignition Temperature</b>         | No information available                          |
| <b>Explosion Limits</b>                 |                                                   |
| <b>Upper</b>                            | No data available                                 |
| <b>Lower</b>                            | No data available                                 |
| <b>Sensitivity to Mechanical Impact</b> | No information available                          |
| <b>Sensitivity to Static Discharge</b>  | No information available                          |

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

None known.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

|                                  |                                                                                                                                                                                                                                                      |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>      | Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b> | Should not be released into the environment.                                                                                                                                                                                                         |

**Methods for Containment and Clean Up** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

**Storage** Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component        | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH IDLH                                                                                                   | Mexico OEL (TWA)              |
|------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| Methyl alcohol   | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> | TWA: 200 ppm<br>STEL: 250 ppm |
| Sodium hydroxide | Ceiling: 2 mg/m <sup>3</sup>          | Ceiling: 2 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup>                                                                                                                                 | IDLH: 10 mg/m <sup>3</sup><br>Ceiling: 2 mg/m <sup>3</sup>                                                   | Ceiling: 2 mg/m <sup>3</sup>  |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

### Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|                |                          |
|----------------|--------------------------|
| Physical State | Liquid                   |
| Appearance     | No information available |
| Odor           | No information available |
| Odor Threshold | No information available |

|                                        |                          |
|----------------------------------------|--------------------------|
| pH                                     | No information available |
| Melting Point/Range                    | No data available        |
| Boiling Point/Range                    | No information available |
| Flash Point                            | 12 °C / 53.6 °F          |
| Evaporation Rate                       | No information available |
| Flammability (solid,gas)               | Not applicable           |
| Flammability or explosive limits       |                          |
| Upper                                  | No data available        |
| Lower                                  | No data available        |
| Vapor Pressure                         | No information available |
| Vapor Density                          | No information available |
| Specific Gravity                       | 0.971                    |
| Solubility                             | No information available |
| Partition coefficient; n-octanol/water | No data available        |
| Autoignition Temperature               | No information available |
| Decomposition Temperature              | No information available |
| Viscosity                              | No information available |

## 10. Stability and reactivity

|                                  |                                                                   |
|----------------------------------|-------------------------------------------------------------------|
| Reactive Hazard                  | None known, based on information available                        |
| Stability                        | Stable under normal conditions.                                   |
| Conditions to Avoid              | Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials           | Strong oxidizing agents                                           |
| Hazardous Decomposition Products | None under normal use conditions                                  |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                          |
| Hazardous Reactions              | None under normal processing.                                     |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

|             |                                     |
|-------------|-------------------------------------|
| Oral LD50   | Category 3. ATE = 50 - 300 mg/kg.   |
| Dermal LD50 | Category 3. ATE = 200 - 1000 mg/kg. |
| Vapor LC50  | Category 3. ATE = 2 - 10 mg/l.      |

#### Component Information

| Component        | LD50 Oral                        | LD50 Dermal                   | LC50 Inhalation               |
|------------------|----------------------------------|-------------------------------|-------------------------------|
| Methyl alcohol   | LD50 > 1187 – 2769 mg/kg ( Rat ) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |
| Water            | -                                | -                             | -                             |
| Sodium hydroxide | 140 - 340 mg/kg ( Rat )          | 1350 mg/kg ( Rabbit )         | Not listed                    |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                 |                                                                                          |
|-----------------|------------------------------------------------------------------------------------------|
| Irritation      | No information available                                                                 |
| Sensitization   | No information available                                                                 |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component      | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------|-----------|------------|------------|------------|------------|------------|
| Methyl alcohol | 67-56-1   | Not listed | Not listed | Not listed | Not listed | Not listed |
| Water          | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |

|                  |           |            |            |            |            |            |
|------------------|-----------|------------|------------|------------|------------|------------|
| Sodium hydroxide | 1310-73-2 | Not listed | Not listed | Not listed | Not listed | Not listed |
|------------------|-----------|------------|------------|------------|------------|------------|

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Optic nerve Central nervous system (CNS)

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

| Component        | Freshwater Algae | Freshwater Fish                                     | Microtox                                                                        | Water Flea            |
|------------------|------------------|-----------------------------------------------------|---------------------------------------------------------------------------------|-----------------------|
| Methyl alcohol   | Not listed       | Pimephales promelas: LC50 > 10000 mg/L 96h          | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h |
| Sodium hydroxide | Not listed       | LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss) | Not listed                                                                      | Not listed            |

**Persistence and Degradability** Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

| Component      | log Pow |
|----------------|---------|
| Methyl alcohol | -0.74   |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component                | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Methyl alcohol - 67-56-1 | U154                   | -                      |

## 14. Transport information

### DOT

UN-No UN1230  
 Proper Shipping Name METHANOL SOLUTION  
 Hazard Class 3  
 Packing Group II

### TDG

UN-No UN1230  
 Proper Shipping Name METHANOL SOLUTION

Hazard Class 3  
 Subsidiary Hazard Class 6.1  
 Packing Group II

**IATA**

UN-No UN1230  
 Proper Shipping Name METHANOL SOLUTION  
 Hazard Class 3  
 Subsidiary Hazard Class 6.1  
 Packing Group II

**IMDG/IMO**

UN-No UN1230  
 Proper Shipping Name METHANOL SOLUTION  
 Hazard Class 3  
 Subsidiary Hazard Class 6.1  
 Packing Group II

## 15. Regulatory information

**United States of America Inventory**

| Component        | CAS-No    | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|------------------|-----------|------|-----------------------------------------------|-----------------------------|
| Methyl alcohol   | 67-56-1   | X    | ACTIVE                                        | -                           |
| Water            | 7732-18-5 | X    | ACTIVE                                        | -                           |
| Sodium hydroxide | 1310-73-2 | X    | ACTIVE                                        | -                           |

**Legend:**

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

TSCA 12(b) - Notices of Export Not applicable

**International Inventories**

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component        | CAS-No    | DSL | NDL | EINECS    | PICCS | ENCS | AICS | IECSC | KECL     |
|------------------|-----------|-----|-----|-----------|-------|------|------|-------|----------|
| Methyl alcohol   | 67-56-1   | X   | -   | 200-659-6 | X     | X    | X    | X     | KE-23193 |
| Water            | 7732-18-5 | X   | -   | 231-791-2 | X     | X    | X    | X     | KE-35400 |
| Sodium hydroxide | 1310-73-2 | X   | -   | 215-185-5 | X     | X    | X    | X     | KE-31487 |

**U.S. Federal Regulations****SARA 313**

| Component      | CAS-No  | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|-------------------------------|
| Methyl alcohol | 67-56-1 | 99       | 1.0                           |

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)**

| Component        | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Sodium hydroxide | X                          | 1000 lb                     | -                      | -                         |

**Clean Air Act**

| Component      | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Methyl alcohol | X         |                         | -                       |

OSHA - Occupational Safety and Not applicable

Health Administration

**CERCLA**

Not applicable

| Component        | Hazardous Substances RQs | CERCLA EHS RQs |
|------------------|--------------------------|----------------|
| Methyl alcohol   | 5000 lb                  | -              |
| Sodium hydroxide | 1000 lb                  | -              |

**California Proposition 65** This product contains the following Proposition 65 chemicals.

| Component      | CAS-No  | California Prop. 65 | Prop 65 NSRL | Category      |
|----------------|---------|---------------------|--------------|---------------|
| Methyl alcohol | 67-56-1 | Developmental       | -            | Developmental |

**U.S. State Right-to-Know Regulations**

| Component        | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------|---------------|------------|--------------|----------|--------------|
| Methyl alcohol   | X             | X          | X            | X        | X            |
| Water            | -             | -          | X            | -        | -            |
| Sodium hydroxide | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
 DOT Marine Pollutant N  
 DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations****Mexico - Grade**

No information available

**16. Other information**

**Prepared By** Regulatory Affairs  
 Thermo Fisher Scientific  
 Email: EMSDS.RA@thermofisher.com

**Creation Date** 16-Jul-2020**Revision Date** 16-Jul-2020**Print Date** 16-Jul-2020

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**