

SAFETY DATA SHEET

Creation Date 24-November-2010

Revision Date 28-March-2024

Revision Number 4

1. Identification

Product Name Cyclohexyl isocyanate

Cat No. : L13768

CAS-No 3173-53-3
Synonyms No information available

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids	Category 3
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity	Category 1
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor

Fatal if inhaled

Harmful if swallowed or in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

Take action to prevent static discharges

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

Fight fire with normal precautions from a reasonable distance

Evacuate area

Storage

Store locked up

Store in a closed container

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic organisms

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Cyclohexyl isocyanate	3173-53-3	98
Isocyanates (no further defined)	NA	<2
o-Dichlorobenzene	95-50-1	<1

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If not breathing, give artificial respiration.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms/effects	Difficulty in breathing. Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	53 °C / 127.4 °F
Method -	No information available
Autoignition Temperature	390 °C / 734 °F
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NO_x). Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen cyanide (hydrocyanic acid).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
4

Flammability
2

Instability
0

Physical hazards
N/A

6. Accidental release measures

Personal Precautions

Environmental Precautions

Remove all sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Provide adequate ventilation.

7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapors/spray. Remove all sources of ignition. Take precautionary measures against static discharges. Keep away from open flames, hot surfaces and sources of ignition.

Storage.

Flammables area. Corrosives area. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Water. Strong oxidizing agents. Strong bases. Alcohols. Amines.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
o-Dichlorobenzene	TWA: 25 ppm TWA: 150 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³	TWA: 25 ppm STEL: 50 ppm	TWA: 25 ppm STEL: 50 ppm	TWA: 25 ppm STEL: 50 ppm	TWA: 25 ppm STEL: 50 ppm	Ceiling: 50 ppm Ceiling: 300 mg/m ³ (Vacated) Ceiling: 50 ppm (Vacated) Ceiling: 300 mg/m ³	IDLH: 200 ppm Ceiling: 50 ppm Ceiling: 300 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	

Neoprene Natural rubber PVC	recommendations	Splash protection only
-----------------------------------	-----------------	------------------------

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	No information available
Odor Threshold	No information available
pH	No information available
Melting Point/Range	-80 °C / -112 °F
Boiling Point/Range	168 - 170 °C / 334.4 - 338 °F @ 760 mmHg
Flash Point	53 °C / 127.4 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	2.2 mbar @ 20 °C
Vapor Density	4.3
Specific Gravity	0.980
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	390 °C / 734 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C7 H11 N O
Molecular Weight	125.17

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Moisture sensitive.

Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Incompatible products. Exposure to moist air or water.
Incompatible Materials	Acids, Water, Strong oxidizing agents, Strong bases, Alcohols, Amines
Hazardous Decomposition Products	Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO ₂), Hydrogen cyanide (hydrocyanic acid)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50	Category 4. ATE = 300 - 2000 mg/kg.
Dermal LD50	Category 4. ATE = 1000 - 2000 mg/kg.
Vapor LC50	Category 1. ATE < 0.5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexyl isocyanate	LD50 = 560 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 = 0.022 mg/L (Rat) 4 h
o-Dichlorobenzene	LD50 = 1516 mg/kg (Rat)	LD50 > 10 g/kg (Rabbit)	14,04 mg/L/4h (Rat)

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes burns by all exposure routes
Sensitization	May cause sensitization by skin contact
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexyl isocyanate	3173-53-3	Not listed	Not listed	Not listed	Not listed	Not listed
Isocyanates (no further defined)	NA	Not listed	Not listed	Not listed	Not listed	Not listed
o-Dichlorobenzene	95-50-1	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
o-Dichlorobenzene	EC50: = 91.6 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 61.2 - 181 mg/L, 72h (Pseudokirchneriella subcapitata) EC50: = 2.2 mg/L, 96h static (Pseudokirchneriella subcapitata)	LC50: 4.8 - 6.6 mg/L, 96h static (Lepomis macrochirus) LC50: = 5.2 mg/L, 96h flow-through (Brachydanio rerio) LC50: 42.6 - 80.4 mg/L, 96h static (Pimephales promelas) LC50: 8.23 - 10.9 mg/L, 96h flow-through (Pimephales promelas) LC50: 1.44 - 1.73 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 5.8 mg/L, 96h static (Pimephales promelas)	EC50 = 4.76 mg/L 5 min EC50 = 4.98 mg/L 15 min EC50 = 5.99 mg/L 30 min	EC50: = 0.74 mg/L, 48h Static (Daphnia magna)

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
o-Dichlorobenzene	3.433

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
o-Dichlorobenzene - 95-50-1	U070	-

14. Transport information

DOT

UN-No UN2488
 Proper Shipping Name CYCLOHEXYL ISOCYANATE
 Technical Name Cyclohexyl isocyanide
 Hazard Class 6.1
 Subsidiary Hazard Class 3
 Packing Group I

TDG

UN-No UN2488
 Proper Shipping Name CYCLOHEXYL ISOCYANATE
 Hazard Class 6.1
 Subsidiary Hazard Class 3
 Packing Group I

IATA

FORBIDDEN FOR IATA TRANSPORT
 UN-No UN2488
 Proper Shipping Name CYCLOHEXYL ISOCYANATE, FORBIDDEN FOR IATA TRANSPORT
 Hazard Class 6.1

Subsidiary Hazard Class	3
Packing Group	I
IMDG/IMO	
UN-No	UN2488
Proper Shipping Name	CYCLOHEXYL ISOCYANATE
Hazard Class	6.1
Subsidiary Hazard Class	3
Packing Group	I

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Cyclohexyl isocyanate	3173-53-3	-	X	X	ACTIVE	221-639-3	-	-
Isocyanates (no further defined)	NA	-	-	-	-	-	-	-
o-Dichlorobenzene	95-50-1	X	-	X	ACTIVE	202-425-9	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Cyclohexyl isocyanate	3173-53-3	X	KE-09246	X	X	X	-	X	X
Isocyanates (no further defined)	NA	-	-	-	-	-	-	-	-
o-Dichlorobenzene	95-50-1	X	KE-10066	X	X	X	X	X	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
o-Dichlorobenzene	Part 1, Group A Substance Part 4 Substance		

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
o-Dichlorobenzene	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cyclohexyl isocyanate	3173-53-3	Not applicable	Not applicable	Not applicable	Not applicable
Isocyanates (no further defined)	NA	Not applicable	Not applicable	Not applicable	Not applicable
o-Dichlorobenzene	95-50-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cyclohexyl isocyanate	3173-53-3	Not applicable	Not applicable	Not applicable	Not applicable
Isocyanates (no further defined)	NA	Not applicable	Not applicable	Not applicable	Not applicable
o-Dichlorobenzene	95-50-1	Not applicable	Not applicable	Not applicable	Annex I - Y45

16. Other information

Prepared By

Product Safety Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Creation Date

24-November-2010

Revision Date

28-March-2024

Print Date

28-March-2024

Revision Summary

New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS