

## SAFETY DATA SHEET

Creation Date 26-September-2009

Revision Date 29-March-2024

Revision Number 3

### 1. Identification

**Product Name** 1-Hexylamine

**Cat No. :** A15663

**CAS-No** 111-26-2  
**Synonyms** 1-Aminohexane

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                         |              |
|---------------------------------------------------------|--------------|
| <b>Flammable liquids</b>                                | Category 3   |
| <b>Acute oral toxicity</b>                              | Category 3   |
| <b>Acute dermal toxicity</b>                            | Category 3   |
| <b>Skin Corrosion/Irritation</b>                        | Category 1 A |
| <b>Serious Eye Damage/Eye Irritation</b>                | Category 1   |
| <b>Specific target organ toxicity (single exposure)</b> | Category 3   |
| Target Organs - Respiratory system.                     |              |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

Flammable liquid and vapor  
Toxic if swallowed or in contact with skin  
Causes severe skin burns and eye damage  
May cause respiratory irritation

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection  
Use non-sparking tools  
Take action to prevent static discharges

**Response**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER/doctor  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects

### 3. Composition/Information on Ingredients

| Component    | CAS-No   | Weight % |
|--------------|----------|----------|
| n-Hexylamine | 111-26-2 | >95      |

### 4. First-aid measures

**General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact**

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

|                                        |                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                          |
| <b>Inhalation</b>                      | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.                                                       |
| <b>Ingestion</b>                       | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                       |
| <b>Most important symptoms/effects</b> | Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                                |

## 5. Fire-fighting measures

|                                         |                                                                                                                                         |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                                                                                |
| <b>Flash Point</b>                      | 27 °C / 80.6 °F                                                                                                                         |
| <b>Method -</b>                         | No information available                                                                                                                |
| <b>Autoignition Temperature</b>         | 270 °C / 518 °F                                                                                                                         |
| <b>Explosion Limits</b>                 |                                                                                                                                         |
| <b>Upper</b>                            | 9.3%                                                                                                                                    |
| <b>Lower</b>                            | 2.1%                                                                                                                                    |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                                                |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                                                |

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

|               |                     |                    |                         |
|---------------|---------------------|--------------------|-------------------------|
| <b>Health</b> | <b>Flammability</b> | <b>Instability</b> | <b>Physical hazards</b> |
| 3             | 2                   | 1                  | N/A                     |

## 6. Accidental release measures

|                                          |                                                                                                                                                                                                                                                      |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>              | Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b>         | Should not be released into the environment. Do not flush into surface water or sanitary sewer system.                                                                                                                                               |
| <b>Methods for Containment and Clean</b> | Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.                                                                                                                                                             |

**Up** Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

**Handling** Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Storage.** Flammables area. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Carbon dioxide (CO<sub>2</sub>).

## 8. Exposure controls / personal protection

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures** Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection**  
**Hand Protection**

Goggles  
Protective gloves

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | -               | Splash protection only |
| Nitrile rubber | recommendations   |                 |                        |
| Neoprene       |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before

re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                        |                            |
|----------------------------------------|----------------------------|
| Physical State                         | Liquid                     |
| Appearance                             | Clear                      |
| Odor                                   | Rotten-egg like            |
| Odor Threshold                         | No information available   |
| pH                                     | 11.6 10 g/L aq.sol         |
| Melting Point/Range                    | -19 °C / -2.2 °F           |
| Boiling Point/Range                    | 130 °C / 266 °F @ 760 mmHg |
| Flash Point                            | 27 °C / 80.6 °F            |
| Evaporation Rate                       | No information available   |
| Flammability (solid,gas)               | Not applicable             |
| Flammability or explosive limits       |                            |
| Upper                                  | 9.3%                       |
| Lower                                  | 2.1%                       |
| Vapor Pressure                         | 10.6 mbar @ 20 °C          |
| Vapor Density                          | 3.5                        |
| Specific Gravity                       | 0.75                       |
| Solubility                             | Soluble in water           |
| Partition coefficient; n-octanol/water | No data available          |
| Autoignition Temperature               | 270 °C / 518 °F            |
| Decomposition Temperature              | No information available   |
| Viscosity                              | 0.83 mPa.s (20°C)          |
| Molecular Formula                      | C6 H15 N                   |
| Molecular Weight                       | 101.19                     |

## 10. Stability and reactivity

|                                  |                                                                                                           |
|----------------------------------|-----------------------------------------------------------------------------------------------------------|
| Reactive Hazard                  | None known, based on information available                                                                |
| Stability                        | Air sensitive.                                                                                            |
| Conditions to Avoid              | Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Incompatible products. |
| Incompatible Materials           | Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO <sub>2</sub> )        |
| Hazardous Decomposition Products | Nitrogen oxides (NO <sub>x</sub> ), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )               |
| Hazardous Polymerization         | No information available.                                                                                 |
| Hazardous Reactions              | None under normal processing.                                                                             |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

#### Component Information

| Component    | LD50 Oral                | LD50 Dermal | LC50 Inhalation                  |
|--------------|--------------------------|-------------|----------------------------------|
| n-Hexylamine | LD50 = 670 mg/kg ( Rat ) | Not listed  | LC50 < 74.67 mg/L ( Rat ) 10 min |

Toxicologically Synergistic Products No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component    | CAS-No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------|----------|------------|------------|------------|------------|------------|
| n-Hexylamine | 111-26-2 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Component    | Freshwater Algae | Freshwater Fish                                                | Microtox   | Water Flea |
|--------------|------------------|----------------------------------------------------------------|------------|------------|
| n-Hexylamine | Not listed       | LC50: 53.8 - 59.6 mg/L, 96h flow-through (Pimephales promelas) | Not listed | Not listed |

**Persistence and Degradability** Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

| Component    | log Pow |
|--------------|---------|
| n-Hexylamine | 0.022   |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

|                         |                                              |
|-------------------------|----------------------------------------------|
| UN-No                   | UN2734                                       |
| Proper Shipping Name    | AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. |
| Hazard Class            | 8                                            |
| Subsidiary Hazard Class | 3                                            |
| Packing Group           | I                                            |

**TDG**

|                         |                                              |
|-------------------------|----------------------------------------------|
| UN-No                   | UN2734                                       |
| Proper Shipping Name    | AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. |
| Hazard Class            | 8                                            |
| Subsidiary Hazard Class | 3                                            |
| Packing Group           | I                                            |

**IATA**

|                         |                                               |
|-------------------------|-----------------------------------------------|
| UN-No                   | UN2734                                        |
| Proper Shipping Name    | AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.* |
| Hazard Class            | 8                                             |
| Subsidiary Hazard Class | 3                                             |
| Packing Group           | I                                             |

**IMDG/IMO**

|                         |                                              |
|-------------------------|----------------------------------------------|
| UN-No                   | UN2734                                       |
| Proper Shipping Name    | AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. |
| Hazard Class            | 8                                            |
| Subsidiary Hazard Class | 3                                            |
| Packing Group           | I                                            |

## 15. Regulatory information

**International Inventories**

| Component    | CAS-No   | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|--------------|----------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| n-Hexylamine | 111-26-2 | X   | -    | X    | ACTIVE                                        | 203-851-8 | -      | -   |

| Component    | CAS-No   | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|--------------|----------|-------|----------|------|------|------|------|-------|-------|
| n-Hexylamine | 111-26-2 | X     | KE-18624 | X    | X    | X    | X    | X     | X     |

**Legend:**

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**IECSC** - Chinese Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**ENCS** - Japanese Existing and New Chemical Substances**AICS** - Australian Inventory of Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**Canada**

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

**Other International Regulations****Authorisation/Restrictions according to EU REACH**

Not applicable

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component    | CAS-No   | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------|----------|----------------|------------------------------|---------------------------|--------------------------------------------|
| n-Hexylamine | 111-26-2 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

| Component | CAS-No | Seveso III Directive | Seveso III Directive | Rotterdam | Basel Convention |
|-----------|--------|----------------------|----------------------|-----------|------------------|
|-----------|--------|----------------------|----------------------|-----------|------------------|

|              |          | (2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | (2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Convention (PIC) | (Hazardous Waste) |
|--------------|----------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------|-------------------|
| n-Hexylamine | 111-26-2 | Not applicable                                                                | Not applicable                                                               | Not applicable   | Not applicable    |

## 16. Other information

**Prepared By** Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Creation Date** 26-September-2009  
**Revision Date** 29-March-2024  
**Print Date** 29-March-2024  
**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**