

ALFAA42446

## Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**产品说明:**  
**Product Description:** 镍, 油基标准溶液, Specpure®, Ni 5000µg/g  
Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

**Cat No. :** 42446

**Supplier** Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### SECTION 2. HAZARD IDENTIFICATION

**Physical State**  
Liquid

**Appearance**  
Dark

**Odor**  
Petroleum distillates

#### Emergency Overview

The product contains no substances which at their given concentration are considered to be hazardous to health.

#### Classification of the substance or mixture

Based on available data, the classification criteria are not met

#### Label Elements

None required

#### **Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### **Response**

P308 + P313 - IF exposed or concerned: Get medical advice/attention

#### **Storage**

P403 - Store in a well-ventilated place

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

**Physical and Chemical Hazards**

None identified.

**Health Hazards**

The product contains no substances which at their given concentration are considered to be hazardous to health.

**Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil. The product is insoluble and floats on water.

This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component         | CAS No    | Weight % |
|-------------------|-----------|----------|
| White mineral oil | 8042-47-5 | 99.5     |
| Nickel            | 7440-02-0 | 0.50     |

**SECTION 4. FIRST AID MEASURES****Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

**Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

**Most important symptoms and effects**

None reasonably foreseeable.

**Self-Protection of the First Aider**

No special precautions required.

**Notes to Physician**

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

## Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

**Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up**

Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

**Storage**

Keep container tightly closed in a dry and well-ventilated place.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

| Component | China                    | Taiwan                   | Thailand                 | Hong Kong                  |
|-----------|--------------------------|--------------------------|--------------------------|----------------------------|
| Nickel    | TWA: 1 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> | TWA: 1.5 mg/m <sup>3</sup> |

| Component | ACGIH TLV                  | OSHA PEL                                                       | NIOSH                                                      | The United Kingdom                                                         | European Union |
|-----------|----------------------------|----------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------|----------------|
| Nickel    | TWA: 1.5 mg/m <sup>3</sup> | (Vacated) TWA: 1 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> | IDLH: 10 mg/m <sup>3</sup><br>TWA: 0.015 mg/m <sup>3</sup> | STEL: 1.5 mg/m <sup>3</sup> 15 min<br>TWA: 0.5 mg/m <sup>3</sup> 8 hr Skin |                |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Exposure Controls****Engineering Measures**

None under normal use conditions. .

**Personal protective equipment****Eye Protection**

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

**Hand Protection**

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

## Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                   |                                                                                                                                                                                                        |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>   | Long sleeved clothing                                                                                                                                                                                  |
| <b>Respiratory Protection</b>     | No protective equipment is needed under normal use conditions.                                                                                                                                         |
| <b>Large scale/emergency use</b>  | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced<br><b>Recommended Filter type:</b> Particle filter |
| <b>Small scale/Laboratory use</b> | Maintain adequate ventilation                                                                                                                                                                          |

|                                        |                                                                                                                                                                                   |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.                                                                                                            |
| <b>Environmental exposure controls</b> | Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                |                          |                                          |
|------------------------------------------------|--------------------------|------------------------------------------|
| <b>Appearance</b>                              | Dark                     |                                          |
| <b>Physical State</b>                          | Liquid                   |                                          |
| <b>Odor</b>                                    | Petroleum distillates    |                                          |
| <b>Odor Threshold</b>                          | No data available        |                                          |
| <b>pH</b>                                      | No information available |                                          |
| <b>Melting Point/Range</b>                     | No data available        |                                          |
| <b>Softening Point</b>                         | No data available        |                                          |
| <b>Boiling Point/Range</b>                     | > 315 °C / 599 °F        |                                          |
| <b>Flash Point</b>                             | > 232 °C / > 449.6 °F    | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No data available        |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available        |                                          |
| <b>Vapor Pressure</b>                          | No data available        |                                          |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 0.75 g/cm3               | @ 20 °C                                  |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                   |
| <b>Water Solubility</b>                        | Immiscible               |                                          |
| <b>Solubility in other solvents</b>            | No information available |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                          |
| <b>Component</b>                               | <b>log Pow</b>           |                                          |
| White mineral oil                              | 6                        |                                          |
| <b>Autoignition Temperature</b>                | 338 °C / 640.4 °F        |                                          |
| <b>Decomposition Temperature</b>               | No data available        |                                          |
| <b>Viscosity</b>                               | No data available        |                                          |
| <b>Explosive Properties</b>                    | No information available |                                          |
| <b>Oxidizing Properties</b>                    | No information available |                                          |

## SECTION 10. STABILITY AND REACTIVITY

|                                 |                                 |
|---------------------------------|---------------------------------|
| <b>Stability</b>                | Stable under normal conditions. |
| <b>Hazardous Reactions</b>      | None under normal processing.   |
| <b>Hazardous Polymerization</b> | No information available.       |

## Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

**Conditions to Avoid** None known.

**Materials to avoid** No information available.

**Hazardous Decomposition Products** None under normal use conditions.

**SECTION 11. TOXICOLOGICAL INFORMATION****Product Information**

**(a) acute toxicity;**  
**Toxicology data for the components**

| Component         | LD50 Oral                 | LD50 Dermal          | LC50 Inhalation              |
|-------------------|---------------------------|----------------------|------------------------------|
| White mineral oil | >5000 mg/kg (Rat)         | >3000 mg/kg (Rabbit) |                              |
| Nickel            | LD50 > 9000 mg/kg ( Rat ) |                      | LC50 > 10.2 mg/L ( Rat ) 1 h |

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** No data available

**(d) respiratory or skin sensitization;**  
Respiratory No data available  
Skin No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC     |
|-----------|----|----|---------|----------|
| Nickel    |    |    | Cat. 1  | Group 2B |

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** No data available

**(i) STOT-repeated exposure;** No data available

**Target Organs** No information available.

**(j) aspiration hazard;** No data available

**Symptoms / effects, both acute and delayed** No information available

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|-----------|-----------------|------------|------------------|----------|
|-----------|-----------------|------------|------------------|----------|

**SAFETY DATA SHEET****Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g**

|                   |                                                                                                                                                     |                     |                                             |  |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------------------------|--|
| White mineral oil | LC50: > 10000 mg/L, 96h (Lepomis macrochirus)                                                                                                       |                     |                                             |  |
| Nickel            | LC50: > 100 mg/L, 96h (Brachydanio rerio)<br>LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio)<br>LC50: = 10.4 mg/L, 96h static (Cyprinus carpio) | EC50 = 510 µg/L 96h | EC50 = 0.1 mg/L 72h<br>EC50 = 0.18 mg/L 72h |  |

**Persistence and Degradability****Persistence**

May persist.

**Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential**

Product has a high potential to bioconcentrate

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| White mineral oil | 6       | No data available             |

**Mobility in soil**

Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

**SECTION 13. DISPOSAL CONSIDERATIONS****Waste from Residues/Unused Products**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**Contaminated Packaging**

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

**Other Information**

Do not flush to sewer.

**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

Not Regulated

**IMDG/IMO**

Not regulated

**IATA**

Not regulated

**Special Precautions for User**

No special precautions required

**SECTION 15. REGULATORY INFORMATION**

## Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component         | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|-------------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| White mineral oil | -                                                   | -                                       | X    | X     | 232-455-8 | X    | X   | X     | X    | X    | X    | KE-35412 |
| Nickel            | -                                                   | -                                       | X    | X     | 231-111-4 | X    | X   | X     | X    |      | X    | KE-25818 |

## National Regulations

## SECTION 16. OTHER INFORMATION

## Prepared By

Health, Safety and Environmental Department

## Revision Date

09-May-2024

## Revision Summary

New emergency telephone response service provider.

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level

PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

NOEC - No Observed Effect Concentration

POW - Partition coefficient Octanol:Water

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

MARPOL - International Convention for the Prevention of Pollution from Ships

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

## Physical hazards

On basis of test data

## Health Hazards

Calculation method

## Environmental hazards

Calculation method

**Nickel, Oil based standard solution, Specpure®, Ni 5000µg/g**

---

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**