

Creation Date 22-Sep-2009

Revision Date 31-Jan-2025

Revision Number 8

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Resorcinol
Cat No. :	R/0200/48, R/0200/50
Synonyms	1,3-Benzenediol; 1,3-Dihydroxybenzene
Index No	604-010-00-1
CAS No	108-46-3
EC No	203-585-2
Molecular Formula	C6 H6 O2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name
Thermo Fisher Scientific
Janssen Pharmaceuticaaan 3a
2440 Geel, Belgium

UK entity/business name
Fisher Scientific UK
Bishop Meadow Road, Loughborough,
Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166
Chemtrec US: (800) 424-9300
Chemtrec EU: 001-703-527-3887

For customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

Section 2: HAZARDS IDENTIFICATION

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization
Specific target organ toxicity - (single exposure)

Category 4 (H302)
Category 2 (H315)
Category 1 (H318)
Category 1 Sub-category 1B (H317)
Category 1 (H370)

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity

Category 1 (H400)
Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H370 - Causes damage to organs
H400 - Very toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)
Toxic to terrestrial vertebrates
Contains a known or suspected endocrine disruptor
Contains a substance on the National Authorities Endocrine Disruptor Lists
May form explosible dust-air mixture if dispersed

Section 3: Composition/information on ingredients

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
1,3-Benzenediol	108-46-3	EEC No. 203-585-2	<=100	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam 1 (H318) Skin Sens. 1B (H317) STOT SE 1 (H370) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
1,3-Benzenediol	-	1	-

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergic skin reaction. Causes severe eye damage.
Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

Notes to Physician

Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Water mist may be used to cool closed containers. Chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Dust can form an explosive mixture with air. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses. Fine dust dispersed in air may ignite.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from direct sunlight. Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

Switzerland - Storage of hazardous substances

Storage class - SC 6.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
1,3-Benzenediol	TWA: 10 ppm (8hr) TWA: 45 mg/m ³ (8hr) Skin	STEL: 20 ppm 15 min STEL: 92 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 46 mg/m ³ 8 hr Skin	TWA / VME: 10 ppm (8 heures). indicative limit TWA / VME: 45 mg/m ³ (8 heures). indicative limit Peau	TWA: 10 ppm 8 uren TWA: 46 mg/m ³ 8 uren STEL: 20 ppm 15 minuten STEL: 91 mg/m ³ 15 minuten Huid	TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 46 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
1,3-Benzenediol	TWA: 10 ppm 8 ore. Time Weighted Average TWA: 45 mg/m ³ 8 ore. Time Weighted Average	TWA: 4 ppm (8 Stunden). AGW - exposure factor 1 TWA: 20 mg/m ³ (8 Stunden). AGW - exposure factor 1 Haut	STEL: 20 ppm 15 minutos TWA: 10 ppm 8 horas TWA: 45 mg/m ³ 8 horas Pele	TWA: 2.2 ppm 8 uren TWA: 10 mg/m ³ 8 uren	TWA: 10 ppm 8 tunteina TWA: 46 mg/m ³ 8 tunteina STEL: 20 ppm 15 minuutteina STEL: 91 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
1,3-Benzenediol	MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 45 mg/m ³ 8 Stunden	TWA: 10 ppm 8 timer TWA: 45 mg/m ³ 8 timer STEL: 20 ppm 15 minutter STEL: 90 mg/m ³ 15 minutter Hud	TWA: 10 mg/m ³ 8 Stunden	STEL: 90 mg/m ³ 15 minutach TWA: 45 mg/m ³ 8 godzinach	TWA: 10 ppm 8 timer TWA: 45 mg/m ³ 8 timer STEL: 20 ppm 15 minutter. value calculated STEL: 67.5 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
1,3-Benzenediol	TWA: 10 ppm TWA: 45.0 mg/m ³ Skin notation	kože TWA-GVI: 10 ppm 8 satima. TWA-GVI: 45 mg/m ³ 8 satima.	TWA: 10 ppm 8 hr. TWA: 45 mg/m ³ 8 hr. STEL: 30 ppm 15 min STEL: 135 mg/m ³ 15 min	Skin-potential for cutaneous absorption TWA: 10 ppm TWA: 45 mg/m ³	TWA: 45 mg/m ³ 8 hodinách. Ceiling: 90 mg/m ³

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

			Skin		
Component	Estonia	Gibraltar	Greece	Hungary	Iceland
1,3-Benzenediol	Nahk TWA: 10 ppm 8 tundides. TWA: 45 mg/m ³ 8 tundides.	Skin notation TWA: 10 ppm 8 hr TWA: 45 mg/m ³ 8 hr	STEL: 20 ppm STEL: 90 mg/m ³ TWA: 10 ppm TWA: 45 mg/m ³	TWA: 45 mg/m ³ 8 órában. AK TWA: 10 ppm 8 órában. AK lehetséges borön keresztül felszívódás	TWA: 10 ppm 8 klukkustundum. TWA: 45 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 20 ppm Ceiling: 90 mg/m ³
Component	Latvia	Lithuania	Luxembourg	Malta	Romania
1,3-Benzenediol	skin - potential for cutaneous exposure TWA: 10 ppm TWA: 45 mg/m ³	TWA: 10 ppm IPRD TWA: 45 mg/m ³ IPRD Oda	Possibility of significant uptake through the skin TWA: 10 ppm 8 Stunden TWA: 45 mg/m ³ 8 Stunden	possibility of significant uptake through the skin TWA: 10 ppm TWA: 45 mg/m ³	Skin notation TWA: 10 ppm 8 ore TWA: 45 mg/m ³ 8 ore
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
1,3-Benzenediol	Skin notation MAC: 5 mg/m ³	Potential for cutaneous absorption TWA: 10 ppm TWA: 45 mg/m ³	TWA: 10 ppm 8 urah TWA: 45 mg/m ³ 8 urah inhalable fraction Koža STEL: 45 mg/m ³ 15 minutah inhalable fraction STEL: 10 ppm 15 minutah	TLV: 10 ppm 8 timmar. NGV TLV: 45 mg/m ³ 8 timmar. NGV Hud	Deri TWA: 10 ppm 8 saat TWA: 45 mg/m ³ 8 saat

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1,3-Benzenediol 108-46-3 (<=100)				DNEL = 40mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
1,3-Benzenediol 108-46-3 (<=100)			DNEL = 132.8mg/m ³	DNEL = 5.6mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

1,3-Benzenediol 108-46-3 (≤100)	PNEC = 0.0172mg/L	PNEC = 0.0797mg/kg sediment dw		PNEC = 0.79mg/L	PNEC = 10mg/kg soil dw
--------------------------------------	----------------------	--------------------------------------	--	-----------------	---------------------------

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
1,3-Benzenediol 108-46-3 (≤100)	PNEC = 0.00172mg/L	PNEC = 0.00797mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber Neoprene Natural rubber PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

Physical State	Solid	
Appearance	Beige	
Odor	aromatic	
Odor Threshold	No data available	
Melting Point/Range	109 - 111 °C / 228.2 - 231.8 °F	
Softening Point	No data available	
Boiling Point/Range	281 °C / 537.8 °F	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	Lower 1.4	
Flash Point	127 °C / 260.6 °F	Method - No information available
Autoignition Temperature	605 °C / 1121 °F	
Decomposition Temperature	> 281°C	
pH	4.4	55 g/l aq.sol
Viscosity	Not applicable	Solid
Water Solubility	140 g/100 ml	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
1,3-Benzenediol	0.8	
Vapor Pressure	1 mmHg @ 21.1 °C	
Density / Specific Gravity	1.272	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

9.2. Other information

Molecular Formula	C6 H6 O2
Molecular Weight	110.11
Evaporation Rate	Not applicable - Solid

Section 10: Stability and reactivity

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic. Air sensitive. Light sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Heat, flames and sparks. Excess heat. Exposure to air. Exposure to light. Incompatible products. Exposure to moist air or water.

10.5. Incompatible materials

Bases. Strong oxidizing agents. Alkaline. Acid anhydrides. Acid chlorides. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Section 11: Toxicological information

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4
Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3-Benzenediol	510 mg/kg (Rat)	2830 mg/kg (Rabbit)	LC50 > 7.8 mg/L (rat) 8 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available
Skin Sub-category 1B
No information available

(e) germ cell mutagenicity; No data available
Not mutagenic in AMES Test

(f) carcinogenicity; No data available
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 1

Results / Target organs Blood, Central nervous system (CNS), Respiratory system.

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health .
Contains a substance on the National Authorities Endocrine Disruptor Lists

Component	EU National Authorities Endocrine Disruptor Lists -
-----------	---

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

	Health
1,3-Benzenediol 108-46-3 (≤100)	List II

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
1,3-Benzenediol	LC50: = 53.4 mg/L, 96h (Pimephales promelas) LC50: 36 - 100 mg/L, 96h static (Pimephales promelas) LC50: = 100 mg/L, 96h flow-through (Pimephales promelas) LC50: > 100 mg/L, 96h flow-through (Oncorhynchus mykiss)	LC50 = 1.00 mg/L, 48h (Daphnia magna)	EC50 = 97 mg/l (OECD TG 201)

Component	Microtox	M-Factor
1,3-Benzenediol	EC50 = 265 mg/L 30 min EC50 = 375 mg/L 5 min EC50 = 543 mg/L 48 h	1

12.2. Persistence and degradability

Persistence

Expected to be biodegradable
Persistence is unlikely.

Component	Degradability
1,3-Benzenediol 108-46-3 (≤100)	97% (4 days), OECD 302B

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1,3-Benzenediol	0.8	2.4 dimensionless

12.4. Mobility in soil

The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
1,3-Benzenediol	Group I Chemical	High Exposure Concern

12.7. Other adverse effects

Persistent Organic Pollutant

This product does not contain any known or suspected substance

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

Ozone Depletion Potential This product does not contain any known or suspected substance

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

Section 14: Transport information

IMDG/IMO

14.1. UN number UN2876
14.2. UN proper shipping name RESORCINOL
14.3. Transport hazard class(es) 6.1
14.4. Packing group III

ADR

14.1. UN number UN2876
14.2. UN proper shipping name RESORCINOL
14.3. Transport hazard class(es) 6.1
14.4. Packing group III

IATA

14.1. UN number UN2876
14.2. UN proper shipping name RESORCINOL
14.3. Transport hazard class(es) 6.1
14.4. Packing group III

14.5. Environmental hazards Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

Section 15: Regulatory information

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
1,3-Benzenediol	108-46-3	203-585-2	-	-	X	X	KE-02557	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
1,3-Benzenediol	108-46-3	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1,3-Benzenediol	108-46-3	-	Use restricted. See entry 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
1,3-Benzenediol	108-46-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
1,3-Benzenediol	WGK2	

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
1,3-Benzenediol 108-46-3 (<=100)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H370 - Causes damage to organs
H400 - Very toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Training Advice

Chemical incident response training.

Creation Date

22-Sep-2009

FSUR0200

SAFETY DATA SHEET

Resorcinol

Revision Date 31-Jan-2025

Revision Date	31-Jan-2025
Revision Summary	SDS sections updated.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet