

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description: Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L
Cat No. : 42486
Molecular Formula Fe:Cr:Ni:Mo; 67.5:17:13:2.5 wt%

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Importer	Supplier
Fisher Scientific Korea	Thermo Fisher Scientific Chemicals, Inc.
D5,D6, Incheon Airport Logistics Complex	30 Bond Street
150, Gonghangdong-Ro 296 Beon-Gil	Ward Hill, MA 01835-8099
Jung-Gu, Incheon	
Tel: +82-1661-9555	
Fax: +82-2-2023-0603	

E-mail address Chem.KR@thermofisher.com

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970
CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887
Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Skin Sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 1

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024



Signal Word

Danger

Hazard Statements

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

NFPA

Health
2

Flammability
0

Instability
0

Physical hazards
-

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	Common Name	CAS No	Index No	Weight %
Iron	Iron Metal	7439-89-6	KE-21059	60 - 70
Chromium	Chrome	7440-47-3	KE-05970	>=10 - 20
Nickel	No information available	7440-02-0	KE-25818	>=10 - 20
Molybdenum	No information available	7439-98-7	KE-25427	2 - 2.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

If symptoms persist, call a physician.

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. . May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media
approved class D extinguishers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Iron oxides, Chromium oxide, Nickel oxides, Molybdenum oxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Pick up and transfer to

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

properly labelled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry place. Keep away from acids.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Iron	7439-89-6	Not listed	Not listed	Not listed
Chromium	7440-47-3	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	(Vacated) TWA: 1 mg/m ³ TWA: 1 mg/m ³
Nickel	7440-02-0	TWA: 1 mg/m ³	TWA: 1.5 mg/m ³	(Vacated) TWA: 1 mg/m ³ TWA: 1 mg/m ³
Molybdenum	7439-98-7	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	(Vacated) TWA: 10 mg/m ³

Component	CAS No	European Union	The United Kingdom	Germany
Iron	7439-89-6	Not listed	Not listed	Not listed
Chromium	7440-47-3	TWA: 2 mg/m ³ (8hr)	STEL: 1.5 mg/m ³ 15 min TWA: 0.5 mg/m ³ 8 hr	TWA: 2 mg/m ³ (8 Stunden). AGW - exposure factor 1
Nickel	7440-02-0	Not listed	STEL: 1.5 mg/m ³ 15 min TWA: 0.5 mg/m ³ 8 hr Skin	TWA: 0.03 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 0.006 mg/m ³ (8 Stunden). AGW - exposure factor 8
Molybdenum	7439-98-7	Not listed	STEL: 20 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr	Not listed

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Iron	7439-89-6	Not listed
Chromium	7440-47-3	0.7 µg/L Medium: urine Time: end of shift at end of workweek Determinant: total Chromium
Nickel	7440-02-0	5 µg/L Medium: urine Time: post-shift at end of workweek Determinant: Nickel
Molybdenum	7439-98-7	Not listed

Exposure Controls

Engineering Measures

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)
Hand Protection No special protective equipment required
Skin and body protection Long sleeved clothing

Personal protective equipment Use only those certified by the Korea Occupational Safety and Health Administration.
Respiratory Protection No protective equipment is needed under normal use conditions No special protective equipment required
Recommended Filter type: Particle filter Particulates filter conforming to EN 143

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.) Silver Grey Solid Flake

Odor Odorless
Odor Threshold No data available
pH Not applicable

Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available
Flash Point No information available **Method -** No information available

Evaporation Rate Not applicable Solid
Flammability (solid,gas) No information available
Explosion Limits No data available

Vapor Pressure No data available
Vapor Density Not applicable Solid
Specific Gravity / Density No data available
Bulk Density No data available
Water Solubility Insoluble in water
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Iron	7439-89-6	No data available
Chromium	7440-47-3	No data available

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Nickel	7440-02-0	No data available
Molybdenum	7439-98-7	No data available

Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Molecular Formula	Fe:Cr:Ni:Mo; 67.5:17:13:2.5 wt%
Molecular Weight	Not applicable for mixtures

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>	None known, based on information available
-------------------	--

<u>Chemical Stability</u>	Stable under normal conditions.
---------------------------	---------------------------------

<u>Possibility of Hazardous Reactions</u>	
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

<u>Conditions to Avoid</u>	None known.
----------------------------	-------------

<u>Incompatible Materials</u>	None known.
-------------------------------	-------------

<u>Hazardous Decomposition Products</u>	Iron oxides. Chromium oxide. Nickel oxides. Molybdenum oxides.
---	--

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation	Not an expected route of exposure.
Ingestion	Not an expected route of exposure.
Eyes	Not an expected route of exposure.
Skin	No known effect based on information supplied.

Information on Health Hazards

(a) acute toxicity;	.
Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Toxicology data for the components

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron	7439-89-6	7500 mg/kg (Rat)	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available
Nickel	7440-02-0	LD50 > 9000 mg/kg (Rat)	No data available	LC50 > 10.2 mg/L (Rat) 1 h
Molybdenum	7439-98-7	No data available	LD50 > 2000 mg/kg (Rat)	LC50 > 5.84 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;
Respiratory No data available
Skin Category 1

Component	CAS No	Test method	Test species	Study result
Iron	7439-89-6	No data available	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available
Nickel	7440-02-0	No data available	No data available	No data available
Molybdenum	7439-98-7	No data available	No data available	No data available

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Iron	7439-89-6	No data available	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available
Nickel	7440-02-0	No data available	No data available	No data available
Molybdenum	7439-98-7	No data available	No data available	No data available

(f) carcinogenicity; Category 2

Component	CAS No	Test method	Test species / Duration	Study result
Iron	7439-89-6	No data available	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available
Nickel	7440-02-0	No data available	No data available	No data available
Molybdenum	7439-98-7	No data available	No data available	No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Nickel	7440-02-0	Group 2B	Reasonably Anticipated	Not listed	X	Not listed
Molybdenum	7439-98-7	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

(g) reproductive toxicity; No data available

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Component	CAS No	Test method	Test species / Duration	Study result
Iron	7439-89-6	No data available	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available
Nickel	7440-02-0	No data available	No data available	No data available
Molybdenum	7439-98-7	No data available	No data available	No data available

(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	Category 1
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid

Other Adverse Effects

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Component	CAS No	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is: Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Iron	7439-89-6	No data available	No data available	No data available	No data available
Chromium	7440-47-3	No data available	No data available	No data available	No data available
Nickel	7440-02-0	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	EC50: = 1 mg/L, 48h Static (Daphnia magna) EC50: > 100 mg/L, 48h (Daphnia magna)	EC50: 0.174 - 0.311 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 0.18 mg/L, 72h (Pseudokirchneriella subcapitata)	No data available
Molybdenum	7439-98-7	No data available	No data available	No data available	No data available

Persistence and degradability

Persistence
Degradability
Degradation in sewage treatment plant

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
Insoluble in water, May persist.
Not relevant for inorganic substances.
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Component	log Pow	Bioconcentration factor (BCF)
Chromium	No data available	1.03 - 1.22

Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Iron	7439-89-6	Not listed
Chromium	7440-47-3	Not listed
Nickel	7440-02-0	Not listed
Molybdenum	7439-98-7	Not listed

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

Not Regulated

IATA

Not regulated

IMDG/IMO

Marine Pollutant

Not regulated

No hazards identified

Special Precautions for User

No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Iron	7439-89-6	KE-21059	X	231-096-4	X	X	-	X	X		X
Chromium	7440-47-3	KE-05970	X	231-157-5	X	X	-	X	X		X
Nickel	7440-02-0	KE-25818	X	231-111-4	X	X	-	X	X		X
Molybdenum	7439-98-7	KE-25427	X	231-107-2	X	X	-	X	X		X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Iron	7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Iron	7439-89-6	Listed	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable
Molybdenum	7439-98-7	Listed	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Iron	7439-89-6	Annex 1 - KE-21059	Not applicable	Not applicable
Chromium	7440-47-3	Annex 1 - KE-05970	Not applicable	Not applicable
Nickel	7440-02-0	Annex 1 - KE-25818	Not applicable	Not applicable
Molybdenum	7439-98-7	Annex 1 - KE-25427	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures)
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Listed	CMR, STOT
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Iron	7439-89-6	Listed	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Listed	Not applicable
Nickel	7440-02-0	Listed	Listed	0.2 mg/m³ TWA
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	TWA: 0.5 mg/m ³	Not applicable
Nickel	7440-02-0	Not applicable	TWA: 1 mg/m ³	Not applicable
Molybdenum	7439-98-7	Not applicable	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Iron	7439-89-6	Not applicable	4. Iron 500 kg Powder	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	5. Metal powder 500 kg Powder	Not applicable	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	5. Metal powder 500 kg Powder	Not applicable	Not applicable	Not applicable	Not applicable

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Iron	7439-89-6	Not listed	Not listed
Chromium	7440-47-3	TWA: 0.5 mg/m ³	0.7 µg/L Medium: urine Time: end of shift at end of workweek Determinant: total Chromium
Nickel	7440-02-0	TWA: 1 mg/m ³	5 µg/L Medium: urine Time: post-shift at end of workweek Determinant: Nickel
Molybdenum	7439-98-7	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Not listed

US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Iron	7439-89-6	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Iron	7439-89-6	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	5000 lb	1.0 %
Nickel	7440-02-0	Not applicable	100 lb	0.1 %

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable
------------	-----------	----------------	----------------	----------------

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H317 - May cause an allergic skin reaction. H351 - Suspected of causing cancer. H372 - Causes damage to organs through prolonged or repeated exposure.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P362 + P364 - Take off contaminated clothing and wash it before reuse. P201 - Obtain special instructions before use. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P308 + P313 - IF exposed or concerned: Get medical advice/attention.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By

Health, Safety and Environmental Department

Creation Date

15-Apr-2015

Revision Date

17-Jun-2024

Revision Number

7

Revision Summary

New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

SAFETY DATA SHEET

Stainless Steel flake, -150 mesh, 1.2 micron thick, Type 316-L

Revision Date 17-Jun-2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet