

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Product Identifier

Nama Produk **Acrylamide/Bis-Acrylamide Mixture (29:1)**
 Product Description: **Acrylamide/Bis-Acrylamide Mixture (29:1)**
 Cat No. : **BP1366-100**

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
 Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Fisher Scientific (M) Sdn Bhd No. 3, Jalan Sepadu 25/123,
 Taman Perindustrian Axis, Seksyen 25,
 40400 Shah Alam, Selangor Darul Ehsan, Malaysia.

Supplier
 E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number
 (603) 5122 8888

SECTION 2: HAZARDS IDENTIFICATION
Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Dusts and Mists	Category 4 (H332)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 1B (H340)
Carcinogenicity	Category 1B (H350)
Reproductive Toxicity	Category 2 (H361f)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)

Label Elements


Signal Word

Danger

Hazard Statements

H301 - Toxic if swallowed

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H340 - May cause genetic defects
H350 - May cause cancer
H361f - Suspected of damaging fertility
H372 - Causes damage to organs through prolonged or repeated exposure
H312 + H332 - Harmful in contact with skin or if inhaled

Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P337 + P313 - If eye irritation persists: Get medical advice/attention
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Other Hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Acrylamide	79-06-1	90 - 99
Methylene diacrylamide	110-26-9	1 - 10

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO), Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Ammonia, Hydrogen.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Avoid dust formation. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep at temperature not exceeding 50°C. Keep away from acids.

Specific End Uses

Use in laboratories.

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Acrylamide		TWA: 0.03 mg/m ³ Skin	(Vacated) TWA: 0.03 mg/m ³ Skin TWA: 0.3 mg/m ³

Component	European Union	The United Kingdom	Germany
Acrylamide	TWA: 0.1 mg/m ³ (8h) Skin	STEL: 0.9 mg/m ³ 15 min TWA: 0.3 mg/m ³ 8 hr Carc. Skin	Haut

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection	Goggles
Hand Protection	Protective gloves
Skin and body protection	Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
Recommended Filter type:	Particulates filter conforming to EN 143 To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	White
Physical State	Solid
Odor	Odorless
Odor Threshold	No data available
pH	No information available

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flash Point	No information available	Method - No information available
Evaporation Rate	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Vapor Pressure	No information available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	No data available	
Bulk Density	No data available	
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Acrylamide	-1.24	
Methylene diacrylamide	-1.52	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Light sensitive. Air sensitive.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Polymerization can occur. Do not expose to temperatures exceeding 84 °C/ 183 °F.
None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight. Temperatures above 50°C. Exposure to light.

Incompatible Materials

Metals. Reducing Agent. Acids. Bases. Peroxides. Oxidizing agent.

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

Hazardous Decomposition Products

Carbon monoxide (CO). Nitrogen oxides (NOx). Carbon dioxide (CO₂). Ammonia. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acrylamide	124 mg/kg (Rat)	1141 mg/kg (Rabbit)	
Methylene diacrylamide	390 mg/kg (Rat)		

Chronic Toxicity

Carcinogenicity

Possible cancer hazard. May cause cancer based on animal data The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	IARC	UK
Acrylamide	Group 2A	

Sensitization

No information available

Mutagenic Effects

May cause heritable genetic damage

Reproductive Effects

Category 2: Substances which should be regarded as if they impair fertility in humans

Developmental Effects

No information available

Target Organs

Peripheral Nervous System (PNS).

Symptoms

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acrylamide	124 mg/L LC50 96 h 74-150 mg/L LC50 96 h 81-150 mg/L LC50 96 h 103-115 mg/L LC50 96 h 137-191 mg/L LC50 96 h	EC50: = 98 mg/L, 48h Flow through (Daphnia magna) EC50: = 98 mg/L, 48h (Daphnia magna)		

Persistence and degradability

Persistence

Persistence is unlikely.

Degradation in sewage

Contains substances known to be hazardous to the environment or not degradable in waste

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

treatment plant water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Acrylamide	-1.24	No data available
Methylene diacrylamide	-1.52	No data available

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Do not dispose of waste into sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2074
Hazard Class 6.1
Packing Group III
Proper Shipping Name ACRYLAMIDE, SOLID, MIXTURE

Road and Rail Transport

UN-No UN2074
Hazard Class 6.1
Packing Group III
Proper Shipping Name ACRYLAMIDE, SOLID, MIXTURE

IATA

UN-No UN2074
Hazard Class 6.1
Packing Group III
Proper Shipping Name ACRYLAMIDE, SOLID, MIXTURE

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Acrylamide	201-173-7	-		X	X	-	X	X	X	X	KE-2937 4
Methylene diacrylamide	203-750-9	-		X	X	-	X	X	X	X	KE-2380 0

National Regulations

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC (volatile organic compound)

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

07-Feb-2020

Revision Summary

SDS sections updated.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SAFETY DATA SHEET

Acrylamide/Bis-Acrylamide Mixture (29:1)

Revision Date 07-Feb-2020

End of Safety Data Sheet