

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Perihalan Produk:

ProSafe+

Product Description:

ProSafe+

Cat No. :

TS/0055/27

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

Company

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd
Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,
No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,
Selangor Darul Ehsan, Malaysia.
Main line: +60 3-5525 7888

Supplier

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

Tel: +03-5525 7888
CHEMTREC Malaysia **1-800-815-308** (Malay)
CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Aspiration Toxicity	Category 1 (H304)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Chronic aquatic toxicity	Category 1 (H410)

Label Elements

Contains Diisopropylnaphthalene, Alcohols, secondary C11-15, ethoxylated



SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

Signal Word

Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Diisopropylnaphthalene	38640-62-9	50 - 80
Alcohols, secondary C11-15, ethoxylated	68131-40-8	20 - 40
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	68130-47-2	1 - 5
Diethylene glycol monobutyl ether	112-34-5	5 - 10
Dioctyl sodium sulfosuccinate	577-11-7	1 - 5
Oxazole, 2,5-diphenyl-	92-71-7	5 - 10
Benzene, 1,4-bis[2-(2-methylphenyl)ethenyl]-	13280-61-0	0.1 - 0.25

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically. Symptoms may be delayed.

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Sulfur oxides, Oxides of phosphorus.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods and Material for Containment and Cleaning Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Diethylene glycol monobutyl ether		TWA: 10 ppm	

Component	European Union	The United Kingdom	Germany
Diethylene glycol monobutyl ether	TWA: 10 ppm (8hr) TWA: 67.5 mg/m ³ (8hr) STEL: 15 ppm (15min) STEL: 101.2 mg/m ³ (15min)	STEL: 15 ppm 15 min STEL: 101.2 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 67.5 mg/m ³ 8 hr	TWA: 10 ppm (8 Stunden). AGW - exposure factor 1.5 TWA: 67 mg/m ³ (8 Stunden). AGW - exposure factor 1.5 TWA: 67 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time; MAK value applies for the sum of the concentrations of Diethylene glycol Monobutyl ether and its acetate in the air TWA: 10 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time; MAK value applies for the sum of the concentrations of Diethylene glycol Monobutyl ether and its acetate in the air Höhepunkt: 15 ppm Höhepunkt: 100.5 mg/m ³

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Colorless
Physical State	Liquid
Odor	Characteristic
Odor Threshold	No data available
pH	~ 2.8

Melting Point/Range	No data available
Softening Point	No data available
Boiling Point/Range	> 280 °C / 536 °F
Flash Point	149 °C / 300.2 °F

Method - No information available

Evaporation Rate	No data available
Flammability (solid,gas)	Not applicable
Explosion Limits	No data available

Liquid

Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity / Density	1 g/cm ³
Bulk Density	Not applicable
Water Solubility	Immiscible
Solubility in other solvents	No information available

(Air = 1.0)

Liquid

Partition Coefficient (n-octanol/water)

Component	log Pow
Diisopropylnaphthalene	>4
Diethylene glycol monobutyl ether	0.56
Oxazole, 2,5-diphenyl-	4.1

Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
--------------------------	---------------------------

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

Hazardous Reactions None under normal processing.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Sulfur oxides. Oxides of phosphorus.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diisopropylnaphthalene	LD50 = 3900 mg/kg (Rat)	LD50 > 4500 mg/kg (Rat)	LC50 > 5.14 mg/L (Rat) 4 h
Alcohols, secondary C11-15, ethoxylated	LD50 > 3000 mL/kg (Rat)	LD50 > 2 mg/kg (Rat)	-
Diethylene glycol monobutyl ether	LD50 = 5660 mg/kg (Rat)	LD50 = 2700 mg/kg (Rabbit)	-
Diocetyl sodium sulfosuccinate	>3100 mg/kg (Rat)	>10000 mg/kg (Rabbit)	>20.0 mg/L/4h (Rat)

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

Component	Test method	Test species	Study result
Diisopropylnaphthalene 38640-62-9 (50 - 80)	OECD Test Guideline 406 Magnusson and Kligman	guinea pig	- - non-sensitising

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Category 1

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Diisopropyl naphthalene	LC50: > 1000 mg/L, 96h static (Oryzias latipes) LC50: > 1000 mg/L, 96h static (Cyprinus carpio)	EC50: 1.7 mg/L, 48h (Daphnia magna)		
Diethylene glycol monobutyl ether	LC50: = 1300 mg/L, 96h static (Lepomis macrochirus)	EC50: > 100 mg/L, 48h (Daphnia magna)	EC50: > 100 mg/L, 96h (Desmodesmus subspicatus)	
Diethyl sodium sulfosuccinate	20-40 mg/L LC50 96 h 37 mg/L LC50 96 h 24 mg/L LC50 96 h	36 mg/L EC50 = 48 h		

Persistence and degradability

Persistence Immiscible with water.

Component	Degradability
Diethylene glycol monobutyl ether 112-34-5 (5 - 10)	76% (28d) OECD 301D

Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Diisopropyl naphthalene	>4	1800 - 6400 dimensionless 770 - 2400 dimensionless
Diethylene glycol monobutyl ether	0.56	No data available
Diethyl sodium sulfosuccinate		3.47 - 3.78 dimensionless
Oxazole, 2,5-diphenyl-	4.1	No data available

Mobility in soil

Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not let this chemical enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN3082
Hazard Class 9
Packing Group III
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Diisopropylnaphthalene

Road and Rail Transport

UN-No UN3082
Hazard Class 9
Packing Group III
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Diisopropylnaphthalene

IATA

UN-No UN3082
Hazard Class 9
Packing Group III
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Diisopropylnaphthalene

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Diisopropylnaphthalene	254-052-6	X	X	X	X	X	X	X	97-3-232
Alcohols, secondary C11-15, ethoxylated	-	X	X	X	X	X	X	X	KE-13436

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	-	X	X	X	-		X	X	KE-20585
Diethylene glycol monobutyl ether	203-961-6	X	X	X	X	X	X	X	KE-10466
Diethyl sodium sulfosuccinate	209-406-4	X	X	X	X	X	X	X	KE-32402
Oxazole, 2,5-diphenyl-	202-181-3	X	X	X	X	X	X	X	KE-12092
Benzene, 1,4-bis[2-(2-methylphenyl)ethenyl]-	236-285-5	X	X	-	-		X	-	KE-03298

National Regulations

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

23-Mar-2025

Revision Summary

Initial Release.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

SAFETY DATA SHEET

ProSafe+

Revision Date 23-Mar-2025

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet